



Quality Tested[®]
Automotive Spare Parts

NEWS 05/2026



www.qualitytested.com

CATALOGUE
FOR CARS AND
COMMERCIAL VEHICLES

CATALOGO
PER AUTOVETTURE E
VEICOLI COMMERCIALI

Brake system

CAL1010LJM

Brake Caliper



FORD FOCUS II (DA_)
 FORD GALAXY (WA6)
 FORD GALAXY MK II VAN (WA6)
 FORD KUGA I
 FORD KUGA I VAN
 FORD MONDEO IV (BA7)

OE

1426844
 1439862
 1460305
 1465777
 1502341
 1536999

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 11
 Diameter [mm]: 38
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1010RJM

CAL1010RJM

Brake Caliper



FORD FOCUS II (DA_)
 FORD GALAXY (WA6)
 FORD GALAXY MK II VAN (WA6)
 FORD KUGA I
 FORD KUGA I VAN
 FORD MONDEO IV (BA7)

OE

1426838
 1439860
 1460302
 1465776
 1502337
 1537001

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 11
 Diameter [mm]: 38
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1010LJM

CAL1047LJM

Brake Caliper



FORD GALAXY
 FORD GALAXY MK III VAN (CK)
 FORD MONDEO V 2 volumi /Coda spiovente
 FORD MONDEO V Tre volumi
 FORD MONDEO V Turnier
 FORD S-MAX

OE

2268036
 2351165
 5181342
 5303800
 DG9C2B302AB
 DG9C2B302BA

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 28
 Diameter [mm]: 60
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL1047RJM

CAL1047RJM

Brake Caliper



FORD GALAXY
 FORD GALAXY MK III VAN (CK)
 FORD MONDEO V 2 volumi /Coda spiovente
 FORD MONDEO V Tre volumi
 FORD MONDEO V Turnier
 FORD S-MAX


OE

2268040
 2351169
 5181341
 5303801
 DG9C2B294AB
 DG9C2B294BA

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 28
 Diameter [mm]: 60
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL1047LJM

CAL1094LJM

Brake Caliper



FORD FOCUS III
 FORD FOCUS III Turnier
 FORD KUGA II (DM2)
 FORD KUGA II Van
 FORD TOURNEO CONNECT / GRAND TOURNEO
 CONNECT Kombi

OE


1756683
 1779721
 1824922
 1825214
 2351159
 BV612B302AB

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 25
 Diameter [mm]: 57
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL1094RJM

Brake system

CAL1094RJM

Brake Caliper



FORD FOCUS III
 FORD FOCUS III Turnier
 FORD KUGA II (DM2)
 FORD KUGA II Van
 FORD TOURNEO CONNECT / GRAND TOURNEO
 CONNECT Kombi

OE
 1756682
 1779720
 1825213
 1835113
 2351157
 BV612B294AB

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 25
 Diameter [mm]: 57
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL1094LJM

CAL1120LJM

Brake Caliper



AUDI A6 (4G2, C7, 4GC)
 AUDI A6 Avant (4G5, C7, 4GD)
 AUDI A7 Sportback (4GA, 4GF)

OE
 4G0615403

Brake Disc Thickness [mm]: 12
 Diameter [mm]: 43
 Fitting Position: in front of axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1120RJM
 Supplementary Article/Supplementary Info:
 with electric motor

CAL1120RJM

Brake Caliper



AUDI A6 (4G2, C7, 4GC)
 AUDI A6 Avant (4G5, C7, 4GD)
 AUDI A7 Sportback (4GA, 4GF)

OE
 4G0615404

Brake Disc Thickness [mm]: 12
 Diameter [mm]: 43
 Fitting Position: in front of axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1120LJM
 Supplementary Article/Supplementary Info:
 with electric motor

CAL1124LJM

Brake Caliper



MINI MINI (R50, R53)
 MINI MINI (R56)
 MINI MINI Cabriolet (R57)
 MINI MINI CLUBMAN (R55)
 MINI MINI CLUBVAN (R55)
 MINI MINI Coupé (R58)

OE
 34216784645

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Diameter [mm]: 36
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1124RJM

CAL1124RJM

Brake Caliper



MINI MINI (R50, R53)
 MINI MINI (R56)
 MINI MINI Cabriolet (R57)
 MINI MINI CLUBMAN (R55)
 MINI MINI CLUBVAN (R55)
 MINI MINI Coupé (R58)

OE
 34216784646

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Diameter [mm]: 36
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1124LJM

Brake system

CAL1166LJM

Brake Caliper



OPEL ASTRA K
OPEL ASTRA K Cassone / coda spiovente
OPEL ASTRA K Cassone / Furgonato /
Promiscuo
OPEL ASTRA K Sports Tourer
VAUXHALL ASTRA Mk VII (K) (B16)

OE

13508995
13589729
95522594
95524067

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Diameter [mm]: 54
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1166RJM

CAL1166RJM

Brake Caliper



OPEL ASTRA K
OPEL ASTRA K Cassone / coda spiovente
OPEL ASTRA K Cassone / Furgonato /
Promiscuo
OPEL ASTRA K Sports Tourer
VAUXHALL ASTRA Mk VII (K) (B16)

OE

13508996
13589731
95522594
95522596
95524067
95524069

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Diameter [mm]: 54
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1166LJM

CAL1184LJM

Brake Caliper



FORD C-MAX II
FORD C-MAX II Van
FORD FOCUS III
FORD FOCUS III Cassone / coda spiovente
FORD FOCUS III Tre volumi
FORD FOCUS III Turnier

OE

1511569
1857717
1927082
2210215
2332705
8M512M089B1C

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 11
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
for brake disk diameter [mm]: 265
for brake disk diameter [mm]: 271
for brake disk diameter [mm]: 280
Paired article numbers: CAL1184RJM

CAL1184RJM

Brake Caliper



FORD C-MAX II
FORD C-MAX II Van
FORD FOCUS III
FORD FOCUS III Cassone / coda spiovente
FORD FOCUS III Tre volumi
FORD FOCUS III Turnier

OE

1857716
1926723
2210213
2332703
5164904
8M512M088B1B

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 11
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
for brake disk diameter [mm]: 265
for brake disk diameter [mm]: 271
for brake disk diameter [mm]: 280
Paired article numbers: CAL1184LJM

CAL1192LJM

Brake Caliper



FORD FIESTA V (JH_, JD_)

OE

1355133
1539682
4N112553AA
4N112553BA

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Diameter [mm]: 34
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1192RJM

Brake system

CAL1192RJM

Brake Caliper



FORD FIESTA V (JH_, JD_)

OE

1355131
1539679
4N112552AA
4N112552BA

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Diameter [mm]: 34
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1192LJM

CAL1197LJM

Brake Caliper



FORD COURIER Pick-up
FORD FIESTA Furgonato (J5_, J3_)
FORD FIESTA Furgonato (JV_)
FORD FIESTA IV (JA_, JB_)
FORD KA (RB_)
FORD KA Van (RB)

OE

1106151
1126291
1478498
RMY6J2B302AA
RMYS6J2B302AA
YS612L232AA

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Diameter [mm]: 48
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1197RJM

CAL1197RJM

Brake Caliper



FORD COURIER Pick-up
FORD FIESTA Furgonato (J5_, J3_)
FORD FIESTA Furgonato (JV_)
FORD FIESTA IV (JA_, JB_)
FORD KA (RB_)
FORD KA Van (RB)

OE

1106150
1126286
1478471
RMY6J2B294AA
YS612L231AA
YS6J2B294AA

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Diameter [mm]: 48
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1197LJM

CAL1238LJM

Brake Caliper



FORD FIESTA Tre volumi
FORD FIESTA VI
FORD FIESTA VI Van

OE

1803011
1803012
C1BC2553AA
C1BC2553BA

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Diameter [mm]: 34
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
for brake disk diameter [mm]: 253
Paired article numbers: CAL1238RJM

CAL1238RJM

Brake Caliper



FORD FIESTA Tre volumi
FORD FIESTA VI
FORD FIESTA VI Van

OE

1803009
1803010
C1BC2552AA
C1BC2552BA

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Diameter [mm]: 34
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
for brake disk diameter [mm]: 253
Paired article numbers: CAL1238LJM

Brake system

CAL1244LJM

Brake Caliper



AUDI A1 Allstreet (GBH)
 AUDI A1 CITY CARVER (GBH)
 AUDI A1 Sportback (GBA)
 SEAT ARONA (KJ7)
 SEAT IBIZA V (KJ1)
 SKODA FABIA IV (PJ3)

OE

2Q0615423
 2Q0615423C
 2Q0615423D

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 9
 Diameter [mm]: 38
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1244RJM

CAL1244RJM

Brake Caliper



AUDI A1 Allstreet (GBH)
 AUDI A1 CITY CARVER (GBH)
 AUDI A1 Sportback (GBA)
 SEAT ARONA (KJ7)
 SEAT IBIZA V (KJ1)
 SKODA FABIA IV (PJ3)

OE

2Q0615424
 2Q0615424C
 2Q0615424D

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 9
 Diameter [mm]: 38
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1244LJM

CAL1317LJM

Brake Caliper



TOYOTA AURIS (NRE15_, ZZE15_, ADE15_,
 ZRE15_, NDE15_)
 TOYOTA AURIS (NZE18_, ZRE18_)
 TOYOTA AURIS Furgonato (_E15_)
 TOYOTA AURIS TOURING SPORTS (ADE18_,
 ZWE18_, ZRE18_)

OE

4785002101

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Diameter [mm]: 36
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1317RJM

CAL1317RJM

Brake Caliper



TOYOTA AURIS (NRE15_, ZZE15_, ADE15_,
 ZRE15_, NDE15_)
 TOYOTA AURIS (NZE18_, ZRE18_)
 TOYOTA AURIS Furgonato (_E15_)
 TOYOTA AURIS TOURING SPORTS (ADE18_,
 ZWE18_, ZRE18_)

OE

4783002101

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Diameter [mm]: 36
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1317LJM

CAL1477LJM

Brake Caliper



AUDI A1 Allstreet (GBH)
 AUDI A1 CITY CARVER (GBH)
 AUDI A1 Sportback (GBA)
 SEAT ARONA (KJ7)
 SEAT IBIZA V (KJ1)

OE

2Q0615423A

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 9
 Diameter [mm]: 38
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1477RJM

Brake system

CAL1477RJM

Brake Caliper



AUDI A1 Allstreet (GBH)
AUDI A1 CITY CARVER (GBH)
AUDI A1 Sportback (GBA)
SEAT ARONA (KJ7)
SEAT IBIZA V (KJ1)

OE
2Q0615424A

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 9
Diameter [mm]: 38
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1477LJM

CAL1490LJM

Brake Caliper



LEXUS IS C (GSE2_)
LEXUS IS II (GSE2_, ALE2_, USE2_)
LEXUS IS III (GSE3_, AVE3_)

OE
4775053060
477505306084

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Diameter [mm]: 60
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1490RJM

CAL1490RJM

Brake Caliper



LEXUS IS C (GSE2_)
LEXUS IS II (GSE2_, ALE2_, USE2_)
LEXUS IS III (GSE3_, AVE3_)

OE
4773053060
477305306084

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Diameter [mm]: 60
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1490LJM

CAL1518LJM

Brake Caliper



FORD FOCUS IV
FORD FOCUS IV Tre volumi (HM)
FORD FOCUS IV Turnier (HP)
FORD KUGA III (DFK)

OE
2307826
2307828
2571524
2571526
KTJX612D347BEB
KTJX612D347BFC

Brake Disc Thickness [mm]: 11
Diameter [mm]: 36
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
for brake disk diameter [mm]: 271
for brake disk diameter [mm]: 302
Paired article numbers: CAL1518RJM
Supplementary Article/Supplementary Info:
with electric motor

CAL1518RJM

Brake Caliper



FORD FOCUS IV
FORD FOCUS IV Tre volumi (HM)
FORD FOCUS IV Turnier (HP)
FORD KUGA III (DFK)


OE
2307321
2307821
2307824
2571530
2571536
KTJX612D346BEB

Brake Disc Thickness [mm]: 11
Diameter [mm]: 36
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
for brake disk diameter [mm]: 271
for brake disk diameter [mm]: 302
Paired article numbers: CAL1518LJM
Supplementary Article/Supplementary Info:
with electric motor

Brake system

CAL1536RJM

Brake Caliper




FIAT 127
FIAT 127 Panorama

OE
790329

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Diameter [mm]: 48
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1536LJM

CAL1592LJM

Brake Caliper



FSO POLONEZ I
FSO POLONEZ II
FSO POLONEZ III

OE
4239314
4395658

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Diameter [mm]: 48
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1592RJM

CAL1592RJM

Brake Caliper



FSO POLONEZ I
FSO POLONEZ II
FSO POLONEZ III

OE
4239315
4395659

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Diameter [mm]: 48
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1592LJM

CAL1595LJM

Brake Caliper



AUDI A2 (8Z0)
VW LUPO (6X1, 6E1)

OE
6E0615123

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 15
Diameter [mm]: 48
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1595RJM

CAL1595RJM

Brake Caliper



AUDI A2 (8Z0)
VW LUPO (6X1, 6E1)

OE
6E0615124

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 15
Diameter [mm]: 48
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1595LJM

Brake system

CAL732LJM

Brake Caliper



MERCEDES-BENZ CLASSE C (W205)
 MERCEDES-BENZ CLASSE C Cabriolet (A205)
 MERCEDES-BENZ CLASSE C Coupé (C205)
 MERCEDES-BENZ CLASSE C T-Model (S205)

OE
 2054230381
 A2054230381

Brake Disc Thickness [mm]: 22
 Diameter [mm]: 44
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL732RJM
 Supplementary Article/Supplementary Info:
 with electric motor

CAL732RJM

Brake Caliper




MERCEDES-BENZ CLASSE C (W205)
 MERCEDES-BENZ CLASSE C Cabriolet (A205)
 MERCEDES-BENZ CLASSE C Coupé (C205)
 MERCEDES-BENZ CLASSE C T-Model (S205)

OE
 2054230481
 A2054230481

Brake Disc Thickness [mm]: 22
 Diameter [mm]: 44
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL732LJM
 Supplementary Article/Supplementary Info:
 with electric motor

DI0181JM

Brake Disc




BYD DOLPHIN

OE
 1432904800
 EM2EU-3501011S

Brake Disc Thickness [mm]: 25
 Brake Disc Type: Vented
 Centering Diameter [mm]: 62
 Fitting Position: Front Axle
 Height [mm]: 48
 Minimum Thickness [mm]: 23
 Number of Bores: 5
 Number of mounting bores: 2
 Outer Diameter [mm]: 273
 Pitch Circle [mm]: 114
 Surface: Painted

DP0162JM

Brake Disc




AIWAYS U5
 AIWAYS U6

OE
 861598003

Brake Disc Thickness [mm]: 12
 Brake Disc Type: Solid
 Centering Diameter [mm]: 65
 Fitting Position: Rear Axle
 Height [mm]: 52
 Minimum Thickness [mm]: 10
 Number of Bores: 5
 Number of mounting bores: 1
 Outer Diameter [mm]: 314
 Pitch Circle [mm]: 112
 Surface: Painted

GF0520JM

Brake Shoe Set



MERCEDES-BENZ CLASSE S (W220)
 MERCEDES-BENZ CLASSE S (W221)


OE
 1404200720
 1404201020
 2214200620
 A1404201020
 A2214200620

Brake System: ATE TEVES
 Diameter [mm]: 185
 Fitting Position: Rear Axle
 Width [mm]: 36,2

Brake system

PA0168JM

Brake Pad Set, disc brake




MAXUS (SAIC MOTOR) DELIVER 7 Furgone
 MAXUS (SAIC MOTOR) DELIVER 9 Furgonato
 MAXUS (SAIC MOTOR) DELIVER 9 Pianale
 piatto/Telaio
 MAXUS (SAIC MOTOR) eDELIVER 3 Furgonato
 MAXUS (SAIC MOTOR) eDELIVER 7 Furgone

OE
 C00212539

Fitting Position: Front Axle
 Height [mm]: 69,4
 Thickness [mm]: 17,4
 Wear Warning Contact: With integrated wear
 warning contact
 Width [mm]: 172,9
 WVA Number: 22898
 WVA Number: 22899
 WVA Number: 22900

PA2043JM

Brake Pad Set, disc brake



TOYOTA C-HR (_X2_, _H2_)

OE
 04465F4050

Fitting Position: Front Axle
 Height [mm]: 62,5
 Thickness [mm]: 19
 Wear Warning Contact: With acoustic wear
 warning
 Width [mm]: 162,3
 WVA Number: 27052
 WVA Number: 27053
 WVA Number: 27054

PA2044JM

Brake Pad Set, disc brake




LEXUS LX (_J3_)
 TOYOTA LAND CRUISER (PZJ7_, KZJ7_, HZJ7_,
 BJ7_, LJ7_, RJ7
 TOYOTA LAND CRUISER (_J25_)
 TOYOTA LAND CRUISER 150 (KDJ15_, GRJ15_)
 TOYOTA LAND CRUISER 300 (_J3_)

OE
 0446502580
 0446560380
 446560380

Brake System: Advics
 Height [mm]: 82,6
 Thickness [mm]: 17,9
 Wear Warning Contact: With acoustic wear
 warning
 Width [mm]: 143,4
 WVA Number: 26832

PAH40JM

Brake Pad Set, disc brake




HYUNDAI KONA (SX2)

OE
 58101BEA05

Fitting Position: Front Axle
 Height [mm]: 58,1
 Thickness [mm]: 17,9
 Wear Warning Contact: With acoustic wear
 warning
 Width [mm]: 138,4
 WVA Number: 26988
 WVA Number: 26989
 WVA Number: 26990

PAH41JM

Brake Pad Set, disc brake



HYUNDAI KONA (SX2)


OE
 58101BEA15

Fitting Position: Front Axle
 Height [mm]: 60,7
 Thickness [mm]: 18,2
 Wear Warning Contact: With acoustic wear
 warning
 Width [mm]: 144,4
 WVA Number: 26985
 WVA Number: 26986
 WVA Number: 26987

Brake system

PAH42JM

Brake Pad Set, disc brake




HYUNDAI KONA (SX2)

OE
58101BEA25

Fitting Position: Front Axle
Height [mm]: 66
Thickness [mm]: 18
Wear Warning Contact: With acoustic wear warning
Width [mm]: 144,5
WVA Number: 26982
WVA Number: 26983
WVA Number: 26984

PP0333JM

Brake Pad Set, disc brake



VOLVO EX30 (416)

OE
80011409

Fitting Position: Rear Axle
Height [mm]: 53,3
Thickness [mm]: 18,8
Wear Warning Contact: With acoustic wear warning
Width [mm]: 109
WVA Number: 27008
WVA Number: 27009
WVA Number: 27010

PP2009JM

Brake Pad Set, disc brake




LEXUS LX (_J3_)
TOYOTA LAND CRUISER (PZJ7_, KZJ7_, HZJ7_, BJ7_, LJ7_, RJ7)
TOYOTA LAND CRUISER (_J25_)
TOYOTA LAND CRUISER 150 (KDJ15_, GRJ15_)
TOYOTA LAND CRUISER 300 (_J3_)

OE
0446604010
0446657010
0446660190

Brake System: Advics
Height [mm]: 47,5
Thickness [mm]: 15,6
Wear Warning Contact: Not prepared for wear indicator
Width [mm]: 142,5
WVA Number: 26831

PPH20JM

Brake Pad Set, disc brake



HYUNDAI KONA (SX2)

OE
58302BEA05
58302GGA10
58302GGA20

Fitting Position: Rear Axle
Height [mm]: 41,5
Thickness [mm]: 15,6
Wear Warning Contact: With acoustic wear warning
Width [mm]: 99,7
WVA Number: 26520
WVA Number: 27014
WVA Number: 27015

Clutch

KV0100MJM

Clutch Kit



MINI MINI (R56)
MINI MINI Cabriolet (R57)
MINI MINI CLUBMAN (R55)
MINI MINI CLUBVAN (R55)
MINI MINI COUNTRYMAN (R60)
MINI MINI Coupé (R58)


OE
21 20 8 606 067
21 21 7 599 835
21208606067
21217599835
21517594882
7599835

Clutch: Conversion from dual-mass flywheel to single-mass flywheel
Number of mounting bores: 6
Number of Teeth: 28
Outer Diameter 1 [mm]: 235
Supplementary Article/Supplementary Info 2: with flywheel
Supplementary Article/Supplementary Info 2: With releaser
Supplementary Article/Supplementary Info 2: With screw set

Clutch

KV0200MJM

Clutch Kit



FIAT BRAVA (182)
 FIAT BRAVO I (182)
 FIAT DOBLO (119)
 FIAT DOBLO Cargo (223)
 FIAT MAREA (185)
 FIAT MAREA Weekend (185)

OE

46539189
 46754542
 46792952
 46819103
 46821336
 55185670

Clutch: Conversion from dual-mass flywheel to single-mass flywheel
 Number of Teeth: 20
 Outer Diameter 1 [mm]: 229
 Supplementary Article/Supplementary Info 2: with flywheel
 Supplementary Article/Supplementary Info 2: With releaser
 Supplementary Article/Supplementary Info 2: With screw set

KV0201MJM

Clutch Kit



ALFA ROMEO GIULIETTA (940)
 ALFA ROMEO GIULIETTA Furgonato (940_)
 CHRYSLER DELTA
 FIAT 500L
 FIAT BRAVO II (198)
 FIAT BRAVO Van (198)

OE

46341426
 55212655
 55218070
 55220821
 55224015
 55232693

Clutch: Conversion from dual-mass flywheel to single-mass flywheel
 Diameter [mm]: 240
 Number of mounting bores: 6
 Number of Teeth: 20
 Supplementary Article/Supplementary Info: With central slave cylinder
 Supplementary Article/Supplementary Info: with flywheel screws

KV0205MJM

Clutch Kit



FIAT BRAVO II (198)
 FIAT BRAVO Van (198)
 LANCIA DELTA III (844)

OE

55207746
 55209138
 55209818
 55241567
 55248438
 616317

Clutch: Conversion from dual-mass flywheel to single-mass flywheel
 Number of Teeth: 20
 Outer Diameter 1 [mm]: 240
 Supplementary Article/Supplementary Info 2: with flywheel
 Supplementary Article/Supplementary Info 2: With screw set
 Supplementary Article/Supplementary Info: With central slave cylinder

KV0206MJM

Clutch Kit



FIAT BRAVO II (198)
 LANCIA DELTA III (844)

OE

46341426
 55207746
 55209138
 55212655
 55241567
 55248438

Number of Teeth: 20
 Outer Diameter 1 [mm]: 240
 Supplementary Article/Supplementary Info 2: With clutch plate
 Supplementary Article/Supplementary Info 2: with flywheel
 Supplementary Article/Supplementary Info 2: With screw set
 Supplementary Article/Supplementary Info: With central slave cylinder
 Tightening Torque [Nm]: 30

Clutch

KV0207MJM

Clutch Kit



ALFA ROMEO GIULIETTA (940)

OE

55212663
55220822
55224015
55226906
55232693
55240571

Clutch: Conversion from dual-mass flywheel to single-mass flywheel
Material: Plastic
Number of mounting bores: 6
Number of mounting holes at central slave cylinder: 2
Number of Teeth: 20
Outer Diameter 1 [mm]: 240
Supplementary Article/Supplementary Info 2: with flywheel
Supplementary Article/Supplementary Info 2: Without sensor
Supplementary Article/Supplementary Info: With central slave cylinder

KV0208MJM

Clutch Kit



FIAT BRAVO II (198)
FIAT DOBLO Cassone / Furgonato / Promiscuo (263)
FIAT DOBLO MPV / Space wagon (152, 263)
FIAT DOBLO Pianale piatto/Telaio (263)
LANCIA DELTA III (844)

OE

46341426
55207746
55212655
55218070
55224015
55232693

Bore [mm]: 26
Clutch: Conversion from dual-mass flywheel to single-mass flywheel
Number of mounting bores: 6
Number of mounting holes at central slave cylinder: 2
Number of Teeth: 20
Outer Diameter 1 [mm]: 240
Supplementary Article/Supplementary Info 2: with flywheel
Supplementary Article/Supplementary Info 2: With screw set
Supplementary Article/Supplementary Info: With central slave cylinder

Cooling System

PQ0957JM

Water Pump



SKODA FAVORIT Forman (785)
SKODA FAVORIT Pick-up (787)

OE

007 070 243

Impeller Diameter [mm]: 59,5
Number of Ribs: 4
Number of Wings: 8
Operating Mode: Mechanical
Supplementary Article/Supplementary Info: with seal
Water Pump Pulley [mm]: 85,078
Water Pump Type: For v-ribbed belt use

VTQ0614

Thermostat, coolant



CITROEN C25 Autobus (280_, 290_)
CITROEN C25 Furgonato (280_, 290_)
CITROEN C25 Pianale piatto/Telaio (280_, 290_)
CITROEN GS
CITROEN GS Break
FIAT DUCATO Furgonato (280)

OE

1337 47
1337.5
13375
9150072380

Diameter [mm]: 57
Number of seals: 3
Opening Temperature [°C]: 82
Supplementary Article/Supplementary Info: With gaskets/seals

Electrics

Electrics

BO-0118JM

Coil, ignition



AUDI 100 (44, 44Q, C3)
AUDI 100 Avant (44, 44Q, C3)
AUDI 200 (44, 44Q)
AUDI 80 (81, 85, B2)
AUDI 80 (89, 89Q, 8A, B3)
AUDI 90 (81, 85, B2)

OE

12 13 1 273 216
12131273216
191905115A
211905115D
811905115
CL018

Coil Ignition System: Transistor Ignition (TI)
No. of terminals (output) []: 1

BO-0120JM

Coil, ignition



PEUGEOT 309 I (10C, 10A)
PEUGEOT 309 II (3C, 3A)
PEUGEOT 405 I (15B)
PEUGEOT 405 I Break (15E)
RENAULT 11 (B/C37_)
RENAULT 19 I Cabriolet (D53_)

OE

7700722070

For OE number: 77 00 722 070
Ignition Coil: Coupling Type SAE
Number of Inlets / Outlets: 1
Number of Poles: 5
Supplementary Article/Supplementary Info 2:
with control unit
Vehicle Equipment: For vehicles with distributor

BO-0625JM

Coil, ignition



CITROEN EVASION (22, U6)
CITROEN XANTIA (X1)
CITROEN XANTIA Break (X1)
CITROEN XM (Y4)
CITROEN XM Break (Y4)
CITROEN XSARA (N1)

OE

597050

For OE number: 597050
Ignition Coil: Incl. spark plug connector
Length incl. plug [cm]: 16
Number of Poles: 3
Number of ports: 1
Port Type: Spark Spring
Required quantity: 4
Voltage [V]: 12

EGT0709JM

Sensor, exhaust gas temperature



DACIA DUSTER
DACIA JOGGER
DACIA LOGAN MCV II
DACIA SANDERO II
DACIA SANDERO III
RENAULT CAPTUR II

OE

226581040R

For OE number: 226581040R
Number of Poles: 2
Voltage [V]: 12

EGT0710JM

Sensor, exhaust gas temperature



RENAULT ARKANA I

OE

226400105R
226400564R

For OE number: 226400564R
Number of ports: 2
Rated Voltage [V]: 12

Electrics

EGT0712JM
Sensor, exhaust gas temperature


RENAULT CLIO IV

OE
 226585317R

 For OE number: 226585317R
 Number of ports: 2
 Rated Voltage [V]: 12

Engine

EGR0702JM
EGR Valve

 DACIA DOKKER
 DACIA DOKKER Express
 DACIA DUSTER
 DACIA LODGY
 DACIA LOGAN II
 DACIA LOGAN MCV II

OE
 14710-00Q1H
 147101246R
 6081400060
 8201684044
 A6081400060

For OE number: 147101246R

Engine Timing Control

KDK003JM
Timing Chain Kit


MAHINDRA XUV500

OE
 0310AM0120N
 0310EM0021N
 0310EM0031N
 0310EM0041N
 0310EM0051N
 0310EM0180N

 Number of Chain Links: 70
 Number of Chain Links: 96
 Number of Parts [parts]: With roof rails

KDK004JM
Timing Chain Kit

 MAHINDRA GOA
 MAHINDRA GOA Pick-up

OE
 0301DC0040N
 0301DC0050N
 0301DC0060N
 0310AC0170N

 Number of Chain Links: 98
 Number of Parts [parts]: 4


Filter

FA-0149JM
Air Filter

 CASE IH FARMALL
 CASE IH QUANTUM
 FENDT Vario
 JOHN DEERE Series 5
 LANDINI POWERFARM
 LANDINI REX

OE
 00 1600 442 0
 090359
 10413351
 13290250
 18351042030
 32/925682


 Filter Type: Filter Insert
 Height [mm]: 148
 Length [mm]: 181
 Width [mm]: 250

Filter
FAA-105JM
Filter, interior air


FIAT DOBLO (119)
 FIAT DOBLO Cargo (223)
 FIAT IDEA
 FIAT IDEA Van (350_)
 FIAT PUNTO (188)
 FIAT PUNTO Van (188AX)

OE
 151.1109080
 46723331
 77362394

Filter Type: Activated Carbon Filter
 Height [mm]: 25
 Length [mm]: 215
 Width [mm]: 164

FAA-108JM
Filter, interior air


FIAT BARCHETTA (183)
 FIAT PUNTO (176)
 FIAT PUNTO Cabriolet (176C)
 FIAT PUNTO Van (176L)
 LANCIA Y (840A)

OE
 000 530 2400
 46721374
 5908409
 6001073261
 71771376

Filter Type: Activated Carbon Filter
 Height [mm]: 17,5
 Length [mm]: 308
 Width [mm]: 140

FAA-114JM
Filter, interior air


PEUGEOT 206 2 volumi /Coda spiovente (2A/C)
 PEUGEOT 206 CC (2D)
 PEUGEOT 206 SW (2E/K)
 PEUGEOT 206 Tre volumi
 PEUGEOT 206 Van
 PEUGEOT 206+ (T3E)

OE
 0024 35
 0024 36
 6447 PE

Filter Type: Activated Carbon Filter
 Height [mm]: 31
 Length [mm]: 336
 Width [mm]: 159

FAA-124JM
Filter, interior air


AUDI Q7 (4L)
 AUDI Q7 Van (4LB)
 VW AMAROK (2H_, S1B)
 VW AMAROK Pianale piatto/Telaio (S1B)
 VW CALIFORNIA T5 Camper (7EC, 7EF, 7EG, 7HF)
 VW CALIFORNIA T6 Camper (SGC, SGG, SHC)

OE
 7H0 819 63
 7H0 819 631
 7H0819631A
 JZW819653E


Filter Type: Activated Carbon Filter
 Height [mm]: 30
 Length [mm]: 278
 Width [mm]: 219

FAA-132JM
Filter, interior air


IVECO DAILY Cassone / Furgonato / Promiscuo
 IVECO DAILY CITYS Autobus
 IVECO DAILY LINE Autobus
 IVECO DAILY Pianale piatto/Telaio
 IVECO DAILY V Autobus

OE
 500042992
 500086309
 5801619418

Filter Type: Activated Carbon Filter
 Height [mm]: 30
 Length [mm]: 215
 Width [mm]: 215

Filter
FAA-134JM
Filter, interior air



MERCEDES-BENZ AMG GT / GT S (C190)
 MERCEDES-BENZ AMG GT Roadster (R190)
 MERCEDES-BENZ CLASSE C (W204)
 MERCEDES-BENZ CLASSE C Coupé (C204)
 MERCEDES-BENZ CLASSE C T-Model (S204)
 MERCEDES-BENZ CLASSE E (W212)

OE

204 830 00
 204 830 00 18
 204 830 05 18
 212 830 00 18
 212 830 01 18
 212 830 02 18

Filter Type: Activated Carbon Filter

Height [mm]: 44
 Length [mm]: 264
 Width [mm]: 284

FAA-136JM
Filter, interior air


MERCEDES-BENZ CLASSE C (W203)
 MERCEDES-BENZ CLASSE C Coupe (CL203)
 MERCEDES-BENZ CLASSE C Station wagon (S202)
 MERCEDES-BENZ CLASSE C T-Model (S203)
 MERCEDES-BENZ CLASSE CLC (CL203)

OE

203 830 09
 203 830 09 18
 A 203 830 09 18

Filter Type: Activated Carbon Filter

Height [mm]: 26
 Length [mm]: 332
 Width [mm]: 189

FAA-145JM
Filter, interior air


FORD MONDEO III (B5Y)
 FORD MONDEO III Station wagon (BWY)
 FORD MONDEO III Tre volumi (B4Y)
 JAGUAR X-TYPE (CF1)
 JAGUAR X-TYPE Estate

OE

1115 650
 1119 616
 1119613
 1349 791
 1451 913
 1713 173

Filter Type: Activated Carbon Filter

Height [mm]: 35
 Length [mm]: 509
 Width [mm]: 99

FC-032JM
Fuel filter


AUDI A3 (8P1)
 AUDI A3 Cabriolet (8P7)
 AUDI A3 Sportback (8PA)
 AUDI TT (8J3)
 AUDI TT Roadster (8J9)
 SEAT ALTEA (5P1)

OE

6Q0 201 051 A
 6Q0 201 051 C
 6Q0 201 051 J

Filter Type: In-Line Filter

Filter Type: with integrated pressure regulator

Height [mm]: 164
 Inlet [mm]: 8
 Outer Diameter 1 [mm]: 61
 Outer Diameter [mm]: 55
 Outlet [mm]: 8
 Pressure [bar]: 4,0

FC-035JM
Fuel filter


AUDI A2 (8Z0)
 SEAT CORDOBA (6L2)
 SEAT IBIZA IV (6L1)
 SKODA FABIA (6Y2)
 SKODA FABIA Combi (6Y5)
 SKODA FABIA Praktik

OE

6Q0 201 051
 6Q0 201 051 B
 6Q0 201 051 H
 6Q0 201 512

Filter Type: In-Line Filter

Filter Type: with integrated pressure regulator

Height [mm]: 164
 Inlet [mm]: 8
 Outer Diameter 1 [mm]: 61
 Outer Diameter [mm]: 55
 Outlet [mm]: 8
 Pressure [bar]: 3,0

Filter
FC-036JM
Fuel filter


AUDI A1 (8X1, 8XF)
 AUDI A1 Sportback (8XA, 8XK)
 AUDI A3 (8P1)
 AUDI A3 Cabriolet (8P7)
 AUDI A3 Sportback (8PA)
 AUDI TT (8J3)

OE

1K0 201 05
 1K0 201 051 B
 1K0 201 051 C
 1K0 201 051 K

Filter Type: In-Line Filter
 Filter Type: with integrated pressure regulator
 Height [mm]: 164
 Inlet [mm]: 8
 Outer Diameter 1 [mm]: 61
 Outer Diameter [mm]: 55
 Outlet [mm]: 8
 Pressure [bar]: 6,6

FC-037JM
Fuel filter


ALPINA D5 (F10)
 ALPINA D5 Touring (F11)
 BMW 1 (E81)
 BMW 1 (E87)
 BMW 1 Cabriolet (E88)
 BMW 1 Coupé (E82)

OE

13 32 7 81
 13 32 7 811 227
 13 32 7 811 401
 13 32 7 822 499

Filter Type: In-Line Filter
 Height [mm]: 251
 Outer Diameter [mm]: 55
 Outlet [mm]: 9

FC-040JM
Fuel filter


ALPINA D3 (F30)
 ALPINA D3 Station wagon (F31)
 ALPINA D4 Cabriolet (F33)
 ALPINA D4 Coupé (F32)
 BMW 1 (F20)
 BMW 1 (F21)

OE

13 32 7 822 497
 13 32 8 511 053
 13 32 8 572 522

Filter Type: In-Line Filter
 Height [mm]: 257
 Outer Diameter [mm]: 55
 Outlet [mm]: 8

FC-041JM
Fuel filter


IRISBUS DAILY TOURYS
 IVECO DAILY Cassone / Furgonato / Promiscuo
 IVECO DAILY CITYS Autobus
 IVECO DAILY IV Autobus
 IVECO DAILY IV Cassone / Furgonato / Promiscuo

OE

0000500025836
 500025836
 500041212
 500055340
 5041 70771
 504182148

Filter Type: Filter Insert
 Height [mm]: 151
 Inner Diameter [mm]: 15
 Outer Diameter [mm]: 81
 Supplementary Article/Supplementary Info:
 with seal

FC-047JM
Fuel filter


ALPINA D3 (E90)
 ALPINA D3 Coupé (E92)
 ALPINA D3 Station wagon (E91)
 ALPINA XD3 (F25)
 BMW 3 (E90)
 BMW 3 Cabriolet (E93)

OE

13 32 7 823 413
 13 32 8 584 874
 1332782341301
 13328509765
 7823413
 8509765

Filter Type: In-Line Filter
 Height [mm]: 260
 Outer Diameter [mm]: 55
 Outlet [mm]: 9

Filter

FC-050JM

Fuel filter



INFINITI Q30
 INFINITI QX30
 MERCEDES-BENZ CLA Coupé (C117)
 MERCEDES-BENZ CLA Shooting Brake (X117)
 MERCEDES-BENZ CLASSE A (W176)
 MERCEDES-BENZ CLASSE B (W246, W242)

OE

16401-HG00B
 642 090 48
 642 090 48 52
 642 090 63 52
 A 642 090 48 52
 A 642 090 63 52

Filter Type: In-Line Filter
 Height [mm]: 100
 Inlet [mm]: 10
 Outer Diameter [mm]: 86
 Outlet [mm]: 8

FC-054JM

Fuel filter



VW CALIFORNIA T5 Camper (7EC, 7EF, 7EG, 7HF)
 VW CALIFORNIA T6 Camper (SGC, SGG, SHC)
 VW MULTIVAN V (7HM, 7HN, 7HF, 7EF, 7EM, 7EN)
 VW MULTIVAN VI (SGF, SGM, SGN)
 VW TOUAREG (7LA, 7L6, 7L7)

OE

7H0 127 40
 7H0 127 401
 7H0 127 401 A
 7H0 127 401 B
 7H0 127 401 F

Filter Type: In-Line Filter
 Height [mm]: 276
 Outer Diameter [mm]: 81

FC-062JM

Fuel filter



MERCEDES-BENZ CLASSE C (W205)
 MERCEDES-BENZ CLASSE C (W206)
 MERCEDES-BENZ CLASSE C All-Terrain (S206)
 MERCEDES-BENZ CLASSE C Cabriolet (A205)
 MERCEDES-BENZ CLASSE C Coupé (C205)
 MERCEDES-BENZ CLASSE C T-Model (S205)

OE

654 092 00
 654 092 00 00
 654 092 02 00
 6540900652
 6540905400
 6540905600

Filter Type: Filter Insert
 Height [mm]: 72
 Inner Diameter 1 [mm]: 24
 Inner Diameter [mm]: 19
 Outer Diameter 1 [mm]: 111
 Outer Diameter [mm]: 107
 Supplementary Article/Supplementary Info:
 with seal

FC-067JM

Fuel filter



FORD ECOSPORT
 FORD PUMA

OE

2189473
 2363756
 2575 364
 2629627
 2664 028
 JN15-9155-BA

Filter Type: In-Line Filter
 Height [mm]: 130
 Inlet [mm]: 10
 Outer Diameter [mm]: 98
 Outlet [mm]: 8

FO-016JM

Oil Filter



AUDI A4 (8W2, B9)
 AUDI A4 Avant (8W5, B9)
 AUDI A5
 AUDI A5 Cabriolet
 AUDI A5 Sportback (F5A)
 AUDI A6 (C8, 4A2)

OE

06M 115 561 H
 06M 198 405 F
 9A7.198.40
 9A7.198.405.00

Filter Type: Filter Insert
 Height [mm]: 117
 Inner Diameter [mm]: 24
 Outer Diameter [mm]: 63
 Supplementary Article/Supplementary Info:
 with seal

Filter

FO-062JM

Oil Filter



AUDI A4 (8EC, B7)
 AUDI A4 (8K2, B8)
 AUDI A4 Allroad (8KH, B8)
 AUDI A4 Avant (8ED, B7)
 AUDI A4 Avant (8K5, B8)
 AUDI A4 Cabriolet (8H7, B6, 8HE, B7)


OE

057 115 56
 057 115 561 K
 057 115 561 L
 057002561L

Filter Type: Filter Insert
 Height [mm]: 200
 Inner Diameter 1 [mm]: 29
 Inner Diameter [mm]: 29
 Outer Diameter 1 [mm]: 76
 Outer Diameter [mm]: 72
 Supplementary Article/Supplementary Info:
 with seal

FO-090JM

Oil Filter



ALFA ROMEO GIULIA (952_)
 ALFA ROMEO STELVIO (949_)

OE

73504459

Filter Type: Filter Insert
 Height [mm]: 130
 Inner Diameter 1 [mm]: 25
 Inner Diameter 2 [mm]: 21
 Outer Diameter [mm]: 54

Mounting

BQS10

Track Control Arm



SSANGYONG KORANDO

OE

4451034002
 4451034005
 4451034010

Fitted Diameter [mm]: 19
 Fitting Position: Front Axle Left
 Fitting Position: Lower
 Steering Type: Control Arm

BQS11

Track Control Arm



SSANGYONG KORANDO

OE

4452034002
 4452034003
 4452034004
 4452034010

Fitted Diameter [mm]: 19
 Fitting Position: Front Axle Right
 Fitting Position: Lower
 Steering Type: Control Arm

KK-0025JM

Wheel Hub



MINI MINI (R50, R53)
 MINI MINI (R56)

OE

33412361250
 33416774944
 33416785552
 33416786552
 33416786620

Number of Teeth, ABS ring: 88
 Outer Diameter [mm]: 137
 Rim Hole Number: 4
 Supplementary Article/Supplementary Info 2:
 With integrated ABS sensor
 Thread Size: M14X1,25

Mounting

KK-0275JM
Wheel Bearing Kit


JEEP GRAND CHEROKEE II (WJ, WG)

OE
 05012825AA
 K05012825AA

 Inner Diameter [mm]: 35
 Outer Diameter [mm]: 65
 Width 1 [mm]: 17,8
 Width 2 [mm]: 20,6

KK-0324JM
Wheel Bearing Kit

 HONDA ACCORD II (AC, AD)
 HONDA ACCORD II Hatchback (AC, AD)
 HONDA CIVIC I Hatchback (SB)
 HONDA CIVIC I Tre volumi (SF)
 HONDA CIVIC I Wagon (WC)
 HONDA JAZZ I (AA)

OE
 91052-671-008
 91053-671-008
 91053-679-003

 Inner Diameter 1 [mm]: 29
 Inner Diameter 2 [mm]: 19
 Outer Diameter 1 [mm]: 50
 Outer Diameter 2 [mm]: 45
 Width 1 [mm]: 14
 Width 2 [mm]: 15

KK-0360JM
Wheel Bearing Kit

 FORD ESCORT '81 Express (AVA)
 FORD ESCORT '86 Express (AVF)
 FORD ESCORT III Station wagon (AWA)
 FORD ESCORT IV Station wagon (AWF, AVF)
 FORD TRANSIT Autobus (72E, 73E)
 FORD TRANSIT Autobus (T_ _)

OE
 0009815805
 0009815905
 0016172300
 0016172400
 11055119
 119002140801

 Inner Diameter 1 [mm]: 19
 Inner Diameter 2 [mm]: 31,75
 Outer Diameter 1 [mm]: 45,237
 Outer Diameter 2 [mm]: 59,131
 Width 1 [mm]: 16,637
 Width 2 [mm]: 16,764

KK-0464JM
Wheel Hub

 ALFA ROMEO GIULIA (952_)
 ALFA ROMEO STELVIO (949_)

OE
 50533570
 50573389
 68639568AA

 Number of Teeth, ABS ring: 96
 Number of Teeth: 30
 Outer Diameter [mm]: 135
 Rim Hole Number: 5
 Supplementary Article/Supplementary Info 2:
 With integrated ABS sensor
 Thread Size: M14X1,5

KK-0476JM
Wheel Bearing Kit

 TOYOTA CAMRY (_V2_)
 TOYOTA CAMRY Liftback (_V1_)
 TOYOTA CAMRY Tre volumi (_V1_)
 TOYOTA CARINA II (_T15_)
 TOYOTA CARINA II (_T17_)
 TOYOTA CARINA II Station Wagon (_T17_)

OE
 4245020010
 43503-32020

 Inner Diameter [mm]: 30
 Outer Diameter [mm]: 63
 Width [cm]: 42

Mounting

KK-0511JM

Wheel Hub



RENAULT 25 (B29_)
RENAULT ESPACE I (J11_)
RENAULT ESPACE II (J/S63_)

OE

51852424
7700780919
7701204696

Inner Diameter 2 [mm]: 25
Inner Diameter [mm]: 25
Number of Teeth, ABS ring: 48
Outer Diameter [mm]: 132,5
Rim Hole Number: 4
Supplementary Article/Supplementary Info 2:
With ABS sensor ring
Thread Size: M12X1,5

KK-0513JM

Wheel Hub



MERCEDES-BENZ SPRINTER 3,5-t Autobus (906)
MERCEDES-BENZ SPRINTER 3,5-t Furgonato (906)
MERCEDES-BENZ SPRINTER 3,5-t Pianale piatto/Telaio (906)
MERCEDES-BENZ SPRINTER 3-t Autobus (906)

OE

2E0407303AA
2E0407303P
2E0407303Q
2E0407303R
2E0407303S
2E0407304P

Number of Teeth, ABS ring: 96
Outer Diameter [mm]: 152
Rim Hole Number: 6
Supplementary Article/Supplementary Info 2:
With integrated ABS sensor
Thread Size: M14X1,5

KK-0527JM

Wheel Bearing Kit



NISSAN SUNNY II (N13)
NISSAN SUNNY II Coupe (B12)
NISSAN SUNNY II Hatchback (N13)
NISSAN SUNNY II Traveller (B12)

OE

4021450A10
4321050A00
4323250A00
4323250A10

Inner Diameter 1 [mm]: 27
Outer Diameter 1 [mm]: 52
Width 1 [mm]: 45

KK-0542JM

Wheel Bearing Kit



JAGUAR XJ (NAW, NBW)
JAGUAR XK 8 Convertible (QDV)
JAGUAR XK 8 Coupe (QEV)

OE

MJA1830AD
MJA1830AE

Inner Diameter 1 [mm]: 42
Outer Diameter 1 [mm]: 76
Width 1 [mm]: 39

KK-0556JM

Wheel Bearing Kit



SSANGYONG ACTYON I
SSANGYONG ACTYON SPORTS I (QJ)
SSANGYONG ACTYON SPORTS II
SSANGYONG KYRON

OE

4142009200
4142009201
4142009202

Inner Diameter 1 [mm]: 45
Outer Diameter 2 [mm]: 82
Width 1 [mm]: 45

Mounting

KK-0559JM
Wheel Bearing Kit

 CITROEN 2 CV
 CITROEN DYANE
 CITROEN MEHARI

OE
 26200119
 5451859

 Inner Diameter [mm]: 35
 Outer Diameter [mm]: 72
 Supplementary Article/Supplementary Info 2:
 With shaft oil seal
 Width [mm]: 27

KK-0560JM
Wheel Bearing Kit

 MERCEDES-BENZ /8 (W115)
 MERCEDES-BENZ CLASSE S (W116)
 MERCEDES-BENZ CLASSE S (W126)
 MERCEDES-BENZ CLASSE S Coupe (C126)
 MERCEDES-BENZ COUPE (C123)
 MERCEDES-BENZ KOMBI Station wagon (S123)

OE
 0009804202
 0009808202
 0089815705
 0089815805
 113517185
 113517185C

 Inner Diameter 1 [mm]: 40,9
 Inner Diameter 2 [mm]: 46
 Outer Diameter 1 [mm]: 67,9
 Outer Diameter 2 [mm]: 75
 Width 1 [mm]: 17,5
 Width 2 [mm]: 18

KK-0568JM
Wheel Hub

 FIAT CINQUECENTO VAN (170)
 FIAT PANDA (141A_)
 FIAT PANDA Van (141_)
 FIAT RITMO Cabriolet
 FIAT RITMO II (138A)
 FIAT SEICENTO (187)

OE
 4399856
 5948422
 7599461
 7603485
 HB149002.01
 HB14900201

 Flange [mm]: 117
 Rim Hole Number: 4

KK-0569JM
Wheel Hub


FIAT PANDA (141A_)

OE
 028 160 302 A
 028160302A
 3981593
 4400918
 4400919
 5963034

 Fitting Position: Rear Axle
 Flange [mm]: 116,9
 Rim Hole Number: 4

MQ-00968
Shock Absorber


MERCEDES-BENZ CLASSE E (W212)

OE
 212 323 14 00
 212 323 54 00
 212 323 55 00
 212 323 60 00
 212 323 65 00
 212 323 70 00

 Fitting Position: Front Axle
 For OE number: 2123231400
 Shock Absorber Design: Suspension Strut
 Shock Absorber Mounting Type: Top pin
 Shock Absorber Type: Gas Pressure

Mounting

MQ-01227

Shock Absorber



TATA (TELCO) 207 Pick-up
 TATA (TELCO) SIERRA
 TATA (TELCO) TELCOLINE (40_FD)

OE

265432110128
 265432300122
 265432300133

Fitting Position: Front Axle
 For OE number: 265432300122
 Max. Length [mm]: 475
 Required quantity: 2
 Shock Absorber Design: Telescopic Shock Absorber
 Shock Absorber Mounting Type: Bottom eye
 Shock Absorber Mounting Type: Top pin
 Shock Absorber Type: Oil Pressure

MQ-01333

Shock Absorber



BMW 3 (F30, F35, F80)
 BMW 3 GRAN TURISMO (F34)
 BMW 3 Touring (F31)
 BMW 3 Touring Van (F31)
 BMW 4 Cabriolet (F33, F83)
 BMW 4 Coupé (F32, F82)

OE

33 52 6 791 569
 33 52 6 791 572
 33 52 6 791 588
 33 52 6 854 692
 33 52 6 856 705
 33 52 6 866 109

Fitting Position: Rear Axle
 Shock Absorber Design: Absorber does not carry a spring
 Shock Absorber Mounting Type: Bottom eye
 Shock Absorber Mounting Type: Top pin
 Shock Absorber System: Twin-Tube
 Shock Absorber Type: Gas Pressure

MQ-01337

Shock Absorber



IVECO DAILY Cassone / Furgonato / Promiscuo
 IVECO DAILY CITYS Autobus
 IVECO DAILY I Cassone / Furgonato / Promiscuo
 IVECO DAILY I Pianale piatto/Telaio
 IVECO DAILY III Autobus
 IVECO DAILY III Cassone / Furgonato /

OE

2997265
 4854829
 500305418
 500337443
 500367032
 500368636

Bore [mm]: 35
 Fitting Position: Rear Axle
 Length 1 [mm]: 353
 Length 2 [mm]: 573
 Piston Rod Diameter [mm]: 15,8
 Shock Absorber Design: Telescopic Shock Absorber
 Shock Absorber Mounting Type: Bottom eye
 Shock Absorber Mounting Type: Top eye
 Shock Absorber System: Twin-Tube
 Shock Absorber Type: Gas Pressure
 Weight [kg]: 2,800

MQ-01339

Shock Absorber



MINI MINI (F55)
 MINI MINI (F56)
 MINI MINI Cabriolet (F57)

OE

33526852425
 33526852426
 33526852427
 33526862426
 33526862428
 33526870821

Fitting Position: Rear Axle
 Shock Absorber Design: Spring-bearing Damper
 Shock Absorber Mounting Type: Top pin
 Shock Absorber System: Twin-Tube
 Shock Absorber Type: Gas Pressure

MQ-01342

Shock Absorber



MINI MINI COUNTRYMAN (R60)
 MINI MINI PACEMAN (R61)

OE

33529807016
 33529807018
 33529807020

Fitting Position: Rear Axle Right
 Paired article numbers: MA-01343
 Paired article numbers: MJ01343
 Paired article numbers: MM-01343
 Shock Absorber Design: Spring-bearing Damper
 Shock Absorber Mounting Type: Top pin
 Shock Absorber System: Twin-Tube
 Shock Absorber Type: Gas Pressure

Mounting

MQ-01343

Shock Absorber



MINI MINI COUNTRYMAN (R60)
MINI MINI PACEMAN (R61)

OE

33529807015
33529807017
33529807019

Fitting Position: Rear Axle Left
Paired article numbers: MA-01342
Paired article numbers: MJ01342
Paired article numbers: MM-01342
Shock Absorber Design: Spring-bearing Damper
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MQ-01358

Shock Absorber



JAGUAR XJ (X35_, J12_, J24_)

OE

C2D11675
C2D13345
C2D16483
C2D19108

Fitting Position: Front Axle
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Fork
Shock Absorber Mounting Type: Top yoke
Shock Absorber Type: Oil Pressure
Spring Type: for coil-spring suspension vehicles
Suspension: For vehicles with electronic suspension control

MQ-33132

Shock Absorber



FORD B-MAX (JK)
FORD B-MAX Van
FORD TOURNEO COURIER Kombi
FORD TRANSIT COURIER Furgonato
FORD TRANSIT COURIER Kombi

OE

1751625
1765609
1766059
1773540
1773541
1807504

Fitting Position: Front Axle Right
Paired article numbers: MA-33131
Paired article numbers: MJ33131
Paired article numbers: MM-33131
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MQ-33136

Shock Absorber



FORD KUGA II (DM2)
FORD KUGA II Van

OE

1872414
1872415
1872416
2083662
2083664
2083666

Fitting Position: Front Axle Right
Paired article numbers: MA-33137
Paired article numbers: MJ33137
Paired article numbers: MM-33137
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MQ-33137

Shock Absorber



FORD KUGA II (DM2)
FORD KUGA II Van

OE

1872417
1872418
1872419
2083656
2083658
2083660

Fitting Position: Front Axle Left
Paired article numbers: MA-33136
Paired article numbers: MJ33136
Paired article numbers: MM-33136
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

Mounting

MQ-40070

Shock Absorber



OPEL ASTRA GTC J
OPEL ASTRA J Cassone / Furgonato / Promiscuo (P10)
OPEL ASTRA J Sports Tourer
OPEL ASTRA J Tre volumi
OPEL ZAFIRA TOURER C (P12)

OE
13314312
13337425
13351720
13351721
13368276
13390453

Fitting Position: Rear Axle
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MQ-60032

Shock Absorber



DS DS 3
DS DS 3 Cabriolet
PEUGEOT 207 CC (WD_)
PEUGEOT 208
PEUGEOT 208 Furgonato

OE
5202YV
5208G7
9803128080
9803520380
9804586580
9804586780

Diameter 1 [mm]: 51
Fitting Position: Front Axle Left
Paired article numbers: MA-60033
Paired article numbers: MJ60033
Paired article numbers: MM-60033
Shock Absorber Design: Damper with Rebound Spring
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MQ-60033

Shock Absorber



DS DS 3
DS DS 3 Cabriolet
PEUGEOT 207 CC (WD_)
PEUGEOT 208
PEUGEOT 208 Furgonato

OE
5202YW
5208G5
9803128180
9803520480
9804586680
9804586880

Diameter 1 [mm]: 51
Fitting Position: Front Axle Right
Paired article numbers: MA-60032
Paired article numbers: MJ60032
Paired article numbers: MM-60032
Shock Absorber Design: Damper with Rebound Spring
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MQ-60040

Shock Absorber



CITROEN C3 Cassone / coda spiovente (SC_)
CITROEN C3 II
CITROEN DS3

OE
5208F6
5208K2
9801736280

Fitting Position: Front Axle Left
Paired article numbers: MA-60039
Paired article numbers: MJ60039
Paired article numbers: MM-60039
Shock Absorber Design: Damper with Rebound Spring
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MQ-70074

Shock Absorber



RENAULT CLIO IV

OE
562103863R

Fitting Position: Rear Axle
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

Mounting

MQ-90052

Shock Absorber



JEEP COMPASS (MP)

OE

6825 7665AB
6825 9677AB
68257665AB

Fitting Position: Front Axle Left
For OE number: 6825 7665AB
Paired article numbers: MA-90053
Paired article numbers: MJ90053
Paired article numbers: MM-90053
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MQ-90053

Shock Absorber



JEEP COMPASS (MP)

OE

6825 7664AB
6825 9676AB
68257664AB

Fitting Position: Front Axle Right
For OE number: 6825 7664AB
Paired article numbers: MA-90052
Paired article numbers: MJ90052
Paired article numbers: MM-90052
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MQ-90056

Shock Absorber



JEEP COMPASS (MP)

OE

6825 7666AB
6825 9678AB
68257666AB
6829 0224AB
6829 0226AB
6829 0228AB

Fitting Position: Right Front
For OE number: 6825 7666AB
Paired article numbers: MA-90057
Paired article numbers: MJ90057
Paired article numbers: MM-90057
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MQ-90057

Shock Absorber



JEEP COMPASS (MP)


OE

6825 7667AB
6825 9679AB
6829 0225AB
6829 0227AB
6829 0229AB
6829 0231AB

Fitting Position: Left Front
For OE number: 6825 7667AB
Paired article numbers: MA-90056
Paired article numbers: MJ90056
Paired article numbers: MM-90056
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MQ-90064

Shock Absorber



AUDI A4 (8W2, B9)
AUDI A4 Avant (8W5, B9)
AUDI A5
AUDI A5 Cabriolet
AUDI A5 Sportback (F5A)

OE

8W0413031AA
8W0413031AB
8W0413031AJ
8W0413031AK
8W0413031AL
8W0413031T

Fitting Position: Front Axle
Piston Rod Diameter [mm]: 14
Shock Absorber Design: Spring-bearing Damper
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

Mounting

MQ-90065

Shock Absorber



AUDI Q3 (F3B)
AUDI Q3 Sportback (F3N)
SEAT TARRACO (KN2_)
SKODA KODIAQ
VW TIGUAN
VW TIGUAN ALLSPACE (BW2)


OE

5QF413031AE
5QF413031AF
5QF413031AG
5QF413031AN
5QF413031AP
5QF413031AQ

Fitting Position: Front Axle
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MQ-90070

Shock Absorber



SEAT Mii (KF1_)
SKODA E-CITIGO (NE1)
VW LOAD UP
VW UP

OE

12E413031C
12E413031D
1S0413031F
1S0413031K
1S0413031L

Diameter [mm]: 20
Fitting Position: Front Axle
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MQ-AS494

Pneumatic Suspension



AUDI A6 (C8, 4A2)
AUDI A6 Avant (C8, 4A5)
AUDI A7 Sportback (4KA)

OE

4K0616039F
4K0616039H
4K0616039L
4K0616039M
4K0616039N
4K0616039P

Fitting Position: Front Axle left and right
Spring Type: for pneumatic suspension vehicles

MQ-AS538

Pneumatic Suspension



TESLA MODEL S

OE

102706600C
1066366-00-D
106636600D
142036600C
142036600E
142036600F

Braking / Drive Dynamics: For vehicles with ADS
Fitting Position: Front Axle Right
Spring Type: for pneumatic suspension vehicles
Weight [kg]: 9

MQ-KI094

Shock Absorber



KIA CARENS II (FJ)

OE

0K2KA-28-900
0K2KB-28-900
oK2KA-28-900
oK2KB-28-900

Fitting Position: Rear Axle Right
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

Mounting

MQ-KI095

Shock Absorber



KIA CARENS II (FJ)

OE
0K2KA-28-700
0K2KB-28-700
oK2KA-28-700
oK2KB-28-700

Fitting Position: Rear Axle Left
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

SMQ0516S

Strut Mount



CHEVROLET SPARK (M300)

OE
42344956

Fitting Position: Rear Axle
Inner Diameter [mm]: 10
Mounting Bores Distance [mm]: 96

ZSQ00281

Gas Spring, bonnet



TESLA MODEL 3 (5YJ3)

OE
109147200B

Eject Force [N]: 200
Length [mm]: 364,5
Stroke [mm]: 118,5

ZSQ00282

Gas Spring, boot-/cargo area



TESLA MODEL 3 (5YJ3)

OE
109156000A
109156000B

Eject Force [N]: 580
Length [mm]: 345
Stroke [mm]: 114,5

ZSQ00283

Gas Spring, boot-/cargo area



TESLA MODEL 3 (5YJ3)

OE
155148900B

Eject Force [N]: 800
Length [mm]: 345
Stroke [mm]: 114,4

Mounting

ZSQ00284

Gas Spring, bonnet



TESLA MODEL Y (5YJY)

OE

150554700A
169257600A

Eject Force [N]: 410
Length [mm]: 256
Stroke [mm]: 68