

JapKo[®]

NEWS 06/2026



www.japko.it

CATALOGUE
FOR CARS AND
COMMERCIAL VEHICLES

CATALOGO
PER AUTOMOBILI E VEICOLI
COMMERCIALI

Brake system

CAL1008LJM

Brake Caliper



BMW 5 (E39)
BMW 5 Touring (E39)

OE

34 11 1 163 385
3411116338
34111163385

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: ATE
Diameter [mm]: 60
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1008RJM

CAL1008RJM

Brake Caliper



BMW 5 (E39)
BMW 5 Touring (E39)

OE

34 11 1 163 386
3411116338
34111163386

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: ATE
Diameter [mm]: 60
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1008LJM

CAL1045LJM

Brake Caliper



CHEVROLET LANOS Tre volumi
DAEWOO LANOS (KLAT)
DAEWOO LANOS Tre volumi (KLAT)
DAEWOO NEXIA (KLETN)
DAEWOO NEXIA Tre volumi (KLETN)
DAEWOO RACER 2 volumi /Coda spiovente

OE

542241
542243
90421729
90421739
96192182
96226977

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: ATE
Diameter [mm]: 48
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1045RJM

CAL1045RJM

Brake Caliper



CHEVROLET LANOS Tre volumi
DAEWOO LANOS (KLAT)
DAEWOO LANOS Tre volumi (KLAT)
DAEWOO NEXIA (KLETN)
DAEWOO NEXIA Tre volumi (KLETN)
DAEWOO RACER 2 volumi /Coda spiovente

OE

542242
542244
90421730
90421740
96192183
96226978

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: ATE
Diameter [mm]: 48
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1045LJM

CAL1108LJM

Brake Caliper



BMW 5 Touring (E39)

OE

34211164187

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: ATE
Diameter [mm]: 42
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1108RJM

CAL1108RJM

Brake Caliper



BMW 5 Touring (E39)

OE

34211164188

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 20
Brake System: ATE
Diameter [mm]: 42
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1108LJM

Brake system

CAL1187LJM

Brake Caliper



DAEWOO MATIZ (KLYA)
DAEWOO MATIZ Furgonato (KLA4)
FSO MATIZ

OE
93741027

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 12
Brake System: DAC
Diameter [mm]: 48
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1187RJM

CAL1187RJM

Brake Caliper



DAEWOO MATIZ (KLYA)
DAEWOO MATIZ Furgonato (KLA4)
FSO MATIZ

OE
93741028

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 12
Brake System: DAC
Diameter [mm]: 48
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1187LJM

CAL1194LJM

Brake Caliper



VW CALIFORNIA T5 Camper (7EC, 7EF, 7EG, 7HF)
VW MULTIVAN V (7HM, 7HN, 7HF, 7EF, 7EM,
7EN)
VW TRANSPORTER V Autobus (7HB, 7HJ, 7EB,
7EJ, 7EF)
VW TRANSPORTER V Furgonato (7HA, 7HH, 7EA,

OE
7H8615423

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: ATE
Diameter [mm]: 44
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1194RJM

CAL1194RJM

Brake Caliper



VW CALIFORNIA T5 Camper (7EC, 7EF, 7EG, 7HF)
VW MULTIVAN V (7HM, 7HN, 7HF, 7EF, 7EM,
7EN)
VW TRANSPORTER V Autobus (7HB, 7HJ, 7EB,
7EJ, 7EF)
VW TRANSPORTER V Furgonato (7HA, 7HH, 7EA,

OE
7H8615424

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: ATE
Diameter [mm]: 44
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1194LJM

CAL1226LJM

Brake Caliper




PEUGEOT 407 (6D_)
PEUGEOT 407 SW (6E_)
PEUGEOT 407 SW Cassone / Furgonato /
Promiscuo (6E_)

OE
4401G0
4401H2

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: TRW
Diameter [mm]: 57
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1226RJM

CAL1226RJM

Brake Caliper



PEUGEOT 407 (6D_)
PEUGEOT 407 SW (6E_)
PEUGEOT 407 SW Cassone / Furgonato /
Promiscuo (6E_)

OE
4401G1
4401H3

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: TRW
Diameter [mm]: 57
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1226LJM

Brake system

CAL1239LJM

Brake Caliper



OPEL ARENA Autobus
OPEL ARENA Combi (THB)
OPEL ARENA Furgonato
OPEL ARENA Furgonato (TB, TF)
RENAULT TRAFIC Autobus (TXW)
RENAULT TRAFIC Furgonato (T1, T3, T4)

OE
4403219
7701202038
9111219

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 24
Brake System: BENDIX
Diameter [mm]: 45
Fitting Position: behind the axle
Fitting Position: Front Axle Left
Paired article numbers: CAL1239RJM

CAL1239RJM

Brake Caliper



OPEL ARENA Autobus
OPEL ARENA Combi (THB)
OPEL ARENA Furgonato
OPEL ARENA Furgonato (TB, TF)
RENAULT TRAFIC Autobus (TXW)
RENAULT TRAFIC Furgonato (T1, T3, T4)

OE
4403220
7701202039
9111220

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 24
Brake System: BENDIX
Diameter [mm]: 45
Fitting Position: behind the axle
Fitting Position: Front Axle Right
Paired article numbers: CAL1239LJM

CAL1242LJM

Brake Caliper



NISSAN ALMERA II (N16)
NISSAN ALMERA II Hatchback (N16)
NISSAN PRIMERA (P11)
NISSAN PRIMERA Hatchback (P11)

OE
410112F021
410114M510
410114M51A

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: LUCAS
Diameter [mm]: 57
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1242RJM

CAL1242RJM

Brake Caliper




NISSAN ALMERA II (N16)
NISSAN ALMERA II Hatchback (N16)
NISSAN PRIMERA (P11)
NISSAN PRIMERA Hatchback (P11)

OE
410012F021
410014M510
410014M51A

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: LUCAS
Diameter [mm]: 57
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1242LJM

CAL1274LJM

Brake Caliper



ALFA ROMEO TONALE (965_)
FIAT 500X
JEEP COMPASS (MP)
JEEP RENEGADE Fuoristrada chiuso
JEEP RENEGADE Fuoristrada chiuso (BU)
JEEP RENEGADE VAN (BU, B1)

OE
50573886
51934203
52016577
52028962
52071151
52094020

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: MANDO
Diameter [mm]: 60
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1274RJM

CAL1274RJM

Brake Caliper



ALFA ROMEO TONALE (965_)
FIAT 500X
JEEP COMPASS (MP)
JEEP RENEGADE Fuoristrada chiuso
JEEP RENEGADE Fuoristrada chiuso (BU)
JEEP RENEGADE VAN (BU, B1)

OE
50573886
51934204
52016579
52028963
52071152
52094021

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 28
Brake System: MANDO
Diameter [mm]: 60
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1274LJM

Brake system

CAL1284LJM

Brake Caliper



CITROEN BERLINGO (K9)
 CITROEN BERLINGO Furgonato (B9)
 CITROEN BERLINGO Furgonato (K9)
 OPEL COMBO Cassone / Furgonato / Promiscuo (X19)
 OPEL COMBO MPV / Space wagon (X19)

OE

1635254780
 1651761980
 39166046
 95527037

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 12
 Brake System: TRW
 Diameter [mm]: 38
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1284RJM

CAL1284RJM

Brake Caliper



CITROEN BERLINGO (K9)
 CITROEN BERLINGO Furgonato (B9)
 CITROEN BERLINGO Furgonato (K9)
 OPEL COMBO Cassone / Furgonato / Promiscuo (X19)
 OPEL COMBO MPV / Space wagon (X19)

OE

1635254880
 1651762080
 39166047
 95527038

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 12
 Brake System: TRW
 Diameter [mm]: 38
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1284LJM

CAL1324LJM

Brake Caliper



HYUNDAI i30 (GD)
 HYUNDAI i30 Coupé
 HYUNDAI i30 CW (GD)
 HYUNDAI i30 Hatchback Van (GDE)
 HYUNDAI i30 Kombi Van (GDE, GD)

OE

58300A6310
 58300A6330
 58310A6A31
 58310A6A33

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Brake System: MOBIS
 Diameter [mm]: 34
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1324RJM

CAL1324RJM

Brake Caliper



HYUNDAI i30 (GD)
 HYUNDAI i30 Coupé
 HYUNDAI i30 CW (GD)
 HYUNDAI i30 Hatchback Van (GDE)
 HYUNDAI i30 Kombi Van (GDE, GD)

OE

58311A6A31
 58311A6A33
 58400A6310
 58400A6330

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Brake System: MOBIS
 Diameter [mm]: 34
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1324LJM

CAL1353LJM

Brake Caliper



BMW Z4 (E89)

OE

34206786057

Brake Disc Thickness [mm]: 20
 Brake System: TRW
 Diameter [mm]: 42
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1353RJM
 Supplementary Article/Supplementary Info: with electric motor

CAL1353RJM

Brake Caliper



BMW Z4 (E89)

OE


34206786058

Brake Disc Thickness [mm]: 20
 Brake System: TRW
 Diameter [mm]: 42
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1353LJM
 Supplementary Article/Supplementary Info: with electric motor

Brake system

CAL1424LJM

Brake Caliper



SKODA FABIA
SKODA FABIA Combi
SKODA FABIA II Praktik (545)
VW POLO Tre volumi

OE
6RF615123

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: TRW
Diameter [mm]: 54
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1424RJM

CAL1424RJM

Brake Caliper



SKODA FABIA
SKODA FABIA Combi
SKODA FABIA II Praktik (545)
VW POLO Tre volumi

OE
6RF615124

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 22
Brake System: TRW
Diameter [mm]: 54
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1424LJM

CAL1583LJM

Brake Caliper



NISSAN JUKE (F15)
NISSAN JUKE Van (F15)
NISSAN PULSAR 2 volumi /Coda spiovente (C13)
NISSAN TEANA II (J32)

OE
41011KC2C
41011JN00A

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: NISSAN
Diameter [mm]: 57
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1583RJM

CAL1583RJM

Brake Caliper




NISSAN JUKE (F15)
NISSAN JUKE Van (F15)
NISSAN PULSAR 2 volumi /Coda spiovente (C13)
NISSAN TEANA II (J32)

OE
41001KC2C
41001JN00A

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Brake System: NISSAN
Diameter [mm]: 57
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1583LJM

61H31C

Brake Disc



HYUNDAI SANTA FÉ IV (TM)
HYUNDAI SANTA FÉ IV Cassone/SUV (TM)

OE
58411S1500
58411S1700

Brake Disc Thickness [mm]: 18
Brake Disc Type: Internally Vented
Centering Diameter [mm]: 69
Fitting Position: Front Axle
Height [mm]: 35,5
Hole Arrangement / Number: 05/07
Inner Diameter [mm]: 167
Minimum Thickness [mm]: 16
Number of Bores: 5
Number of mounting bores: 2
Outer Diameter [mm]: 314
Pitch Circle [mm]: 114,3
Surface: Coated
Wheel Bolt Bore [mm]: 12,5

Brake system

500384

Brake Pad Set, disc brake



FORD TRANSIT Autobus
FORD TRANSIT Furgonato
FORD TRANSIT Pianale piatto/Telaio


OE
2798410
KTRK312K021AA

Fitting Position: Front Axle
Height [mm]: 67,1
Thickness [mm]: 17,7
Wear Warning Contact: Incl. wear warning contact
Width [mm]: 170,3
WVA Number: 27319
WVA Number: 27320

Clutch

920228

Clutch Kit



MG MG ZS Fuoristrada chiuso

OE
10169358
10403695
S24113123

Centering Diameter [mm]: 20
Diameter [mm]: 227
Number of Parts [parts]: 3
Number of Teeth: 24

Cooling System

380347

Thermostat, coolant



FORD FIESTA VII
FORD FIESTA VII Van
FORD FOCUS IV
FORD FOCUS IV Tre volumi (HM)
FORD FOCUS IV Turnier (HP)
FORD PUMA

OE
2223707
2339695
H6BG-8575-AA
L1BG-8575-AA

Housing Type: Without housing
Opening Temperature [°C]: 54
Supplementary Article/Supplementary Info:
With gaskets/seals

380417

Thermostat, coolant



OPEL ASTRA GTC J
OPEL ASTRA J
OPEL ASTRA J Sports Tourer
OPEL ASTRA J Tre volumi
OPEL ASTRA K
OPEL ASTRA K Sports Tourer

OE
1338438
1338497
55484533
55490715
55490785

Opening Temperature [°C]: 85
Supplementary Article/Supplementary Info 2:
With thermostat
Supplementary Article/Supplementary Info 2:
Without sensor

380963

Thermostat, coolant



AUDI Q2
AUDI Q3 (F3B)
AUDI TT (FV3)
AUDI TT Roadster (FV9)
SEAT ARONA (KJ7)
SEAT IBIZA V (KJ1)

OE
04L 121 113 C
04L 121 113B
4L121026E
4L121026F
4L121026J
65064010001

Opening Temperature [°C]: 92
Outer Diameter [mm]: 32,0
Supplementary Article/Supplementary Info 2:
With seal

Cooling System

38809

Thermostat, coolant



OPEL AGILA (B) (H08)
SUZUKI SPLASH
SUZUKI SWIFT IV (FZ, NZ)

OE

1767073K01
1767073K01000
4709359
93194253

Opening Temperature [°C]: 82
Supplementary Article/Supplementary Info 2:
with sensor
Supplementary Article/Supplementary Info 2:
With thermostat

Electrics

3130210

Starter



GIOTTI VICTORIA GLADIATOR Autobus
GIOTTI VICTORIA GLADIATOR Furgonato
GIOTTI VICTORIA GLADIATOR Pianale
piatto/Telaio

OE

410502082
471QLR3708950
471QLR3708950PW
B011155
QD1226J

Mounting Bores Distance [mm]: 127
Number of Teeth: 8
Rated Power [kW]: 0,8
Voltage [V]: 12

Engine

1500219

EGR Valve



ALFA ROMEO GIULIETTA (940)
FIAT 500X
FIAT TIPO (356)
FIAT TIPO 2 volumi /Coda spiovente (356_)
FIAT TIPO Station wagon (356_)

OE

71797454
73504052
73504376

Operating Mode: Electric
Supplementary Article/Supplementary Info 2:
With seal
Valve Type: Control Valve
Voltage [V]: 12

JTY042S

Cylinder Head



CITROEN C4 Grand Picasso II
CITROEN C4 II (B7)
CITROEN C4 Picasso II
CITROEN C4 PICASSO II Van (DD_)
CITROEN C4 SPACETOURER
CITROEN C5 AIRCROSS

OE


1609073180
1864346
908497
DS7Q6C032AA
SU001-A3072

For OE number: 1609073180
For OE number: 1864346
For OE number: DS7Q6C032AA
For OE number: SU001-A3072
Supplementary Article/Supplementary Info 2:
Without camshaft(s)
Supplementary Article/Supplementary Info 2:
Without valve springs
Supplementary Article/Supplementary Info 2:
Without valves

Filter

FAA-115JM

Filter, interior air



AUDI A4 (8E2, B6)
AUDI A4 (8EC, B7)
AUDI A4 Avant (8E5, B6)
AUDI A4 Avant (8ED, B7)
AUDI A4 B7 Cabriolet (8HE)
AUDI A4 Cabriolet (8H7, B6, 8HE, B7)

OE


8E0 819 43
8E0 819 439

Filter Type: Activated Carbon Filter
Height [mm]: 31
Length [mm]: 300
Width [mm]: 204

Filter

FAA-121JM

Filter, interior air



CHERY OMODA 5
CHERY TIGGO 5x
CHERY TIGGO 7
CHERY TIGGO 7 Fuoristrada chiuso
CHERY TIGGO 7 PLUS
CHERY TIGGO 8 Fuoristrada chiuso

OE

166 830 00
166 830 00 18
166 830 02 18
1668300018
1668300218
206 835 15 00

Filter Type: Activated Carbon Filter
Height [mm]: 32
Length [mm]: 246
Width [mm]: 189

FAA-126JM

Filter, interior air



ALFA ROMEO 145 (930)
ALFA ROMEO 146 (930)
ALFA ROMEO 155 (167)
ALFA ROMEO 156 (932)
ALFA ROMEO 156 Sportwagon (932)
ALFA ROMEO GTV (916C_)

OE

46409630
46721923
6001073262
60809709
60810570
60812197

Filter Type: Activated Carbon Filter
Height [mm]: 17
Length [mm]: 385
Width [mm]: 170

FAA-133JM

Filter, interior air



CITROEN JUMPER Autobus (230P)
CITROEN JUMPER Autobus (244, Z_)
CITROEN JUMPER Furgonato (230L)
CITROEN JUMPER Furgonato (244)
CITROEN JUMPER Pianale piatto/Telaio (230)
CITROEN JUMPER Pianale piatto/Telaio (244)

OE

1312764080
1312766080
6001073278
6447 SY
6447 TY
6447H9

Filter Type: Activated Carbon Filter
Height [mm]: 17,5
Length [mm]: 437
Width [mm]: 144

FAA-138JM

Filter, interior air



VW CALIFORNIA T4 Camper (7DJ, 7DK, 70J)
VW TRANSPORTER IV Autobus (70XB, 70XC, 7DB, 7DW)
VW TRANSPORTER IV Furgonato (70XA)
VW TRANSPORTER IV Pianale piatto/Telaio (70XD)

OE

701815915C
703 819 98
703 819 989
703 819 990 A
7D0 819 989

Filter Type: Activated Carbon Filter
Height [mm]: 102
Inner Diameter 1 [mm]: 111
Outer Diameter [mm]: 168

FAA-148JM

Filter, interior air



RENAULT MEGANE Scenic (JA0/1_)
RENAULT SC NIC I VAN (FA0_, JA0/1_)
RENAULT SC NIC I (JA0/1_)

OE

77 00 846
77 00 846 236
77 01 205 280

Driver Position: For right-hand drive vehicles
Filter Type: Activated Carbon Filter
Height [mm]: 20
Length [mm]: 223
Width [mm]: 220

FAA-149JM

Filter, interior air



MERCEDES-BENZ SPRINTER 3,5-t Autobus (906)
MERCEDES-BENZ SPRINTER 3,5-t Furgonato (906)
MERCEDES-BENZ SPRINTER 3,5-t Pianale piatto/Telaio (906)
MERCEDES-BENZ SPRINTER 3-t Autobus (906)

OE

001 835 87
001 835 87 47
2E0 819 637
A 001 835 87 47

Filter Type: Particulate Filter
Height [mm]: 10
Length [mm]: 260
Width [mm]: 132

Filter

21TY33

Filter, interior air



TOYOTA COROLLA (ZZE12_, NDE12_, ZDE12_)
 TOYOTA COROLLA (_E11_)
 TOYOTA COROLLA ALTIS
 TOYOTA COROLLA Station wagon (_E12J_,
 E12T)
 TOYOTA COROLLA Tre volumi (_E12J_, _E12T_)

OE

871-39YZZ1
 871-39YZZ13
 87139-YZZ06
 87139-YZZ17
 88508-13010
 88568-13010

Filter Type: Pollen Filter
 Height [mm]: 17
 Length [mm]: 211
 Width [mm]: 194

Mounting

MJ01332

Shock Absorber



BMW 1 (F20)
 BMW 1 (F21)
 BMW 1 Van (F20)
 BMW 2 Cabriolet (F23)
 BMW 2 Coupé (F22)

OE

33 52 6 791 586
 33 52 6 863 752
 33 52 6 873 724
 33526873756
 6 791 586
 6 863 752

Fitting Position: Rear Axle
 Shock Absorber Design: Absorber does not
 carry a spring
 Shock Absorber Mounting Type: Bottom eye
 Shock Absorber Mounting Type: Top pin
 Shock Absorber System: Twin-Tube
 Shock Absorber Type: Gas Pressure

MJ01346

Shock Absorber



MG MG ZS Fuoristrada chiuso

OE

10573458

Fitting Position: Front Axle Left
 Paired article numbers: MA-01345
 Paired article numbers: MJ01345
 Paired article numbers: MM-01345
 Shock Absorber Design: Suspension Strut
 Shock Absorber Mounting Type: Bottom
 Clamp
 Shock Absorber Mounting Type: Top pin
 Shock Absorber System: Twin-Tube
 Shock Absorber Type: Gas Pressure

MJ01348

Shock Absorber



MG MG ZS Fuoristrada chiuso

OE

10242405

Fitting Position: Front Axle Left
 Paired article numbers: MA-01349
 Paired article numbers: MJ01349
 Paired article numbers: MM-01349
 Shock Absorber Design: Suspension Strut
 Shock Absorber Mounting Type: Bottom
 Clamp
 Shock Absorber Mounting Type: Top pin
 Shock Absorber System: Twin-Tube
 Shock Absorber Type: Gas Pressure

MJ01349

Shock Absorber



MG MG ZS Fuoristrada chiuso

OE

10242085

Fitting Position: Front Axle Right
 Paired article numbers: MA-01348
 Paired article numbers: MJ01348
 Paired article numbers: MM-01348
 Shock Absorber Design: Suspension Strut
 Shock Absorber Mounting Type: Bottom
 Clamp
 Shock Absorber Mounting Type: Top pin
 Shock Absorber System: Twin-Tube
 Shock Absorber Type: Gas Pressure

Mounting

MJ01350

Shock Absorber



MG MG ZS Fuoristrada chiuso

OE
10242400

Fitting Position: Rear Axle
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ01374

Shock Absorber



BMW 5 (F10, F18)
BMW 6 Cabriolet (F12)
BMW 6 Coupé (F13)
BMW 6 Gran Coupe (F06)

OE
31 31 6 784 013
31 31 6 789 361
31 31 6 789 603
31 31 6 789 609
31 31 6 798 779
31 31 6 798 781

Fitting Position: Front Axle Left
Paired article numbers: MA-01375
Paired article numbers: MJ01375
Paired article numbers: MM-01375
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ01375

Shock Absorber



BMW 5 (F10, F18)
BMW 6 Cabriolet (F12)
BMW 6 Coupé (F13)
BMW 6 Gran Coupe (F06)

OE
31 31 6 784 014
31 31 6 789 362
31 31 6 789 604
31 31 6 789 610
31 31 6 798 780
31 31 6 798 782

Fitting Position: Front Axle Right
Paired article numbers: MA-01374
Paired article numbers: MJ01374
Paired article numbers: MM-01374
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ20106

Shock Absorber



LEXUS RX (GYL1_, GGL15, AGL10)

OE
485200E050
4852048280
4852080209
4852080211
4852080258
4852080303

Fitting Position: Front Axle Left
Paired article numbers: MA-20107
Paired article numbers: MJ20107
Paired article numbers: MM-20107
Shock Absorber Design: Damper with Rebound Spring
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ20107

Shock Absorber



LEXUS RX (GYL1_, GGL15, AGL10)

OE
485100E030
485100E050
4851048280
4851048300
4851080468
4851080471

Fitting Position: Front Axle Right
Paired article numbers: MA-20106
Paired article numbers: MJ20106
Paired article numbers: MM-20106
Shock Absorber Design: Damper with Rebound Spring
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

Mounting

MJ20108

Shock Absorber



LEXUS RX (AGL2_, GGL2_)
LEXUS RX (GYL1_, GGL15, AGL10)
TOYOTA HIGHLANDER / KLUGER (_U5_)

OE

485310E020
485310E050
485310E060
485310E070
485310E080
485310E120

Fitting Position: Rear Axle
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top eye
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ60039

Shock Absorber



CITROEN C3 Cassone / coda spiovente (SC_)
CITROEN C3 II
CITROEN DS3

OE

5208F7
5208K3
9801736180

Fitting Position: Front Axle Right
Paired article numbers: MA-60040
Paired article numbers: MJ60040
Paired article numbers: MM-60040
Shock Absorber Design: Damper with Rebound Spring
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ70076

Shock Absorber



DACIA DOKKER
DACIA DOKKER Express
DACIA LODGY
RENAULT DOKKER
RENAULT EXPRESS Cassone/Limousine spaziosa

OE

543020964R
543021775R
543023778R
543026803R
543028828R
543028938R

Fitting Position: Front Axle
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ90062

Shock Absorber



AUDI A4 (8W2, B9)
AUDI A4 Avant (8W5, B9)

OE

8W0 513 035 AC
8W0 513 035 AD
8W0 513 035 AE
8W0 513 035 P
8W6 513 035 F

Fitting Position: Rear Axle
Shock Absorber Design: Absorber does not carry a spring
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MJ90069

Shock Absorber



SEAT Mii (KF1_)
SKODA CITIGO
SKODA E-CITIGO (NE1)
VW LOAD UP
VW UP

OE

12E513025A
1S0513025C
1S0513025D
1S0513025E
1S0513025F
1S0513025M

Fitting Position: Rear Axle
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

Mounting

MJAS506

Air Spring Strut



MERCEDES-BENZ GLE (W166)
 MERCEDES-BENZ GLE Coupé (C292)
 MERCEDES-BENZ GLS (X166)

OE

1663200300
 1663206766
 2923200900
 2923202500
 2923202700
 2923202900

Braking / Drive Dynamics: for vehicles with ADS Plus
 Braking / Drive Dynamics: For vehicles with Airmatic DC
 Fitting Position: Left Front
 Paired article numbers: MA-AS507
 Paired article numbers: MJAS507
 Paired article numbers: MM-AS507
 Shock Absorber Mounting Type: Bottom Fork
 Shock Absorber Mounting Type: Top yoke
 Spring Type: for pneumatic suspension vehicles

MJAS507

Air Spring Strut



MERCEDES-BENZ GLE (W166)
 MERCEDES-BENZ GLE Coupé (C292)
 MERCEDES-BENZ GLS (X166)

OE

1663200400
 1663206866
 2923201000
 2923202600
 2923202800
 2923203000

Braking / Drive Dynamics: for vehicles with ADS Plus
 Braking / Drive Dynamics: For vehicles with Airmatic DC
 Fitting Position: Right Front
 Paired article numbers: MA-AS506
 Paired article numbers: MJAS506
 Paired article numbers: MM-AS506
 Shock Absorber Mounting Type: Bottom Fork
 Shock Absorber Mounting Type: Top yoke
 Spring Type: for pneumatic suspension vehicles

MJAS508

Air Spring Strut



VOLVO XC60 II
 VOLVO XC90 II

OE

31429978
 31429979
 31451370
 31451371
 31476853
 31476854

Fitting Position: Rear Axle
 Shock Absorber Design: Suspension Strut
 Shock Absorber Mounting Type: Bottom eye
 Shock Absorber Mounting Type: Top yoke
 Shock Absorber Type: Oil Pressure
 Spring Type: for pneumatic suspension vehicles
 Suspension: For vehicles with electronic suspension control

MJHY120

Shock Absorber



HYUNDAI TUCSON
 KIA SPORTAGE (QL)

OE

54651-D3000

Fitting Position: Front Axle Left
 Paired article numbers: MA-HY121
 Paired article numbers: MJHY121
 Paired article numbers: MM-HY121
 Shock Absorber Design: Suspension Strut
 Shock Absorber Mounting Type: Bottom Clamp
 Shock Absorber Mounting Type: Top pin
 Shock Absorber System: Twin-Tube
 Shock Absorber Type: Gas Pressure

Mounting

SMJ0560

Strut Mount



AUDI A4 (8K2, B8)
AUDI A4 Avant (8K5, B8)
AUDI A5 (8T3)
AUDI A5 Sportback (8TA)
AUDI Q5 (8R)
AUDI Q5 Van (8RB)

OE

8K0412377A
8K0412377B
8K0412377C
8K0412377D
WHT001484

Fitting Position: Front Axle