

JapKo[®]

NEWS 05/2026



www.japko.it

CATALOGUE
FOR CARS AND
COMMERCIAL VEHICLES

CATALOGO
PER AUTOMOBILI E VEICOLI
COMMERCIALI

Brake system

CAL1010LJM

Brake Caliper



FORD FOCUS II (DA_)
 FORD GALAXY (WA6)
 FORD GALAXY MK II VAN (WA6)
 FORD KUGA I
 FORD KUGA I VAN
 FORD MONDEO IV (BA7)

OE

1426844
 1439862
 1460305
 1465777
 1502341
 1536999

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 11
 Diameter [mm]: 38
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1010RJM

CAL1010RJM

Brake Caliper



FORD FOCUS II (DA_)
 FORD GALAXY (WA6)
 FORD GALAXY MK II VAN (WA6)
 FORD KUGA I
 FORD KUGA I VAN
 FORD MONDEO IV (BA7)

OE

1426838
 1439860
 1460302
 1465776
 1502337
 1537001

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 11
 Diameter [mm]: 38
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1010LJM

CAL1047LJM

Brake Caliper



FORD GALAXY
 FORD GALAXY MK III VAN (CK)
 FORD MONDEO V 2 volumi /Coda spiovente
 FORD MONDEO V Tre volumi
 FORD MONDEO V Turnier
 FORD S-MAX

OE

2268036
 2351165
 5181342
 5303800
 DG9C2B302AB
 DG9C2B302BA

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 28
 Diameter [mm]: 60
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL1047RJM

CAL1047RJM

Brake Caliper



FORD GALAXY
 FORD GALAXY MK III VAN (CK)
 FORD MONDEO V 2 volumi /Coda spiovente
 FORD MONDEO V Tre volumi
 FORD MONDEO V Turnier
 FORD S-MAX


OE

2268040
 2351169
 5181341
 5303801
 DG9C2B294AB
 DG9C2B294BA

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 28
 Diameter [mm]: 60
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL1047LJM

CAL1094LJM

Brake Caliper



FORD FOCUS III
 FORD FOCUS III Turnier
 FORD KUGA II (DM2)
 FORD KUGA II Van
 FORD TOURNEO CONNECT / GRAND TOURNEO
 CONNECT Kombi


OE

1756683
 1779721
 1824922
 1825214
 2351159
 BV612B302AB

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 25
 Diameter [mm]: 57
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL1094RJM

CAL1094RJM

Brake Caliper



FORD FOCUS III
 FORD FOCUS III Turnier
 FORD KUGA II (DM2)
 FORD KUGA II Van
 FORD TOURNEO CONNECT / GRAND TOURNEO
 CONNECT Kombi

OE

1756682
 1779720
 1825213
 1835113
 2351157
 BV612B294AB

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 25
 Diameter [mm]: 57
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL1094LJM

Brake system

CAL1120LJM

Brake Caliper



AUDI A6 (4G2, C7, 4GC)
AUDI A6 Avant (4G5, C7, 4GD)
AUDI A7 Sportback (4GA, 4GF)

OE
4G0615403

Brake Disc Thickness [mm]: 12
Diameter [mm]: 43
Fitting Position: in front of axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1120RJM
Supplementary Article/Supplementary Info:
with electric motor

CAL1120RJM

Brake Caliper



AUDI A6 (4G2, C7, 4GC)
AUDI A6 Avant (4G5, C7, 4GD)
AUDI A7 Sportback (4GA, 4GF)

OE
4G0615404

Brake Disc Thickness [mm]: 12
Diameter [mm]: 43
Fitting Position: in front of axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1120LJM
Supplementary Article/Supplementary Info:
with electric motor

CAL1124LJM

Brake Caliper



MINI MINI (R50, R53)
MINI MINI (R56)
MINI MINI Cabriolet (R57)
MINI MINI CLUBMAN (R55)
MINI MINI CLUBVAN (R55)
MINI MINI Coupé (R58)

OE
34216784645

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Diameter [mm]: 36
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL1124RJM

CAL1124RJM

Brake Caliper



MINI MINI (R50, R53)
MINI MINI (R56)
MINI MINI Cabriolet (R57)
MINI MINI CLUBMAN (R55)
MINI MINI CLUBVAN (R55)
MINI MINI Coupé (R58)

OE
34216784646

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Diameter [mm]: 36
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL1124LJM

CAL1166LJM

Brake Caliper



OPEL ASTRA K
OPEL ASTRA K Cassone / coda spiovente
OPEL ASTRA K Cassone / Furgonato /
Promiscuo
OPEL ASTRA K Sports Tourer
VAUXHALL ASTRA Mk VII (K) (B16)

OE
13508995
13589729
95522594
95524067

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Diameter [mm]: 54
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1166RJM

CAL1166RJM

Brake Caliper



OPEL ASTRA K
OPEL ASTRA K Cassone / coda spiovente
OPEL ASTRA K Cassone / Furgonato /
Promiscuo
OPEL ASTRA K Sports Tourer
VAUXHALL ASTRA Mk VII (K) (B16)

OE
13508996
13589731
95522594
95522596
95524067
95524069

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 26
Diameter [mm]: 54
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1166LJM

Brake system

CAL1184LJM

Brake Caliper



FORD C-MAX II
 FORD C-MAX II Van
 FORD FOCUS III
 FORD FOCUS III Cassone / coda spiovente
 FORD FOCUS III Tre volumi
 FORD FOCUS III Turnier

OE

1511569
 1857717
 1927082
 2210215
 2332705
 8M512M089B1C

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 11
 Diameter [mm]: 38
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 for brake disk diameter [mm]: 265
 for brake disk diameter [mm]: 271
 for brake disk diameter [mm]: 280
 Paired article numbers: CAL1184RJM

CAL1184RJM

Brake Caliper



FORD C-MAX II
 FORD C-MAX II Van
 FORD FOCUS III
 FORD FOCUS III Cassone / coda spiovente
 FORD FOCUS III Tre volumi
 FORD FOCUS III Turnier

OE

1857716
 1926723
 2210213
 2332703
 5164904
 8M512M088B1B

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 11
 Diameter [mm]: 38
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 for brake disk diameter [mm]: 265
 for brake disk diameter [mm]: 271
 for brake disk diameter [mm]: 280
 Paired article numbers: CAL1184LJM

CAL1192LJM

Brake Caliper



FORD FIESTA V (JH_, JD_)

OE

1355133
 1539682
 4N112553AA
 4N112553BA

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Diameter [mm]: 34
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1192RJM

CAL1192RJM

Brake Caliper



FORD FIESTA V (JH_, JD_)

OE

1355131
 1539679
 4N112552AA
 4N112552BA

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Diameter [mm]: 34
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1192LJM

CAL1197LJM

Brake Caliper



FORD COURIER Pick-up
 FORD FIESTA Furgonato (J5_, J3_)
 FORD FIESTA Furgonato (JV_)
 FORD FIESTA IV (JA_, JB_)
 FORD KA (RB_)
 FORD KA Van (RB)

OE

1106151
 1126291
 1478498
 RMY6J2B302AA
 RMY6J2B302AA
 YS612L232AA

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 20
 Diameter [mm]: 48
 Fitting Position: Front Axle Left
 Fitting Position: in front of axle
 Paired article numbers: CAL1197RJM

Brake system

CAL1197RJM

Brake Caliper



FORD COURIER Pick-up
 FORD FIESTA Furgonato (J5_, J3_)
 FORD FIESTA Furgonato (JV_)
 FORD FIESTA IV (JA_, JB_)
 FORD KA (RB_)
 FORD KA Van (RB)

OE
 1106150
 1126286
 1478471
 RMYS6J2B294AA
 YS612L231AA
 YS6J2B294AA

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 20
 Diameter [mm]: 48
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL1197LJM

CAL1238LJM

Brake Caliper



FORD FIESTA Tre volumi
 FORD FIESTA VI
 FORD FIESTA VI Van

OE
 1803011
 1803012
 C1BC2553AA
 C1BC2553BA

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Diameter [mm]: 34
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 for brake disk diameter [mm]: 253
 Paired article numbers: CAL1238RJM

CAL1238RJM

Brake Caliper



FORD FIESTA Tre volumi
 FORD FIESTA VI
 FORD FIESTA VI Van

OE
 1803009
 1803010
 C1BC2552AA
 C1BC2552BA

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Diameter [mm]: 34
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 for brake disk diameter [mm]: 253
 Paired article numbers: CAL1238LJM

CAL1244LJM

Brake Caliper



AUDI A1 Allstreet (GBH)
 AUDI A1 CITY CARVER (GBH)
 AUDI A1 Sportback (GBA)
 SEAT ARONA (KJ7)
 SEAT IBIZA V (KJ1)
 SKODA FABIA IV (PJ3)

OE
 2Q0615423
 2Q0615423C
 2Q0615423D

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 9
 Diameter [mm]: 38
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1244RJM

CAL1244RJM

Brake Caliper



AUDI A1 Allstreet (GBH)
 AUDI A1 CITY CARVER (GBH)
 AUDI A1 Sportback (GBA)
 SEAT ARONA (KJ7)
 SEAT IBIZA V (KJ1)
 SKODA FABIA IV (PJ3)

OE
 2Q0615424
 2Q0615424C
 2Q0615424D

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 9
 Diameter [mm]: 38
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1244LJM

CAL1317LJM

Brake Caliper



TOYOTA AURIS (NRE15_, ZZE15_, ADE15_,
 ZRE15_, NDE15_)
 TOYOTA AURIS (NZE18_, ZRE18_)
 TOYOTA AURIS Furgonato (_E15_)
 TOYOTA AURIS TOURING SPORTS (ADE18_,
 ZWE18_, ZRE18_)

OE
 4785002101

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Diameter [mm]: 36
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1317RJM

Brake system

CAL1317RJM

Brake Caliper



TOYOTA AURIS (NRE15_, ZZE15_, ADE15_, ZRE15_, NDE15_)
 TOYOTA AURIS (NZE18_, ZRE18_)
 TOYOTA AURIS Furgonato (_E15_)
 TOYOTA AURIS TOURING SPORTS (ADE18_, ZWE18_, ZRE18_)

OE
 4783002101

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Diameter [mm]: 36
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1317LJM

CAL1477LJM

Brake Caliper



AUDI A1 Allstreet (GBH)
 AUDI A1 CITY CARVER (GBH)
 AUDI A1 Sportback (GBA)
 SEAT ARONA (KJ7)
 SEAT IBIZA V (KJ1)

OE
 2Q0615423A

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 9
 Diameter [mm]: 38
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL1477RJM

CAL1477RJM

Brake Caliper



AUDI A1 Allstreet (GBH)
 AUDI A1 CITY CARVER (GBH)
 AUDI A1 Sportback (GBA)
 SEAT ARONA (KJ7)
 SEAT IBIZA V (KJ1)

OE
 2Q0615424A

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 9
 Diameter [mm]: 38
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL1477LJM

CAL1490LJM

Brake Caliper




LEXUS IS C (GSE2_)
 LEXUS IS II (GSE2_, ALE2_, USE2_)
 LEXUS IS III (GSE3_, AVE3_)

OE
 4775053060
 477505306084

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 28
 Diameter [mm]: 60
 Fitting Position: behind the axle
 Fitting Position: Front Axle Left
 Paired article numbers: CAL1490RJM

CAL1490RJM

Brake Caliper



LEXUS IS C (GSE2_)
 LEXUS IS II (GSE2_, ALE2_, USE2_)
 LEXUS IS III (GSE3_, AVE3_)

OE
 4773053060
 477305306084

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 28
 Diameter [mm]: 60
 Fitting Position: behind the axle
 Fitting Position: Front Axle Right
 Paired article numbers: CAL1490LJM

Brake system

CAL1518LJM

Brake Caliper



FORD FOCUS IV
 FORD FOCUS IV Tre volumi (HM)
 FORD FOCUS IV Turnier (HP)
 FORD KUGA III (DFK)

OE
 2307826
 2307828
 2571524
 2571526
 KTJX612D347BEB
 KTJX612D347BFC

Brake Disc Thickness [mm]: 11
 Diameter [mm]: 36
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Left
 for brake disk diameter [mm]: 271
 for brake disk diameter [mm]: 302
 Paired article numbers: CAL1518RJM
 Supplementary Article/Supplementary Info:
 with electric motor

CAL1518RJM

Brake Caliper




FORD FOCUS IV
 FORD FOCUS IV Tre volumi (HM)
 FORD FOCUS IV Turnier (HP)
 FORD KUGA III (DFK)

OE
 2307321
 2307821
 2307824
 2571530
 2571536
 KTJX612D346BEB

Brake Disc Thickness [mm]: 11
 Diameter [mm]: 36
 Fitting Position: behind the axle
 Fitting Position: Rear Axle Right
 for brake disk diameter [mm]: 271
 for brake disk diameter [mm]: 302
 Paired article numbers: CAL1518LJM
 Supplementary Article/Supplementary Info:
 with electric motor

CAL1536RJM

Brake Caliper



FIAT 127
 FIAT 127 Panorama

OE
 790329

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Diameter [mm]: 48
 Fitting Position: Front Axle Right
 Fitting Position: in front of axle
 Paired article numbers: CAL1536LJM

CAL1592LJM

Brake Caliper



FSO POLONEZ I
 FSO POLONEZ II
 FSO POLONEZ III

OE
 4239314
 4395658

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Diameter [mm]: 48
 Fitting Position: behind the axle
 Fitting Position: Front Axle Left
 Paired article numbers: CAL1592RJM

CAL1592RJM

Brake Caliper



FSO POLONEZ I
 FSO POLONEZ II
 FSO POLONEZ III

OE
 4239315
 4395659

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 10
 Diameter [mm]: 48
 Fitting Position: behind the axle
 Fitting Position: Front Axle Right
 Paired article numbers: CAL1592LJM

Brake system

CAL1595LJM

Brake Caliper



AUDI A2 (8Z0)
VW LUPO (6X1, 6E1)

OE
6E0615123

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 15
Diameter [mm]: 48
Fitting Position: Front Axle Left
Fitting Position: in front of axle
Paired article numbers: CAL1595RJM

CAL1595RJM

Brake Caliper



AUDI A2 (8Z0)
VW LUPO (6X1, 6E1)

OE
6E0615124

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 15
Diameter [mm]: 48
Fitting Position: Front Axle Right
Fitting Position: in front of axle
Paired article numbers: CAL1595LJM

CAL732LJM

Brake Caliper



MERCEDES-BENZ CLASSE C (W205)
MERCEDES-BENZ CLASSE C Cabriolet (A205)
MERCEDES-BENZ CLASSE C Coupé (C205)
MERCEDES-BENZ CLASSE C T-Model (S205)

OE
2054230381
A2054230381

Brake Disc Thickness [mm]: 22
Diameter [mm]: 44
Fitting Position: behind the axle
Fitting Position: Rear Axle Left
Paired article numbers: CAL732RJM
Supplementary Article/Supplementary Info:
with electric motor

CAL732RJM

Brake Caliper




MERCEDES-BENZ CLASSE C (W205)
MERCEDES-BENZ CLASSE C Cabriolet (A205)
MERCEDES-BENZ CLASSE C Coupé (C205)
MERCEDES-BENZ CLASSE C T-Model (S205)

OE
2054230481
A2054230481

Brake Disc Thickness [mm]: 22
Diameter [mm]: 44
Fitting Position: behind the axle
Fitting Position: Rear Axle Right
Paired article numbers: CAL732LJM
Supplementary Article/Supplementary Info:
with electric motor

600181C

Brake Disc



BYD DOLPHIN


OE
1432904800
EM2EU-3501011S

Brake Disc Thickness [mm]: 25
Brake Disc Type: Vented
Centering Diameter [mm]: 62
Fitting Position: Front Axle
Height [mm]: 48
Minimum Thickness [mm]: 23
Number of Bores: 5
Number of mounting bores: 2
Outer Diameter [mm]: 273
Pitch Circle [mm]: 114
Surface: Painted

Brake system

610162C

Brake Disc




AIWAYS U5
AIWAYS U6

OE
861598003

Brake Disc Thickness [mm]: 12
Brake Disc Type: Solid
Centering Diameter [mm]: 65
Fitting Position: Rear Axle
Height [mm]: 52
Minimum Thickness [mm]: 10
Number of Bores: 5
Number of mounting bores: 1
Outer Diameter [mm]: 314
Pitch Circle [mm]: 112
Surface: Painted

550520

Brake Shoe Set




MERCEDES-BENZ CLASSE S (W220)
MERCEDES-BENZ CLASSE S (W221)

OE
1404200720
1404201020
2214200620
A1404201020
A2214200620

Brake System: ATE TEVES
Diameter [mm]: 185
Fitting Position: Rear Axle
Width [mm]: 36,2

500168

Brake Pad Set, disc brake




MAXUS (SAIC MOTOR) DELIVER 7 Furgone
MAXUS (SAIC MOTOR) DELIVER 9 Furgonato
MAXUS (SAIC MOTOR) DELIVER 9 Pianale
piatto/Telaio
MAXUS (SAIC MOTOR) eDELIVER 3 Furgonato
MAXUS (SAIC MOTOR) eDELIVER 7 Furgone

OE
C00212539

Fitting Position: Front Axle
Height [mm]: 69,4
Thickness [mm]: 17,4
Wear Warning Contact: With integrated wear
warning contact
Width [mm]: 172,9
WVA Number: 22898
WVA Number: 22899
WVA Number: 22900

502043

Brake Pad Set, disc brake



TOYOTA C-HR (_X2_, _H2_)

OE
04465F4050

Fitting Position: Front Axle
Height [mm]: 62,5
Thickness [mm]: 19
Wear Warning Contact: With acoustic wear
warning
Width [mm]: 162,3
WVA Number: 27052
WVA Number: 27053
WVA Number: 27054

502044

Brake Pad Set, disc brake








LEXUS LX (_J3_)
TOYOTA LAND CRUISER (PZJ7_, KZJ7_, HZJ7_,
BJ7_, LJ7_, RJ7)
TOYOTA LAND CRUISER (_J25_)
TOYOTA LAND CRUISER 150 (KDJ15_, GRJ15_)
TOYOTA LAND CRUISER 300 (_J3_)


OE
0446502580
0446560380
446560380

Brake System: Advics
Height [mm]: 82,6
Thickness [mm]: 17,9
Wear Warning Contact: With acoustic wear
warning
Width [mm]: 143,4
WVA Number: 26832

Brake system

<p>50H40</p> 	<p>Brake Pad Set, disc brake</p> <p>HYUNDAI KONA (SX2)</p>	<p>OE</p> <p>58101BEA05</p>	<p>Fitting Position: Front Axle Height [mm]: 58,1 Thickness [mm]: 17,9 Wear Warning Contact: With acoustic wear warning Width [mm]: 138,4 WVA Number: 26988 WVA Number: 26989 WVA Number: 26990</p>
<p>50H41</p> 	<p>Brake Pad Set, disc brake</p> <p>HYUNDAI KONA (SX2)</p>	<p>OE</p> <p>58101BEA15</p>	<p>Fitting Position: Front Axle Height [mm]: 60,7 Thickness [mm]: 18,2 Wear Warning Contact: With acoustic wear warning Width [mm]: 144,4 WVA Number: 26985 WVA Number: 26986 WVA Number: 26987</p>
<p>50H42</p> 	<p>Brake Pad Set, disc brake</p> <p>HYUNDAI KONA (SX2)</p>	<p>OE</p> <p>58101BEA25</p>	<p>Fitting Position: Front Axle Height [mm]: 66 Thickness [mm]: 18 Wear Warning Contact: With acoustic wear warning Width [mm]: 144,5 WVA Number: 26982 WVA Number: 26983 WVA Number: 26984</p>
<p>510333</p> 	<p>Brake Pad Set, disc brake</p> <p>VOLVO EX30 (416)</p>	<p>OE</p> <p>80011409</p>	<p>Fitting Position: Rear Axle Height [mm]: 53,3 Thickness [mm]: 18,8 Wear Warning Contact: With acoustic wear warning Width [mm]: 109 WVA Number: 27008 WVA Number: 27009 WVA Number: 27010</p>
<p>512009</p> 	<p>Brake Pad Set, disc brake</p> <p>LEXUS LX (_J3_) TOYOTA LAND CRUISER (PZJ7_, KZJ7_, HZJ7_, BJ7_, LJ7_, RJ7) TOYOTA LAND CRUISER (_J25_) TOYOTA LAND CRUISER 150 (KDJ15_, GRJ15_) TOYOTA LAND CRUISER 300 (_J3_)</p>	<p>OE</p> <p>0446604010 0446657010 0446660190</p>	<p>Brake System: Advics Height [mm]: 47,5 Thickness [mm]: 15,6 Wear Warning Contact: Not prepared for wear indicator Width [mm]: 142,5 WVA Number: 26831</p>


Brake system

51H20 	Brake Pad Set, disc brake HYUNDAI KONA (SX2)	OE 58302BEA05 58302GGA10 58302GGA20	Fitting Position: Rear Axle Height [mm]: 41,5 Thickness [mm]: 15,6 Wear Warning Contact: With acoustic wear warning Width [mm]: 99,7 WVA Number: 26520 WVA Number: 27014 WVA Number: 27015
--	--	---	---

Clutch

85008 	Slave Cylinder, clutch CHRYSLER VOYAGER IV (RG, RS)	OE 04641944AA 4641944AA	Fitted Diameter [mm]: 38 Hydraulics connection diameter [mm]: 19 Number of Bores: 1
--	---	--------------------------------------	---

95K34 	Master Cylinder, clutch KIA SOUL (AM)	OE 416002K200	For OE number: 416002K200
--	---	-------------------------	---------------------------

980100M 	Clutch Kit MINI MINI (R56) MINI MINI Cabriolet (R57) MINI MINI CLUBMAN (R55) MINI MINI CLUBVAN (R55) MINI MINI COUNTRYMAN (R60) MINI MINI Coupé (R58)	OE 21 20 8 606 067 21 21 7 599 835 21208606067 21217599835 21517594882 7599835	Clutch: Conversion from dual-mass flywheel to single-mass flywheel Number of mounting bores: 6 Number of Teeth: 28 Outer Diameter 1 [mm]: 235 Supplementary Article/Supplementary Info 2: with flywheel Supplementary Article/Supplementary Info 2: With releaser Supplementary Article/Supplementary Info 2: With screw set
--	--	---	--

980200M 	Clutch Kit FIAT BRAVA (182) FIAT BRAVO I (182) FIAT DOBLO (119) FIAT DOBLO Cargo (223) FIAT MAREA (185) FIAT MAREA Weekend (185)	OE 46539189 46754542 46792952 46819103 46821336 55185670	Clutch: Conversion from dual-mass flywheel to single-mass flywheel Number of Teeth: 20 Outer Diameter 1 [mm]: 229 Supplementary Article/Supplementary Info 2: with flywheel Supplementary Article/Supplementary Info 2: With releaser Supplementary Article/Supplementary Info 2: With screw set
--	---	---	---

Clutch

980201M

Clutch Kit



ALFA ROMEO GIULIETTA (940)
ALFA ROMEO GIULIETTA Furgonato (940_)
CHRYSLER DELTA
FIAT 500L
FIAT BRAVO II (198)
FIAT BRAVO Van (198)

OE

46341426
55212655
55218070
55220821
55224015
55232693

Clutch: Conversion from dual-mass flywheel to single-mass flywheel
Diameter [mm]: 240
Number of mounting bores: 6
Number of Teeth: 20
Supplementary Article/Supplementary Info: With central slave cylinder
Supplementary Article/Supplementary Info: with flywheel screws

980205M

Clutch Kit



FIAT BRAVO II (198)
FIAT BRAVO Van (198)
LANCIA DELTA III (844)

OE

55207746
55209138
55209818
55241567
55248438
616317

Clutch: Conversion from dual-mass flywheel to single-mass flywheel
Number of Teeth: 20
Outer Diameter 1 [mm]: 240
Supplementary Article/Supplementary Info 2: with flywheel
Supplementary Article/Supplementary Info 2: With screw set
Supplementary Article/Supplementary Info: With central slave cylinder

980206M

Clutch Kit



FIAT BRAVO II (198)
LANCIA DELTA III (844)

OE

46341426
55207746
55209138
55212655
55241567
55248438

Number of Teeth: 20
Outer Diameter 1 [mm]: 240
Supplementary Article/Supplementary Info 2: With clutch plate
Supplementary Article/Supplementary Info 2: with flywheel
Supplementary Article/Supplementary Info 2: With screw set
Supplementary Article/Supplementary Info: With central slave cylinder
Tightening Torque [Nm]: 30

980207M

Clutch Kit



ALFA ROMEO GIULIETTA (940)

OE

55212663
55220822
55224015
55226906
55232693
55240571

Clutch: Conversion from dual-mass flywheel to single-mass flywheel
Material: Plastic
Number of mounting bores: 6
Number of mounting holes at central slave cylinder: 2
Number of Teeth: 20
Outer Diameter 1 [mm]: 240
Supplementary Article/Supplementary Info 2: with flywheel
Supplementary Article/Supplementary Info 2: Without sensor
Supplementary Article/Supplementary Info: With central slave cylinder

Clutch

980208M

Clutch Kit



FIAT BRAVO II (198)
 FIAT DOBLO Cassone / Furgonato / Promiscuo (263)
 FIAT DOBLO MPV / Space wagon (152, 263)
 FIAT DOBLO Pianale piatto/Telaio (263)
 LANCIA DELTA III (844)

OE

46341426
 55207746
 55212655
 55218070
 55224015
 55232693

Bore [mm]: 26
 Clutch: Conversion from dual-mass flywheel to single-mass flywheel
 Number of mounting bores: 6
 Number of mounting holes at central slave cylinder: 2
 Number of Teeth: 20
 Outer Diameter 1 [mm]: 240
 Supplementary Article/Supplementary Info 2: with flywheel
 Supplementary Article/Supplementary Info 2: With screw set
 Supplementary Article/Supplementary Info: With central slave cylinder

Cooling System

350957

Water Pump



SKODA FAVORIT Forman (785)
 SKODA FAVORIT Pick-up (787)

OE

007 070 243

Impeller Diameter [mm]: 59,5
 Number of Ribs: 4
 Number of Wings: 8
 Operating Mode: Mechanical
 Supplementary Article/Supplementary Info: with seal
 Water Pump Pulley [mm]: 85,078
 Water Pump Type: For v-ribbed belt use

380614

Thermostat, coolant



CITROEN C25 Autobus (280_, 290_)
 CITROEN C25 Furgonato (280_, 290_)
 CITROEN C25 Pianale piatto/Telaio (280_, 290_)
 CITROEN GS
 CITROEN GS Break
 FIAT DUCATO Furgonato (280)

OE

1337 47
 1337.5
 13375
 9150072380

Diameter [mm]: 57
 Number of seals: 3
 Opening Temperature [°C]: 82
 Supplementary Article/Supplementary Info: With gaskets/seals

Electrics

BO-0118JM

Coil, ignition



AUDI 100 (44, 44Q, C3)
 AUDI 100 Avant (44, 44Q, C3)
 AUDI 200 (44, 44Q)
 AUDI 80 (81, 85, B2)
 AUDI 80 (89, 89Q, 8A, B3)
 AUDI 90 (81, 85, B2)

OE

12 13 1 273 216
 12131273216
 191905115A
 211905115D
 811905115
 CL018

Coil Ignition System: Transistor Ignition (TI)
 No. of terminals (output) []: 1

BO-0120JM

Coil, ignition



PEUGEOT 309 I (10C, 10A)
 PEUGEOT 309 II (3C, 3A)
 PEUGEOT 405 I (15B)
 PEUGEOT 405 I Break (15E)
 RENAULT 11 (B/C37_)
 RENAULT 19 I Cabriolet (D53_)

OE

7700722070

For OE number: 77 00 722 070
 Ignition Coil: Coupling Type SAE
 Number of Inlets / Outlets: 1
 Number of Poles: 5
 Supplementary Article/Supplementary Info 2: with control unit
 Vehicle Equipment: For vehicles with distributor

Electrics

BO-0625JM

Coil, ignition




CITROEN EVASION (22, U6)
CITROEN XANTIA (X1)
CITROEN XANTIA Break (X1)
CITROEN XM (Y4)
CITROEN XM Break (Y4)
CITROEN XSARA (N1)

OE
597050

For OE number: 597050
Ignition Coil: Incl. spark plug connector
Length incl. plug [cm]: 16
Number of Poles: 3
Number of ports: 1
Port Type: Spark Spring
Required quantity: 4
Voltage [V]: 12

78H25

Coil, ignition



OE
KK370-1810XB

Number of ports: 2

78H35

Coil, ignition



HYUNDAI COUPE (GK)
HYUNDAI SANTA FÉ I (SM)
HYUNDAI SONATA VI (YF)
HYUNDAI TRAJET (FO)
HYUNDAI TUCSON (JM)

OE
27301-37410

Number of ports: 3

1610709

Sensor, exhaust gas temperature



DACIA DUSTER
DACIA JOGGER
DACIA LOGAN MCV II
DACIA SANDERO II
DACIA SANDERO III
RENAULT CAPTUR II

OE
226581040R

For OE number: 226581040R
Number of Poles: 2
Voltage [V]: 12

1610710

Sensor, exhaust gas temperature



RENAULT ARKANA I

OE
226400105R
226400564R

For OE number: 226400564R
Number of ports: 2
Rated Voltage [V]: 12

1610712

Sensor, exhaust gas temperature



RENAULT CLIO IV

OE
226585317R

For OE number: 226585317R
Number of ports: 2
Rated Voltage [V]: 12

Engine

1500702

EGR Valve



DACIA DOKKER
 DACIA DOKKER Express
 DACIA DUSTER
 DACIA LODGY
 DACIA LOGAN II
 DACIA LOGAN MCV II

OE

14710-00Q1H
 147101246R
 6081400060
 8201684044
 A6081400060

For OE number: 147101246R

JBW001S

Cylinder Head



BMW 1 (E81)
 BMW 1 (E87)
 BMW 1 (F20)
 BMW 1 (F21)
 BMW 1 Cabriolet (E88)
 BMW 1 Coupé (E82)


OE

11 12 7 810 201
 11 12 7 810 463
 11 12 7 810 465
 778110201
 7810465

Supplementary Article/Supplementary Info 2:
 Without camshaft(s)
 Supplementary Article/Supplementary Info 2:
 Without valve springs
 Supplementary Article/Supplementary Info 2:
 Without valves
 Supplementary Article/Supplementary Info:
 Without gaskets/seals

JF013ES

Cylinder Head



FORD TOURNEO CUSTOM Autobus
 FORD TRANSIT Autobus
 FORD TRANSIT CUSTOM Autobus
 FORD TRANSIT CUSTOM Furgonato
 FORD TRANSIT Furgonato
 FORD TRANSIT Pianale piatto/Telaio

OE

2011399
 2223664
 2276287
 2286756
 2405679
 2548191

Supplementary Article/Supplementary Info 2:
 Without camshaft(s)
 Supplementary Article/Supplementary Info 2:
 Without valve springs
 Supplementary Article/Supplementary Info 2:
 Without valves
 Supplementary Article/Supplementary Info:
 Without gaskets/seals

JNS044S

Cylinder Head



FIAT DUCATO Autobus (244, Z_)
 FIAT DUCATO Autobus (250)
 FIAT DUCATO Furgonato (244)
 FIAT DUCATO Furgonato (250)
 FIAT DUCATO Pianale piatto/Telaio (244)
 FIAT DUCATO Pianale piatto/Telaio (250)

OE

5802227765
 71769049
 71769672
 71776820
 71785941
 71795391

Exhaust Emission Norm: Euro 6
 Supplementary Article/Supplementary Info 2:
 Without camshaft(s)
 Supplementary Article/Supplementary Info 2:
 Without valve springs
 Supplementary Article/Supplementary Info 2:
 Without valves
 Supplementary Article/Supplementary Info:
 Without gaskets/seals

JPE11ES

Cylinder Head



BMW 1 (F20)
 BMW 1 (F21)
 BMW 3 (F30, F35, F80)
 BMW 3 Touring (F31)
 CITROEN C4 Coupé (LA_)
 CITROEN C4 Grand Picasso I (UA_)

OE


0200.GJ
 0200.HX
 0200GJ
 0200HX
 11 12 7 577 371
 11127577371

Supplementary Article/Supplementary Info 2:
 Without camshaft(s)
 Supplementary Article/Supplementary Info 2:
 Without valve springs
 Supplementary Article/Supplementary Info 2:
 Without valves
 Supplementary Article/Supplementary Info:
 Without gaskets/seals

Engine

JPE13ES

Cylinder Head



CITROEN C4 Grand Picasso I (JA_)
 CITROEN C4 II (B7)
 CITROEN C4 Picasso I (UD_)
 CITROEN C5 III (RD_)
 CITROEN C5 III Break (TD_)
 CITROEN C8 (EA_, EB_)

OE

0200.HL
 0200HL
 1683822
 1869777
 2070074
 908295

For OE number: 0200.HL

Engine Timing Control

KJK003

Timing Chain Kit



MAHINDRA XUV500

OE

0310AM0120N
 0310EM0021N
 0310EM0031N
 0310EM0041N
 0310EM0051N
 0310EM0180N

Number of Chain Links: 70
 Number of Chain Links: 96
 Number of Parts [parts]: With roof rails

KJK004

Timing Chain Kit



MAHINDRA GOA
 MAHINDRA GOA Pick-up

OE

0301DC0040N
 0301DC0050N
 0301DC0060N
 0310AC0170N

Number of Chain Links: 98
 Number of Parts [parts]: 4

Filter

FA-0149JM

Air Filter



CASE IH FARMALL
 CASE IH QUANTUM
 FENDT Vario
 JOHN DEERE Series 5
 LANDINI POWERFARM
 LANDINI REX


OE

00 1600 442 0
 090359
 10413351
 13290250
 18351042030
 32/925682

Filter Type: Filter Insert
 Height [mm]: 148
 Length [mm]: 181
 Width [mm]: 250

FAA-105JM

Filter, interior air



FIAT DOBLO (119)
 FIAT DOBLO Cargo (223)
 FIAT IDEA
 FIAT IDEA Van (350_)
 FIAT PUNTO (188)
 FIAT PUNTO Van (188AX)

OE

151.1109080
 46723331
 77362394

Filter Type: Activated Carbon Filter
 Height [mm]: 25
 Length [mm]: 215
 Width [mm]: 164

Filter

FAA-108JM

Filter, interior air




FIAT BARCHETTA (183)
FIAT PUNTO (176)
FIAT PUNTO Cabriolet (176C)
FIAT PUNTO Van (176L)
LANCIA Y (840A)

OE
000 530 2400
46721374
5908409
6001073261
71771376

Filter Type: Activated Carbon Filter
Height [mm]: 17,5
Length [mm]: 308
Width [mm]: 140

FAA-114JM

Filter, interior air



PEUGEOT 206 2 volumi /Coda spiovente (2A/C)
PEUGEOT 206 CC (2D)
PEUGEOT 206 SW (2E/K)
PEUGEOT 206 Tre volumi
PEUGEOT 206 Van
PEUGEOT 206+ (T3E)

OE
0024 35
0024 36
6447 PE

Filter Type: Activated Carbon Filter
Height [mm]: 31
Length [mm]: 336
Width [mm]: 159

FAA-124JM

Filter, interior air



AUDI Q7 (4L)
AUDI Q7 Van (4LB)
VW AMAROK (2H_, S1B)
VW AMAROK Pianale piatto/Telaio (S1B)
VW CALIFORNIA T5 Camper (7EC, 7EF, 7EG, 7HF)
VW CALIFORNIA T6 Camper (SGC, SGG, SHC)

OE
7H0 819 63
7H0 819 631
7H0819631A
JZW819653E

Filter Type: Activated Carbon Filter
Height [mm]: 30
Length [mm]: 278
Width [mm]: 219

FAA-132JM

Filter, interior air



IVECO DAILY Cassone / Furgonato / Promiscuo
IVECO DAILY CITYS Autobus
IVECO DAILY LINE Autobus
IVECO DAILY Pianale piatto/Telaio
IVECO DAILY V Autobus

OE
500042992
500086309
5801619418

Filter Type: Activated Carbon Filter
Height [mm]: 30
Length [mm]: 215
Width [mm]: 215

FAA-134JM

Filter, interior air




MERCEDES-BENZ AMG GT / GT S (C190)
MERCEDES-BENZ AMG GT Roadster (R190)
MERCEDES-BENZ CLASSE C (W204)
MERCEDES-BENZ CLASSE C Coupé (C204)
MERCEDES-BENZ CLASSE C T-Model (S204)
MERCEDES-BENZ CLASSE E (W212)

OE
204 830 00
204 830 00 18
204 830 05 18
212 830 00 18
212 830 01 18
212 830 02 18

Filter Type: Activated Carbon Filter
Height [mm]: 44
Length [mm]: 264
Width [mm]: 284

FAA-136JM

Filter, interior air



MERCEDES-BENZ CLASSE C (W203)
MERCEDES-BENZ CLASSE C Coupe (CL203)
MERCEDES-BENZ CLASSE C Station wagon (S202)
MERCEDES-BENZ CLASSE C T-Model (S203)
MERCEDES-BENZ CLASSE CLC (CL203)

OE
203 830 09
203 830 09 18
A 203 830 09 18

Filter Type: Activated Carbon Filter
Height [mm]: 26
Length [mm]: 332
Width [mm]: 189

Filter

FAA-145JM

Filter, interior air



FORD MONDEO III (B5Y)
 FORD MONDEO III Station wagon (BWY)
 FORD MONDEO III Tre volumi (B4Y)
 JAGUAR X-TYPE (CF1)
 JAGUAR X-TYPE Estate

OE

1115 650
 1119 616
 1119613
 1349 791
 1451 913
 1713 173

Filter Type: Activated Carbon Filter
 Height [mm]: 35
 Length [mm]: 509
 Width [mm]: 99

21HY42

Filter, interior air



HYUNDAI IONIQ 6 (CE)
 KIA EV9 (MV)
 KIA NIRO II (SG2)

OE

97133-A000
 97133-A0000
 97133-N9100

Filter Type: Pollen Filter
 Height [mm]: 30
 Length [mm]: 210
 Width [mm]: 227

21HY43

Filter, interior air



HYUNDAI ix20 (JC)
 KIA VENGA (YN)
 KIA VENGA Hatchback Van (YN)

OE

971331P000
 F178YN9AA02

Filter Type: Pollen Filter
 Height [mm]: 20
 Length [mm]: 230
 Width [mm]: 180

21TY32

Filter, interior air



TOYOTA AVENSIS (T25_)
 TOYOTA AVENSIS Station wagon (T25)
 TOYOTA AVENSIS Tre volumi (T25)
 TOYOTA COROLLA (ZZE12_, NDE12_, ZDE12_)
 TOYOTA COROLLA Station wagon (_E12J_,
 E12T)

OE

08974-0085
 08974-00850

Filter Type: Activated Carbon Filter
 Height [mm]: 20
 Length [mm]: 220
 Width [mm]: 200

FC-032JM

Fuel filter



AUDI A3 (8P1)
 AUDI A3 Cabriolet (8P7)
 AUDI A3 Sportback (8PA)
 AUDI TT (8J3)
 AUDI TT Roadster (8J9)
 SEAT ALTEA (5P1)

OE

6Q0 201 051 A
 6Q0 201 051 C
 6Q0 201 051 J

Filter Type: In-Line Filter
 Filter Type: with integrated pressure regulator
 Height [mm]: 164
 Inlet [mm]: 8
 Outer Diameter 1 [mm]: 61
 Outer Diameter [mm]: 55
 Outlet [mm]: 8
 Pressure [bar]: 4,0

FC-035JM

Fuel filter



AUDI A2 (8Z0)
 SEAT CORDOBA (6L2)
 SEAT IBIZA IV (6L1)
 SKODA FABIA (6Y2)
 SKODA FABIA Combi (6Y5)
 SKODA FABIA Praktik

OE

6Q0 201 051
 6Q0 201 051 B
 6Q0 201 051 H
 6Q0 201 512

Filter Type: In-Line Filter
 Filter Type: with integrated pressure regulator
 Height [mm]: 164
 Inlet [mm]: 8
 Outer Diameter 1 [mm]: 61
 Outer Diameter [mm]: 55
 Outlet [mm]: 8
 Pressure [bar]: 3,0

Filter

FC-036JM

Fuel filter



AUDI A1 (8X1, 8XF)
AUDI A1 Sportback (8XA, 8XK)
AUDI A3 (8P1)
AUDI A3 Cabriolet (8P7)
AUDI A3 Sportback (8PA)
AUDI TT (8J3)

OE

1K0 201 05
1K0 201 051 B
1K0 201 051 C
1K0 201 051 K

Filter Type: In-Line Filter
Filter Type: with integrated pressure regulator
Height [mm]: 164
Inlet [mm]: 8
Outer Diameter 1 [mm]: 61
Outer Diameter [mm]: 55
Outlet [mm]: 8
Pressure [bar]: 6,6

FC-037JM

Fuel filter



ALPINA D5 (F10)
ALPINA D5 Touring (F11)
BMW 1 (E81)
BMW 1 (E87)
BMW 1 Cabriolet (E88)
BMW 1 Coupé (E82)

OE

13 32 7 81
13 32 7 811 227
13 32 7 811 401
13 32 7 822 499

Filter Type: In-Line Filter
Height [mm]: 251
Outer Diameter [mm]: 55
Outlet [mm]: 9

FC-040JM

Fuel filter



ALPINA D3 (F30)
ALPINA D3 Station wagon (F31)
ALPINA D4 Cabriolet (F33)
ALPINA D4 Coupé (F32)
BMW 1 (F20)
BMW 1 (F21)

OE

13 32 7 822 497
13 32 8 511 053
13 32 8 572 522

Filter Type: In-Line Filter
Height [mm]: 257
Outer Diameter [mm]: 55
Outlet [mm]: 8

FC-041JM

Fuel filter



IRISBUS DAILY TOURYS
IVECO DAILY Cassone / Furgonato / Promiscuo
IVECO DAILY CITYS Autobus
IVECO DAILY IV Autobus
IVECO DAILY IV Cassone / Furgonato / Promiscuo

OE

0000500025836
500025836
500041212
500055340
5041 70771
504182148

Filter Type: Filter Insert
Height [mm]: 151
Inner Diameter [mm]: 15
Outer Diameter [mm]: 81
Supplementary Article/Supplementary Info:
with seal

FC-047JM

Fuel filter



ALPINA D3 (E90)
ALPINA D3 Coupé (E92)
ALPINA D3 Station wagon (E91)
ALPINA XD3 (F25)
BMW 3 (E90)
BMW 3 Cabriolet (E93)

OE

13 32 7 823 413
13 32 8 584 874
1332782341301
13328509765
7823413
8509765

Filter Type: In-Line Filter
Height [mm]: 260
Outer Diameter [mm]: 55
Outlet [mm]: 9

FC-050JM

Fuel filter



INFINITI Q30
INFINITI QX30
MERCEDES-BENZ CLA Coupé (C117)
MERCEDES-BENZ CLA Shooting Brake (X117)
MERCEDES-BENZ CLASSE A (W176)
MERCEDES-BENZ CLASSE B (W246, W242)

OE

16401-HG00B
642 090 48
642 090 48 52
642 090 63 52
A 642 090 48 52
A 642 090 63 52

Filter Type: In-Line Filter
Height [mm]: 100
Inlet [mm]: 10
Outer Diameter [mm]: 86
Outlet [mm]: 8

Filter

FC-054JM

Fuel filter



VW CALIFORNIA T5 Camper (7EC, 7EF, 7EG, 7HF)
 VW CALIFORNIA T6 Camper (SGC, SGG, SHC)
 VW MULTIVAN V (7HM, 7HN, 7HF, 7EF, 7EM, 7EN)
 VW MULTIVAN VI (SGF, SGM, SGN)
 VW TOUAREG (7LA, 7L6, 7L7)

OE

7H0 127 40
 7H0 127 401
 7H0 127 401 A
 7H0 127 401 B
 7H0 127 401 F

Filter Type: In-Line Filter
 Height [mm]: 276
 Outer Diameter [mm]: 81

FC-062JM

Fuel filter



MERCEDES-BENZ CLASSE C (W205)
 MERCEDES-BENZ CLASSE C (W206)
 MERCEDES-BENZ CLASSE C All-Terrain (S206)
 MERCEDES-BENZ CLASSE C Cabriolet (A205)
 MERCEDES-BENZ CLASSE C Coupé (C205)
 MERCEDES-BENZ CLASSE C T-Model (S205)

OE

654 092 00
 654 092 00 00
 654 092 02 00
 6540900652
 6540905400
 6540905600

Filter Type: Filter Insert
 Height [mm]: 72
 Inner Diameter 1 [mm]: 24
 Inner Diameter [mm]: 19
 Outer Diameter 1 [mm]: 111
 Outer Diameter [mm]: 107
 Supplementary Article/Supplementary Info:
 with seal

FC-067JM

Fuel filter



FORD ECOSPORT
 FORD PUMA

OE

2189473
 2363756
 2575 364
 2629627
 2664 028
 JN15-9155-BA

Filter Type: In-Line Filter
 Height [mm]: 130
 Inlet [mm]: 10
 Outer Diameter [mm]: 98
 Outlet [mm]: 8

FO-016JM

Oil Filter



AUDI A4 (8W2, B9)
 AUDI A4 Avant (8W5, B9)
 AUDI A5
 AUDI A5 Cabriolet
 AUDI A5 Sportback (F5A)
 AUDI A6 (C8, 4A2)

OE

06M 115 561 H
 06M 198 405 F
 9A7.198.40
 9A7.198.405.00

Filter Type: Filter Insert
 Height [mm]: 117
 Inner Diameter [mm]: 24
 Outer Diameter [mm]: 63
 Supplementary Article/Supplementary Info:
 with seal

FO-062JM

Oil Filter



AUDI A4 (8EC, B7)
 AUDI A4 (8K2, B8)
 AUDI A4 Allroad (8KH, B8)
 AUDI A4 Avant (8ED, B7)
 AUDI A4 Avant (8K5, B8)
 AUDI A4 Cabriolet (8H7, B6, 8HE, B7)

OE

057 115 56
 057 115 561 K
 057 115 561 L
 057002561L

Filter Type: Filter Insert
 Height [mm]: 200
 Inner Diameter 1 [mm]: 29
 Inner Diameter [mm]: 29
 Outer Diameter 1 [mm]: 76
 Outer Diameter [mm]: 72
 Supplementary Article/Supplementary Info:
 with seal

FO-090JM

Oil Filter



ALFA ROMEO GIULIA (952_)
 ALFA ROMEO STELVIO (949_)

OE

73504459

Filter Type: Filter Insert
 Height [mm]: 130
 Inner Diameter 1 [mm]: 25
 Inner Diameter 2 [mm]: 21
 Outer Diameter [mm]: 54

Filter

1GAS59S

Fuel filter



COSTRUTT. GENERICO MODELLO

OE

Filter Type: In-Line Filter
Height [mm]: 110
Inlet [mm]: 16
Outer Diameter [mm]: 45
Outlet [mm]: 16

1GAS62

Fuel filter



ALFA ROMEO MITO (955)
FIAT PANDA (169)
FIAT PUNTO (188)
FIAT PUNTO Van (188AX)
LANCIA DELTA III (844)

OE

71753999
71754829

Filter Type: Filter Insert
Fuel Type: Liquefied Petroleum Gas (LPG)
Height [mm]: 50
Inner Diameter 2 [mm]: 17
Outer Diameter [mm]: 42

1GAS64

Fuel filter



ALFA ROMEO GIULIETTA (940)
DACIA DOKKER
DACIA DOKKER Express
DACIA DUSTER
DACIA LODGY
DACIA LOGAN (LS_)

OE

169196566R
169198413R
169198431R
71769837

Filter Type: Filter Insert
Fuel Type: Liquefied Petroleum Gas (LPG)
Height [mm]: 22
Inner Diameter [mm]: 15,5
Outer Diameter 1 [mm]: 35

Mounting

72S10

Track Control Arm



SSANGYONG KORANDO

OE

4451034002
4451034005
4451034010

Fitted Diameter [mm]: 19
Fitting Position: Front Axle Left
Fitting Position: Lower
Steering Type: Control Arm

72S11

Track Control Arm



SSANGYONG KORANDO

OE

4452034002
4452034003
4452034004
4452034010

Fitted Diameter [mm]: 19
Fitting Position: Front Axle Right
Fitting Position: Lower
Steering Type: Control Arm

Mounting

KK-0025JM

Wheel Hub



MINI MINI (R50, R53)
MINI MINI (R56)

OE

33412361250
33416774944
33416785552
33416786552
33416786620

Number of Teeth, ABS ring: 88
Outer Diameter [mm]: 137
Rim Hole Number: 4
Supplementary Article/Supplementary Info 2:
With integrated ABS sensor
Thread Size: M14X1,25

KK-0275JM

Wheel Bearing Kit



JEEP GRAND CHEROKEE II (WJ, WG)

OE

05012825AA
K05012825AA

Inner Diameter [mm]: 35
Outer Diameter [mm]: 65
Width 1 [mm]: 17,8
Width 2 [mm]: 20,6

KK-0324JM

Wheel Bearing Kit



HONDA ACCORD II (AC, AD)
HONDA ACCORD II Hatchback (AC, AD)
HONDA CIVIC I Hatchback (SB)
HONDA CIVIC I Tre volumi (SF)
HONDA CIVIC I Wagon (WC)
HONDA JAZZ I (AA)

OE

91052-671-008
91053-671-008
91053-679-003

Inner Diameter 1 [mm]: 29
Inner Diameter 2 [mm]: 19
Outer Diameter 1 [mm]: 50
Outer Diameter 2 [mm]: 45
Width 1 [mm]: 14
Width 2 [mm]: 15

KK-0360JM

Wheel Bearing Kit



FORD ESCORT '81 Express (AVA)
FORD ESCORT '86 Express (AVF)
FORD ESCORT III Station wagon (AWA)
FORD ESCORT IV Station wagon (AWF, AVF)
FORD TRANSIT Autobus (72E, 73E)
FORD TRANSIT Autobus (T_ _)

OE

0009815805
0009815905
0016172300
0016172400
11055119
119002140801

Inner Diameter 1 [mm]: 19
Inner Diameter 2 [mm]: 31,75
Outer Diameter 1 [mm]: 45,237
Outer Diameter 2 [mm]: 59,131
Width 1 [mm]: 16,637
Width 2 [mm]: 16,764

KK-0464JM

Wheel Hub



ALFA ROMEO GIULIA (952_)
ALFA ROMEO STELVIO (949_)

OE

50533570
50573389
68639568AA

Number of Teeth, ABS ring: 96
Number of Teeth: 30
Outer Diameter [mm]: 135
Rim Hole Number: 5
Supplementary Article/Supplementary Info 2:
With integrated ABS sensor
Thread Size: M14X1,5

KK-0476JM

Wheel Bearing Kit



TOYOTA CAMRY (_V2_)
TOYOTA CAMRY Liftback (_V1_)
TOYOTA CAMRY Tre volumi (_V1_)
TOYOTA CARINA II (_T15_)
TOYOTA CARINA II (_T17_)
TOYOTA CARINA II Station Wagon (_T17_)

OE

4245020010
43503-32020

Inner Diameter [mm]: 30
Outer Diameter [mm]: 63
Width [cm]: 42

Mounting

KK-0511JM

Wheel Hub



RENAULT 25 (B29_)
RENAULT ESPACE I (J11_)
RENAULT ESPACE II (J/S63_)

OE

51852424
7700780919
7701204696

Inner Diameter 2 [mm]: 25
Inner Diameter [mm]: 25
Number of Teeth, ABS ring: 48
Outer Diameter [mm]: 132,5
Rim Hole Number: 4
Supplementary Article/Supplementary Info 2:
With ABS sensor ring
Thread Size: M12X1,5

KK-0513JM

Wheel Hub



MERCEDES-BENZ SPRINTER 3,5-t Autobus (906)
MERCEDES-BENZ SPRINTER 3,5-t Furgonato (906)
MERCEDES-BENZ SPRINTER 3,5-t Pianale piatto/Telaio (906)
MERCEDES-BENZ SPRINTER 3-t Autobus (906)

OE

2E0407303AA
2E0407303P
2E0407303Q
2E0407303R
2E0407303S
2E0407304P

Number of Teeth, ABS ring: 96
Outer Diameter [mm]: 152
Rim Hole Number: 6
Supplementary Article/Supplementary Info 2:
With integrated ABS sensor
Thread Size: M14X1,5

KK-0527JM

Wheel Bearing Kit



NISSAN SUNNY II (N13)
NISSAN SUNNY II Coupe (B12)
NISSAN SUNNY II Hatchback (N13)
NISSAN SUNNY II Traveller (B12)

OE

4021450A10
4321050A00
4323250A00
4323250A10

Inner Diameter 1 [mm]: 27
Outer Diameter 1 [mm]: 52
Width 1 [mm]: 45

KK-0542JM

Wheel Bearing Kit



JAGUAR XJ (NAW, NBW)
JAGUAR XK 8 Convertible (QDV)
JAGUAR XK 8 Coupe (QEV)

OE

MJA1830AD
MJA1830AE

Inner Diameter 1 [mm]: 42
Outer Diameter 1 [mm]: 76
Width 1 [mm]: 39

KK-0556JM

Wheel Bearing Kit



SSANGYONG ACTYON I
SSANGYONG ACTYON SPORTS I (QJ)
SSANGYONG ACTYON SPORTS II
SSANGYONG KYRON

OE

4142009200
4142009201
4142009202

Inner Diameter 1 [mm]: 45
Outer Diameter 2 [mm]: 82
Width 1 [mm]: 45

KK-0559JM

Wheel Bearing Kit



CITROEN 2 CV
CITROEN DYANE
CITROEN MEHARI

OE

26200119
5451859

Inner Diameter [mm]: 35
Outer Diameter [mm]: 72
Supplementary Article/Supplementary Info 2:
With shaft oil seal
Width [mm]: 27

Mounting

KK-0560JM

Wheel Bearing Kit



MERCEDES-BENZ /8 (W115)
 MERCEDES-BENZ CLASSE S (W116)
 MERCEDES-BENZ CLASSE S (W126)
 MERCEDES-BENZ CLASSE S Coupe (C126)
 MERCEDES-BENZ COUPE (C123)
 MERCEDES-BENZ KOMBI Station wagon (S123)

OE

0009804202
 0009808202
 0089815705
 0089815805
 113517185
 113517185C

Inner Diameter 1 [mm]: 40,9
 Inner Diameter 2 [mm]: 46
 Outer Diameter 1 [mm]: 67,9
 Outer Diameter 2 [mm]: 75
 Width 1 [mm]: 17,5
 Width 2 [mm]: 18

KK-0568JM

Wheel Hub



FIAT CINQUECENTO VAN (170)
 FIAT PANDA (141A_)
 FIAT PANDA Van (141_)
 FIAT RITMO Cabriolet
 FIAT RITMO II (138A)
 FIAT SEICENTO (187)

OE

4399856
 5948422
 7599461
 7603485
 HB149002.01
 HB14900201

Flange [mm]: 117
 Rim Hole Number: 4

KK-0569JM

Wheel Hub



FIAT PANDA (141A_)

OE

028 160 302 A
 028160302A
 3981593
 4400918
 4400919
 5963034

Fitting Position: Rear Axle
 Flange [mm]: 116,9
 Rim Hole Number: 4

429060

Bearing, stub axle



HYUNDAI GALLOPER II (JK-01)
 HYUNDAI TERRACAN (HP)
 MITSUBISHI L 200 (K7_T, K6_T)
 MITSUBISHI PAJERO I Canvas Top (L04_G)
 MITSUBISHI PAJERO II (V3_W, V2_W, V4_W)
 MITSUBISHI PAJERO II Canvas Top (V2_W,

OE

567184A400
 MB160670

Fitting Position: Front
 Height [mm]: 19,05
 Inner Diameter [mm]: 31,75
 Mounting Type: Friction Bearing
 Outer Diameter [mm]: 38,1
 Required quantity: 2

MJ00968

Shock Absorber



MERCEDES-BENZ CLASSE E (W212)

OE

212 323 14 00
 212 323 54 00
 212 323 55 00
 212 323 60 00
 212 323 65 00
 212 323 70 00

Fitting Position: Front Axle
 For OE number: 2123231400
 Shock Absorber Design: Suspension Strut
 Shock Absorber Mounting Type: Top pin
 Shock Absorber Type: Gas Pressure

Mounting

MJ01227

Shock Absorber



TATA (TELCO) 207 Pick-up
TATA (TELCO) SIERRA
TATA (TELCO) TELCOLINE (40_FD)

OE

265432110128
265432300122
265432300133

Fitting Position: Front Axle
For OE number: 265432300122
Max. Length [mm]: 475
Required quantity: 2
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Oil Pressure

MJ01333

Shock Absorber



BMW 3 (F30, F35, F80)
BMW 3 GRAN TURISMO (F34)
BMW 3 Touring (F31)
BMW 3 Touring Van (F31)
BMW 4 Cabriolet (F33, F83)
BMW 4 Coupé (F32, F82)

OE

33 52 6 791 569
33 52 6 791 572
33 52 6 791 588
33 52 6 854 692
33 52 6 856 705
33 52 6 866 109

Fitting Position: Rear Axle
Shock Absorber Design: Absorber does not carry a spring
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ01337

Shock Absorber



IVECO DAILY Cassone / Furgonato / Promiscuo
IVECO DAILY CITYS Autobus
IVECO DAILY I Cassone / Furgonato / Promiscuo
IVECO DAILY I Pianale piatto/Telaio
IVECO DAILY III Autobus
IVECO DAILY III Cassone / Furgonato /

OE

2997265
4854829
500305418
500337443
500367032
500368636

Bore [mm]: 35
Fitting Position: Rear Axle
Length 1 [mm]: 353
Length 2 [mm]: 573
Piston Rod Diameter [mm]: 15,8
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top eye
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure
Weight [kg]: 2,800

MJ01339

Shock Absorber



MINI MINI (F55)
MINI MINI (F56)
MINI MINI Cabriolet (F57)

OE

33526852425
33526852426
33526852427
33526862426
33526862428
33526870821

Fitting Position: Rear Axle
Shock Absorber Design: Spring-bearing Damper
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ01342

Shock Absorber



MINI MINI COUNTRYMAN (R60)
MINI MINI PACEMAN (R61)

OE

33529807016
33529807018
33529807020

Fitting Position: Rear Axle Right
Paired article numbers: MA-01343
Paired article numbers: MJ01343
Paired article numbers: MM-01343
Shock Absorber Design: Spring-bearing Damper
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

Mounting

MJ01343

Shock Absorber



MINI MINI COUNTRYMAN (R60)
MINI MINI PACEMAN (R61)

OE

33529807015
33529807017
33529807019

Fitting Position: Rear Axle Left
Paired article numbers: MA-01342
Paired article numbers: MJ01342
Paired article numbers: MM-01342
Shock Absorber Design: Spring-bearing Damper
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ01358

Shock Absorber



JAGUAR XJ (X35_,_J12_,_J24_)

OE

C2D11675
C2D13345
C2D16483
C2D19108

Fitting Position: Front Axle
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Fork
Shock Absorber Mounting Type: Top yoke
Shock Absorber Type: Oil Pressure
Spring Type: for coil-spring suspension vehicles
Suspension: For vehicles with electronic suspension control

MJ33132

Shock Absorber



FORD B-MAX (JK)
FORD B-MAX Van
FORD TOURNEO COURIER Kombi
FORD TRANSIT COURIER Furgonato
FORD TRANSIT COURIER Kombi

OE

1751625
1765609
1766059
1773540
1773541
1807504

Fitting Position: Front Axle Right
Paired article numbers: MA-33131
Paired article numbers: MJ33131
Paired article numbers: MM-33131
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ33136

Shock Absorber



FORD KUGA II (DM2)
FORD KUGA II Van

OE

1872414
1872415
1872416
2083662
2083664
2083666

Fitting Position: Front Axle Right
Paired article numbers: MA-33137
Paired article numbers: MJ33137
Paired article numbers: MM-33137
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ33137

Shock Absorber



FORD KUGA II (DM2)
FORD KUGA II Van

OE

1872417
1872418
1872419
2083656
2083658
2083660

Fitting Position: Front Axle Left
Paired article numbers: MA-33136
Paired article numbers: MJ33136
Paired article numbers: MM-33136
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

Mounting

MJ40070

Shock Absorber



OPEL ASTRA GTC J
OPEL ASTRA J Cassone / Furgonato / Promiscuo (P10)
OPEL ASTRA J Sports Tourer
OPEL ASTRA J Tre volumi
OPEL ZAFIRA TOURER C (P12)

OE

13314312
13337425
13351720
13351721
13368276
13390453

Fitting Position: Rear Axle
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ60032

Shock Absorber



DS DS 3
DS DS 3 Cabriolet
PEUGEOT 207 CC (WD_)
PEUGEOT 208
PEUGEOT 208 Furgonato

OE

5202YV
5208G7
9803128080
9803520380
9804586580
9804586780

Diameter 1 [mm]: 51
Fitting Position: Front Axle Left
Paired article numbers: MA-60033
Paired article numbers: MJ60033
Paired article numbers: MM-60033
Shock Absorber Design: Damper with Rebound Spring
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ60033

Shock Absorber



DS DS 3
DS DS 3 Cabriolet
PEUGEOT 207 CC (WD_)
PEUGEOT 208
PEUGEOT 208 Furgonato

OE

5202YW
5208G5
9803128180
9803520480
9804586680
9804586880

Diameter 1 [mm]: 51
Fitting Position: Front Axle Right
Paired article numbers: MA-60032
Paired article numbers: MJ60032
Paired article numbers: MM-60032
Shock Absorber Design: Damper with Rebound Spring
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ60040

Shock Absorber



CITROEN C3 Cassone / coda spiovente (SC_)
CITROEN C3 II
CITROEN DS3

OE

5208F6
5208K2
9801736280

Fitting Position: Front Axle Left
Paired article numbers: MA-60039
Paired article numbers: MJ60039
Paired article numbers: MM-60039
Shock Absorber Design: Damper with Rebound Spring
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ70074

Shock Absorber



RENAULT CLIO IV

OE

562103863R

Fitting Position: Rear Axle
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

Mounting

MJ90052

Shock Absorber



JEEP COMPASS (MP)

OE

6825 7665AB
6825 9677AB
68257665AB

Fitting Position: Front Axle Left
For OE number: 6825 7665AB
Paired article numbers: MA-90053
Paired article numbers: MJ90053
Paired article numbers: MM-90053
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MJ90053

Shock Absorber



JEEP COMPASS (MP)

OE

6825 7664AB
6825 9676AB
68257664AB

Fitting Position: Front Axle Right
For OE number: 6825 7664AB
Paired article numbers: MA-90052
Paired article numbers: MJ90052
Paired article numbers: MM-90052
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MJ90056

Shock Absorber



JEEP COMPASS (MP)

OE

6825 7666AB
6825 9678AB
68257666AB
6829 0224AB
6829 0226AB
6829 0228AB

Fitting Position: Right Front
For OE number: 6825 7666AB
Paired article numbers: MA-90057
Paired article numbers: MJ90057
Paired article numbers: MM-90057
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MJ90057

Shock Absorber



JEEP COMPASS (MP)


OE

6825 7667AB
6825 9679AB
6829 0225AB
6829 0227AB
6829 0229AB
6829 0231AB

Fitting Position: Left Front
For OE number: 6825 7667AB
Paired article numbers: MA-90056
Paired article numbers: MJ90056
Paired article numbers: MM-90056
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MJ90064

Shock Absorber



AUDI A4 (8W2, B9)
AUDI A4 Avant (8W5, B9)
AUDI A5
AUDI A5 Cabriolet
AUDI A5 Sportback (F5A)

OE

8W0413031AA
8W0413031AB
8W0413031AJ
8W0413031AK
8W0413031AL
8W0413031T

Fitting Position: Front Axle
Piston Rod Diameter [mm]: 14
Shock Absorber Design: Spring-bearing Damper
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

Mounting

MJ90065

Shock Absorber



AUDI Q3 (F3B)
AUDI Q3 Sportback (F3N)
SEAT TARRACO (KN2_)
SKODA KODIAQ
VW TIGUAN
VW TIGUAN ALLSPACE (BW2)


OE

5QF413031AE
5QF413031AF
5QF413031AG
5QF413031AN
5QF413031AP
5QF413031AQ

Fitting Position: Front Axle
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ90070

Shock Absorber



SEAT Mii (KF1_)
SKODA E-CITIGO (NE1)
VW LOAD UP
VW UP

OE

12E413031C
12E413031D
1S0413031F
1S0413031K
1S0413031L

Diameter [mm]: 20
Fitting Position: Front Axle
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJAS494

Pneumatic Suspension



AUDI A6 (C8, 4A2)
AUDI A6 Avant (C8, 4A5)
AUDI A7 Sportback (4KA)

OE

4K0616039F
4K0616039H
4K0616039L
4K0616039M
4K0616039N
4K0616039P

Fitting Position: Front Axle left and right
Spring Type: for pneumatic suspension vehicles

MJAS538

Pneumatic Suspension



TESLA MODEL S

OE

102706600C
1066366-00-D
106636600D
142036600C
142036600E
142036600F

Braking / Drive Dynamics: For vehicles with ADS
Fitting Position: Front Axle Right
Spring Type: for pneumatic suspension vehicles
Weight [kg]: 9

MJKI094

Shock Absorber



KIA CARENS II (FJ)

OE

0K2KA-28-900
0K2KB-28-900
oK2KA-28-900
oK2KB-28-900

Fitting Position: Rear Axle Right
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJKI095

Shock Absorber



KIA CARENS II (FJ)

OE

0K2KA-28-700
0K2KB-28-700
oK2KA-28-700
oK2KB-28-700

Fitting Position: Rear Axle Left
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

Mounting

GOJH261

Engine Mounting



HYUNDAI TUCSON (JM)
KIA SPORTAGE (JE_, KM_)
KIA SPORTAGE (K00)

OE
624862E000

Fitting Position: Front Axle
Length [mm]: 79
Width [mm]: 72

1062019

Rod/Strut, stabiliser



TOYOTA LAND CRUISER (VDJ20_, UZJ20_)
TOYOTA LAND CRUISER V8

OE
4881060060

Bar/Strut: Coupling Rod
Fitting Position: Front Axle Left
Length [mm]: 105
Specification: Lung perno-perno

SMJ0516S

Strut Mount



CHEVROLET SPARK (M300)

OE
42344956

Fitting Position: Rear Axle
Inner Diameter [mm]: 10
Mounting Bores Distance [mm]: 96

ZSJ00281

Gas Spring, bonnet



TESLA MODEL 3 (5YJ3)

OE
109147200B

Eject Force [N]: 200
Length [mm]: 364,5
Stroke [mm]: 118,5

ZSJ00282

Gas Spring, boot-/cargo area



TESLA MODEL 3 (5YJ3)

OE
109156000A
109156000B

Eject Force [N]: 580
Length [mm]: 345
Stroke [mm]: 114,5

ZSJ00283

Gas Spring, boot-/cargo area



TESLA MODEL 3 (5YJ3)

OE
155148900B

Eject Force [N]: 800
Length [mm]: 345
Stroke [mm]: 114,4

Mounting

ZSJ00284

Gas Spring, bonnet



TESLA MODEL Y (5YJY)

OE

150554700A
169257600A

Eject Force [N]: 410
Length [mm]: 256
Stroke [mm]: 68