

**JapKo**<sup>®</sup>

# NEWS 01/2026



[www.japko.it](http://www.japko.it)


**CATALOGUE**  
FOR CARS AND  
COMMERCIAL VEHICLES

**CATALOGO**  
PER AUTOMOBILI E VEICOLI  
COMMERCIALI

## Brake system

**600174C**

**Brake Disc**




BYD YUAN PLUS

**OE**  
13781672-00  
1378167200  
HA2EL-3501111A

Brake Disc Thickness [mm]: 26  
Brake Disc Type: Vented  
Centering Diameter [mm]: 62  
Fitting Position: Front Axle  
Minimum Thickness [mm]: 24  
Number of Bores: 5  
Number of mounting bores: 2  
Outer Diameter [mm]: 298  
Pitch Circle [mm]: 114  
Surface: Painted  
Thickness [mm]: 47

**600176C**

**Brake Disc**




BYD SEAL

**OE**  
13582759-00  
1358275900  
14035826-00  
EKEA-3501111S

Brake Disc Thickness [mm]: 28  
Brake Disc Type: Vented  
Centering Diameter [mm]: 68  
Fitting Position: Front Axle  
Height [mm]: 49  
Minimum Thickness [mm]: 26  
Number of Bores: 5  
Number of mounting bores: 2  
Outer Diameter [mm]: 299  
Pitch Circle [mm]: 120  
Surface: Painted

**600182C**

**Brake Disc**



TESLA MODEL 3 (5YJ3)

**OE**  
104461100D

Brake Disc Thickness [mm]: 25  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 70,2  
Height [mm]: 68,1  
Inner Diameter [mm]: 159  
Minimum Thickness [mm]: 23  
Number of Bores: 5  
Outer Diameter [mm]: 320  
Pitch Circle [mm]: 114,3  
Surface: Coated  
Wheel Bolt Bore [mm]: 16,5

**600183C**

**Brake Disc**



MG MG 4  
MG MG HS  
MG MG HS (AS33)  
TESLA MODEL S  
TESLA MODEL X

**OE**  
1025099  
102509900A  
102509900B  
10464822  
6006420  
600642000A

Brake Disc Thickness [mm]: 32  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 70,2  
Fitting Position: Front Axle  
Height [mm]: 70,7  
Inner Diameter [mm]: 166  
Minimum Thickness [mm]: 30  
Number of Bores: 5  
Number of mounting bores: 1  
Outer Diameter [mm]: 355  
Pitch Circle [mm]: 120  
Surface: Painted  
Wheel Bolt Bore [mm]: 16,6

## Brake system

### 600275C

#### Brake Disc



FIAT 500 C (312)  
FIAT 500L  
FIAT PANDA (519, 312, 319)


#### OE

51884303  
51885408  
51937217  
51937218

Brake Disc Thickness [mm]: 22  
Brake Disc Type: Vented  
Centering Diameter [mm]: 59  
Fitting Position: Front Axle  
Height [mm]: 43,3  
Inner Diameter [mm]: 127  
Minimum Thickness [mm]: 20  
Number of Bores: 5  
Number of mounting bores: 1  
Outer Diameter [mm]: 284  
Pitch Circle [mm]: 98  
Surface: Painted  
Wheel Bolt Bore [mm]: 13,5

### 600975C-KIT

#### Brake Disc



PORSCHE CAYENNE  
VW TOUAREG (7P5)  
VW TOUAREG VAN (7P5)


#### OE

7P6615301  
7P6615301A  
7P6615301B  
7P6615302  
7P6615302A  
7P6615302B

Bore [mm]: 85  
Brake Disc Thickness [mm]: 36  
Brake Disc Type: Vented  
Fitting Position: Front Axle  
Height [mm]: 68,5  
Minimum Thickness [mm]: 34  
Number of Holes: 5  
Outer Diameter [mm]: 360  
Pitch Circle [mm]: 85  
Pitch Circle [mm]: 130

### 602061C-KIT

#### Brake Disc



BMW X5 (E70)  
BMW X5 (F15, F85)  
BMW X6 (E71, E72)  
BMW X6 (F16, F86)

#### OE

34106898725  
34106898726  
34116782067  
34116782068  
6782067  
6782068

Brake Disc Thickness [mm]: 36  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 75  
Fitting Position: Front Axle  
Full Set:  
Height [mm]: 62  
Inner Diameter [mm]: 153,7  
Machining: High-carbon  
Minimum Thickness [mm]: 34,4  
Number of Bores: 5  
Number of mounting bores: 1  
Outer Diameter [mm]: 385  
Pitch Circle [mm]: 120  
Surface: Painted  
Wheel Bolt Bore [mm]: 16,5

### 60447C

#### Brake Disc



HONDA ZR-V

#### OE

452513B4H00

Brake Disc Thickness [mm]: 28  
Brake Disc Type: Vented  
Centering Diameter [mm]: 64,2  
Fitting Position: Front Axle  
Height [mm]: 47  
Minimum Thickness [mm]: 26  
Number of Bores: 5  
Outer Diameter [mm]: 320

## Brake system

**60941C**

**Brake Disc**



ISUZU D-MAX III (RG01)


**OE**

8983767550  
98376755

Brake Disc Thickness [mm]: 30  
Brake Disc Type: Solid  
Centering Diameter [mm]: 101,1  
Fitting Position: Front Axle  
Height [mm]: 61  
Number of Bores: 6  
Outer Diameter [mm]: 320  
Pitch Circle [mm]: 139,7  
Surface: Painted

**610159C**

**Brake Disc**



BYD DOLPHIN


**OE**

1342344500  
EM2E3502111

Brake Disc Thickness [mm]: 9  
Brake Disc Type: Solid  
Centering Diameter [mm]: 55  
Fitting Position: Rear Axle  
Height [mm]: 26,8  
Minimum Thickness [mm]: 7  
Number of Bores: 5  
Number of mounting bores: 2  
Outer Diameter [mm]: 249  
Pitch Circle [mm]: 100  
Surface: Painted

**610160C**

**Brake Disc**



BYD SEAL


**OE**

14028123-00  
1402812300  
EKEB-3502111S

Brake Disc Thickness [mm]: 20  
Brake Disc Type: Vented  
Centering Diameter [mm]: 68  
Fitting Position: Rear Axle  
Height [mm]: 32  
Minimum Thickness [mm]: 18  
Number of Bores: 5  
Number of mounting bores: 2  
Outer Diameter [mm]: 317  
Pitch Circle [mm]: 120  
Surface: Painted

**610164C**

**Brake Disc**



TESLA MODEL 3 (5YJ3)

**OE**


104463100D

Brake Disc Thickness [mm]: 20  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 70,2  
Height [mm]: 46,8  
Inner Diameter [mm]: 180  
Minimum Thickness [mm]: 18  
Number of Bores: 5  
Outer Diameter [mm]: 335  
Pitch Circle [mm]: 114,3  
Surface: Painted  
Wheel Bolt Bore [mm]: 16,5

## Brake system

### 610165C

#### Brake Disc



TESLA MODEL S  
TESLA MODEL X


#### OE

6006431  
600643100C  
600643100D

Brake Disc Thickness [mm]: 28  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 70,2  
Height [mm]: 66,3  
Inner Diameter [mm]: 196  
Minimum Thickness [mm]: 26  
Number of Bores: 5  
Number of mounting bores: 1  
Outer Diameter [mm]: 365  
Pitch Circle [mm]: 120  
Surface: Painted  
Wheel Bolt Bore [mm]: 16,6

### 610166C

#### Brake Disc



MG MG ZS Fuoristrada chiuso


#### OE

10266049

Brake Disc Thickness [mm]: 9  
Brake Disc Type: Solid  
Centering Diameter [mm]: 64  
Fitting Position: Rear Axle  
Minimum Thickness [mm]: 7  
Number of mounting bores: 2  
Outer Diameter [mm]: 255  
Pitch Circle [mm]: 100  
Rim Hole Number: 5  
Thickness [mm]: 37

### 610240C

#### Brake Disc



CITROEN C4 III  
CITROEN C4 X (BD\_, BE\_, BF\_)  
DS DS 3 CROSSBACK (U\_)  
FIAT 600e (365\_)  
JEEP AVENGER  
OPEL CORSA F

#### OE

1643574180  
9827734980

Brake Disc Thickness [mm]: 10  
Brake Disc Type: Solid  
Centering Diameter [mm]: 71,1  
Fitting Position: Rear Axle  
Height [mm]: 35  
Inner Diameter [mm]: 132,6  
Minimum Thickness [mm]: 8  
Number of Bores: 4  
Number of mounting bores: 2  
Outer Diameter [mm]: 249  
Pitch Circle [mm]: 108  
Supplementary Article/Supplementary Info 2:  
Without wheel bearing  
Supplementary Article/Supplementary Info 2:  
Without wheel hub  
Supplementary Article/Supplementary Info 2:  
Without wheel studs  
Surface: Painted  
Wheel Bolt Bore [mm]: 13,4

### 510034

#### Brake Pad Set, disc brake



BYD DOLPHIN  
BYD TANG  
BYD YUAN PLUS

#### OE

1315016900  
1339661400  
1343650600  
1394417500  
HC3502188  
MEEC3501170

Fitting Position: Rear Axle  
Height 1 [mm]: 49  
Height 2 [mm]: 46,8  
Thickness/Strength 1 [mm]: 12,6  
Thickness/Strength 2 [mm]: 13  
Wear Warning Contact: With acoustic wear warning  
Width [mm]: 103,4  
WVA Number: 26394  
WVA Number: 26395  
WVA Number: 26396

## Brake system

510036

Brake Pad Set, disc brake



TESLA MODEL S  
TESLA MODEL X

OE

100767800A  
109741600A  
109741600B  
109741600C  
156216000A

Brake System: Mando  
Height [mm]: 53,3  
Thickness [mm]: 15,7  
Wear Warning Contact: With acoustic wear warning  
Width [mm]: 127  
WVA Number: 26496  
WVA Number: 26497  
WVA Number: 26498

510037

Brake Pad Set, disc brake



MAXUS (SAIC MOTOR) eDELIVER 3 Furgonato  
MAXUS (SAIC MOTOR) eDELIVER 3 Pianale  
piatto/Telaio  
MAXUS (SAIC MOTOR) EUNIQ 5 Van


OE

C00168954

Fitting Position: Rear Axle  
Length [mm]: 101,5  
Thickness [mm]: 15,5  
Width [mm]: 46,5

510039

Brake Pad Set, disc brake



MG MG HS

OE


10172328  
10332331

Fitting Position: Rear Axle  
Thickness [mm]: 16  
Wear Warning Contact: With acoustic wear warning  
Width [mm]: 48,4

## Clutch

80015

Clutch Disc



DR DR 5.0 SUV  
DR DR 6.0 SUV  
DR DR F35 SUV

OE

3130100021

Additionally required articles (article numbers): CF-016  
Additionally required articles (article numbers): SF-00004  
Centering Diameter [mm]: 23  
Diameter [mm]: 232  
For OE number: 3130100021  
Number of Teeth: 20

920224

Clutch Kit



ALFA ROMEO MITO (955)  
CHRYSLER YPSILON  
FIAT 500 (312)  
FIAT 500 C (312)  
FIAT 500L  
FIAT PANDA (519, 312, 319)

OE

55220302  
55234222  
6000628455  
6000628459  
6000628461  
71769142

Number of Teeth: 20  
Outer Diameter [mm]: 200  
Supplementary Article/Supplementary Info 2:  
With releaser

## Cooling System

## Cooling System

<b>35034</b> 	<b>Water Pump</b> DR DR 3 DR DR 3.0 DR DR 4.0 DR DR 5.0 SUV DR DR F35 SUV EVO EVO 5	<b>OE</b> 3101200013	Belt Pulley [mm]: 59,1 Height [mm]: 83
<b>35035</b> 	<b>Water Pump</b> MAHINDRA GOA MAHINDRA GOA Pick-up	<b>OE</b> 0304EM0050N	For OE number: 0304EM0050N
<b>35037</b> 	<b>Water Pump</b> TATA (TELCO) INDICA (40_V2) TATA (TELCO) INDIGO MARINA (4_V2)	<b>OE</b> 279720100105 279720105301	For OE number: 279720100105
<b>350612</b> 	<b>Water Pump</b> CITROEN EVASION (22, U6) CITROEN EVASION Van (U6_, AF_) CITROEN XANTIA (X1) CITROEN XANTIA Break (X1) CITROEN XM (Y3) CITROEN XM (Y4)	<b>OE</b> 1201.54 1201.55 1201.A7 1201.C5 1201.C6 1336.L5	Number of Teeth 3: 20 Operating Mode: Mechanical Supplementary Article/Supplementary Info 2: Without cover Supplementary Article/Supplementary Info: with seal Water Pump Pulley [mm]: 59,258 Water Pump Type: For toothed belt drive
<b>35H27</b> 	<b>Water Pump</b> HYUNDAI i20 III (BC3, BI3) HYUNDAI TUCSON (NX4E, NX4A)	<b>OE</b> 25100-2M810 25100-2MHA0	Number of Wings: 7 Supplementary Article/Supplementary Info: with seal Water Pump Pulley [mm]: 45
<b>380011F</b> 	<b>Coolant Flange</b> BMW 5 (E39) BMW 5 Touring (E39) BMW 7 (E38)	<b>OE</b> 11531740478	Housing Type: Synthetic Material Housing Supplementary Article/Supplementary Info: with seal

## Cooling System

**380052F**

**Coolant Flange**



CITROEN AX (ZA-)  
CITROEN BERLINGO (MF)  
CITROEN BERLINGO Furgonato (M\_)  
CITROEN SAXO (S0, S1)  
CITROEN XSARA (N1)  
CITROEN XSARA Break (N2)

**OE**  
1201.66

For OE number: 1201.66

**380084F**

**Coolant Flange**



SKODA OCTAVIA Combi (1Z5)  
SKODA SUPERB (3U4)

**OE**  
1K0 122 291 BA

For OE number: 1K0 122 291 BA

**380109F**

**Coolant Flange**



AUDI A4 (8D2, B5)  
AUDI A4 (8E2, B6)  
AUDI A4 Avant (8E5, B6)  
AUDI A6 (4B2, C5)  
AUDI A6 Avant (4B5, C5)  
SKODA SUPERB (3U4)

**OE**  
038121144A

Housing Type: Synthetic Material Housing  
Supplementary Article/Supplementary Info:  
with seal

**380113F**

**Coolant Flange**



AUDI A3 (8P1)  
AUDI A3 Sportback (8PA)  
SEAT ALTEA (5P1)  
SEAT ALTEA XL (5P5, 5P8)  
SEAT LEON (1P1)  
SEAT TOLEDO III (5P2)

**OE**  
1K0122291B

Supplementary Article/Supplementary Info 2:  
Without thermostat

**380116F**

**Coolant Flange**



AUDI A3 (8P1)  
AUDI A3 Cabriolet (8P7)  
AUDI A3 Sportback (8PA)  
AUDI TT (8J3)  
AUDI TT Roadster (8J9)  
SEAT ALTEA (5P1)

**OE**  
1K0121087AF\_PART  
1K0121087AH  
1K0122101JQ\_PART  
1K0122101KD\_PART  
1K0122101KP\_PART

For OE number: 1K0121087AH

**380121F**

**Coolant Flange**









AUDI A3 (8L1)  
AUDI A3 (8P1)  
AUDI Q3 (8U)  
SEAT ALHAMBRA (710)  
SEAT LEON (1M1)  
SEAT TOLEDO II (1M2)

**OE**  
7M0122291

Fitting Position: after EGR cooler  
For OE number: 7M0 122 291  
Supplementary Article/Supplementary Info 2:  
Without thermostat

## Cooling System

<b>380123</b> 	<b>Thermostat, coolant</b>  BMW X5 (E70) BMW X6 (E71, E72)	<b>OE</b> 17 10 7 558 267	Fits thermostat with opening temperature [°C]: 93 Supplementary Article/Supplementary Info 2: With thermostat
<b>380125</b> 	<b>Thermostat, coolant</b>  BMW 5 (F10, F18) BMW 5 Touring (F11) BMW 7 (F01, F02, F03, F04)	<b>OE</b> 1153 7 580 627 11538671517	Opening Temperature [°C]: 97
<b>380141</b> 	<b>Thermostat, coolant</b>  MINI MINI (R56) MINI MINI Cabriolet (R57) MINI MINI CLUBMAN (R55) MINI MINI CLUBVAN (R55) MINI MINI COUNTRYMAN (R60) MINI MINI Coupé (R58)	<b>OE</b> 11537588876 11537647305 11537647751 11538671513 11538674895	Opening Temperature [°C]: 104 Operating Mode: Electrically Controlled Supplementary Article/Supplementary Info 2: with sensor Supplementary Article/Supplementary Info: with seal Supplementary Article/Supplementary Info: Without cable set
<b>380142</b> 	<b>Thermostat, coolant</b>  BMW 3 (G20) BMW 3 Touring (G21) BMW 3 Touring Van (G21) BMW 5 (G30) BMW 5 Touring (G31) BMW 6 Gran Turismo (G32)	<b>OE</b> 11 53 8 576 289 11 53 8 588 890 8 576 289	Heating / Cooling: With vent hole Housing Type: Without housing Opening Temperature [°C]: 91
<b>380339</b> 	<b>Thermostat, coolant</b>  VOLVO S60 II VOLVO S60 II Cross Country (134) VOLVO S60 III (224) VOLVO S80 II (AS) VOLVO S90 II VOLVO V40 2 volumi /Coda spiovente	<b>OE</b> 31293767 31474800 31686046	Opening Temperature [°C]: 90 Supplementary Article/Supplementary Info: with seal
<b>380731</b> 	<b>Thermostat, coolant</b>  DACIA DUSTER RENAULT SCÉNIC III (JZ0/1_)	<b>OE</b> 1106000Q01 1106000Q02 1106000Q0Y 110602770R 110608431R 110609813R	For OE number: A6072000215

## Cooling System

**380959**

**Thermostat, coolant**



AUDI A4 (8E2, B6)  
AUDI A4 (8EC, B7)  
AUDI A4 Avant (8E5, B6)  
AUDI A4 Avant (8ED, B7)  
AUDI A4 Cabriolet (8H7, B6, 8HE, B7)  
AUDI A6 (4B2, C5)

**OE**

06C 121 111 C  
06C 121 111 D  
06C 121 111 E

Opening Temperature [°C]: 92  
Supplementary Article/Supplementary Info:  
with seal

## Electrics

**1514002**

**ABS Sensor**



HONDA PILOT

**OE**

57470-SZA-A01  
57470-SZA-A02

Braking / Drive Dynamics: For vehicles with  
ABS  
Fitting Position: Rear Axle Right  
Rated Voltage [V]: 12

**13200002**

**Ignition Cable Kit**



ALFA ROMEO 155 (167)  
ALFA ROMEO 164 (164)

**OE**

60566483

For OE number: 60566483  
Length 1 [mm]: 450  
Length 2 [mm]: 570  
Length 3 [mm]: 630  
Length 4 [mm]: 730  
Length 5 [mm]: 540  
Length 6 [mm]: 660  
Length 7 [mm]: 730  
Length 8 [mm]: 750  
Number of circuits: 8  
Outer Diameter [mm]: 7

**13200004**

**Ignition Cable Kit**



ALFA ROMEO 164 (164)

**OE**

60800515

For OE number: 60800515  
Length 1 [mm]: 630  
Length 2 [mm]: 550  
Length 3 [mm]: 480  
Length 4 [mm]: 470  
Length 5 [mm]: 350  
Number of circuits: 5  
Outer Diameter [mm]: 7

**13200010**

**Ignition Cable Kit**



FIAT FIORINO Cassone / Furgonato / Promiscuo  
(225)  
FIAT PANDA (169)  
FIAT PANDA Van (169)  
FIAT PUNTO (199)  
FIAT PUNTO EVO (199)

**OE**

55237442

For OE number: 55237442  
Length 1 [mm]: 340  
Length 2 [mm]: 370  
Length 3 [mm]: 370  
Length 4 [mm]: 340  
Number of circuits: 4  
Outer Diameter [mm]: 7

## Electrics

### 13200012

#### Ignition Cable Kit



FIAT 126

**OE**  
46575049

For OE number: 46575049  
Length 1 [mm]: 790  
Length 2 [mm]: 890  
Number of circuits: 2  
Outer Diameter [mm]: 7

### 13200013

#### Ignition Cable Kit



FIAT PANDA (141A\_)

**OE**  
5890298

For OE number: 5890298  
Length 1 [mm]: 620  
Length 2 [mm]: 650  
Number of circuits: 2  
Outer Diameter [mm]: 7

### 13200014

#### Ignition Cable Kit



FIAT CROMA (154)  
FIAT TEMPRA (159)  
FIAT TEMPRA S.W. (159)  
LANCIA DEDRA (835)

**OE**  
7633960

For OE number: 7633960  
Length 1 [mm]: 480  
Length 2 [mm]: 530  
Length 3 [mm]: 620  
Length 4 [mm]: 680  
Length 5 [mm]: 610  
Number of circuits: 5  
Outer Diameter [mm]: 7

### 13200015

#### Ignition Cable Kit



FIAT 127  
FIAT 238-SERIE  
FIAT PANDA (141A\_)  
PEUGEOT 309 I (10C, 10A)  
TALBOT 1307-1510  
TALBOT HORIZON

**OE**  
596710

For OE number: 5967.10  
Length 1 [mm]: 530  
Length 2 [mm]: 530  
Length 3 [mm]: 530  
Length 4 [mm]: 620  
Length 5 [mm]: 600  
Outer Diameter [mm]: 7

### 13200016

#### Ignition Cable Kit



FIAT PANDA (141A\_)

**OE**  
7745367

For OE number: 7745367  
Length 1 [mm]: 350  
Length 2 [mm]: 460  
Length 3 [mm]: 460  
Length 4 [mm]: 610  
Number of circuits: 4  
Outer Diameter [mm]: 7

### 13200017

#### Ignition Cable Kit



FIAT 131  
FIAT CROMA (154)  
FIAT TEMPRA (159)  
FIAT TEMPRA S.W. (159)  
LANCIA DEDRA (835)  
LANCIA THEMA (834)

**OE**  
7596561

For OE number: 7596561  
Length 1 [mm]: 530  
Length 2 [mm]: 590  
Length 3 [mm]: 680  
Length 4 [mm]: 710  
Length 5 [mm]: 600  
Number of circuits: 5  
Outer Diameter [mm]: 7

## Electrics

**13200018**

**Ignition Cable Kit**



FIAT TEMPRA (159)  
FIAT TEMPRA S.W. (159)  
LANCIA DEDRA (835)  
LANCIA THEMA (834)

**OE**  
7596561

For OE number: 7596561  
Length 1 [mm]: 500  
Length 2 [mm]: 550  
Length 3 [mm]: 670  
Length 4 [mm]: 700  
Length 5 [mm]: 540  
Number of circuits: 5  
Outer Diameter [mm]: 7

**13200019**

**Ignition Cable Kit**



FIAT 127

**OE**  
4261590

For OE number: 4261590  
Length 1 [mm]: 410  
Length 2 [mm]: 440  
Length 3 [mm]: 470  
Length 4 [mm]: 530  
Length 5 [mm]: 390  
Number of circuits: 5  
Outer Diameter [mm]: 7

**13200020**

**Ignition Cable Kit**



FIAT REGATA (138)  
FIAT REGATA Weekend  
FIAT RITMO II (138A)  
FIAT TEMPRA (159)  
FIAT TEMPRA S.W. (159)  
LANCIA DELTA I (831AB0)

**OE**  
3370082011

For OE number: 3370082011  
Length 1 [mm]: 280  
Length 2 [mm]: 350  
Length 3 [mm]: 500  
Length 4 [mm]: 600  
Length 5 [mm]: 870  
Number of circuits: 5  
Outer Diameter [mm]: 7

**13200021**

**Ignition Cable Kit**



FIAT TEMPRA (159)  
FIAT UNO (146A/E)

**OE**  
7605119

For OE number: 7605119  
Length 1 [mm]: 360  
Length 2 [mm]: 390  
Length 3 [mm]: 530  
Length 4 [mm]: 590  
Length 5 [mm]: 420  
Number of circuits: 5  
Outer Diameter [mm]: 7

**13200022**

**Ignition Cable Kit**



FIAT TIPO (160)

**OE**  
7597831

For OE number: 7597831  
Length 1 [mm]: 420  
Length 2 [mm]: 450  
Length 3 [mm]: 600  
Length 4 [mm]: 690  
Length 5 [mm]: 340  
Number of circuits: 5  
Outer Diameter [mm]: 7

**13200023**

**Ignition Cable Kit**



FIAT UNO (146A/E)

**OE**  
7626751

For OE number: 7626751  
Length 1 [mm]: 330  
Length 2 [mm]: 430  
Length 3 [mm]: 520  
Length 4 [mm]: 600  
Length 5 [mm]: 610  
Number of circuits: 5  
Outer Diameter [mm]: 7

## Electrics

**13200024**

**Ignition Cable Kit**



FIAT PANDA (141A\_)

**OE**  
5888327

For OE number: 5888327  
Length 1 [mm]: 370  
Length 2 [mm]: 440  
Length 3 [mm]: 500  
Length 4 [mm]: 560  
Length 5 [mm]: 480  
Number of circuits: 5  
Outer Diameter [mm]: 7

**13200025**

**Ignition Cable Kit**



FIAT UNO (146A/E)

**OE**  
7598077

For OE number: 7598077  
Length 1 [mm]: 310  
Length 2 [mm]: 350  
Length 3 [mm]: 400  
Length 4 [mm]: 530  
Length 5 [mm]: 750  
Number of circuits: 5  
Outer Diameter [mm]: 7

**13200026**

**Ignition Cable Kit**



FIAT COUPE (FA/175)  
LANCIA DELTA II (836)  
LANCIA THEMA (834)  
LANCIA THEMA SW (834)

**OE**  
7742689

For OE number: 7742689  
Length 1 [mm]: 660  
Length 2 [mm]: 660  
Length 3 [mm]: 660  
Length 4 [mm]: 660  
Number of circuits: 4  
Outer Diameter [mm]: 7

**13200029**

**Ignition Cable Kit**



FORD FIESTA V (JH\_, JD\_)  
FORD FIESTA Van  
FORD KA (RB\_)  
FORD KA Van (RB)  
FORD STREET KA (RL2)

**OE**  
1094680

For OE number: 1094680  
Length 1 [mm]: 350  
Length 2 [mm]: 480  
Length 3 [mm]: 560  
Length 4 [mm]: 610  
Number of circuits: 4  
Outer Diameter [mm]: 7

**13200030**

**Ignition Cable Kit**



FORD COUGAR (EC\_)  
FORD ESCORT CLASSIC (AAL, ABL)  
FORD ESCORT CLASSIC Turnier (ANL)  
FORD ESCORT V (GAL)  
FORD ESCORT VI (GAL)  
FORD ESCORT VII (GAL, AAL, ABL)

**OE**  
968F12284AD

For OE number: 968F12284AD  
Length 1 [mm]: 420  
Length 2 [mm]: 540  
Length 3 [mm]: 670  
Length 4 [mm]: 720  
Number of circuits: 4  
Outer Diameter [mm]: 8

**13200031**

**Ignition Cable Kit**



FORD COUGAR (EC\_)  
FORD ESCORT CLASSIC (AAL, ABL)  
FORD ESCORT CLASSIC Turnier (ANL)  
FORD ESCORT V (GAL)  
FORD ESCORT VI (GAL)  
FORD ESCORT VII (GAL, AAL, ABL)

**OE**  
1012436

For OE number: 1012436  
Length 1 [mm]: 380  
Length 2 [mm]: 490  
Length 3 [mm]: 590  
Length 4 [mm]: 640  
Number of circuits: 4  
Outer Diameter [mm]: 8

## Electrics

**13200032**

**Ignition Cable Kit**



SEAT ALHAMBRA (7V8, 7V9)  
SEAT CORDOBA (6K1, 6K2)  
SEAT IBIZA II (6K1)  
SEAT TOLEDO I (1L)  
VW GOLF III (1H1)  
VW GOLF III Cabriolet (1E7)

**OE**  
037905483C

For OE number: 037905483C  
Length 1 [mm]: 340  
Length 2 [mm]: 500  
Length 3 [mm]: 560  
Length 4 [mm]: 610  
Length 5 [mm]: 650  
Number of circuits: 5  
Outer Diameter [mm]: 7

**13200033**

**Ignition Cable Kit**



OPEL ASTRA F 2 volumi /Coda spiovente (53\_,  
54\_, 58\_, 5)  
OPEL COMBO (71\_)  
OPEL CORSA B (73\_, 78\_, 79\_)  
OPEL CORSA B Furgonato (73\_)

**OE**  
1612546

For OE number: 1612546  
Length 1 [mm]: 510  
Length 2 [mm]: 630  
Length 3 [mm]: 780  
Length 4 [mm]: 820  
Length 7 [mm]: 340  
Number of circuits: 5  
Outer Diameter [mm]: 7

**13200034**

**Ignition Cable Kit**




OPEL COMBO (71\_)  
OPEL CORSA B (73\_, 78\_, 79\_)  
OPEL CORSA B Furgonato (73\_)

**OE**  
1612607

For OE number: 1612607  
Length 1 [mm]: 550  
Length 2 [mm]: 610  
Length 3 [mm]: 760  
Length 4 [mm]: 820  
Length 5 [mm]: 500  
Number of circuits: 5  
Outer Diameter [mm]: 7

**13200035**

**Ignition Cable Kit**



FORD CONSUL Coupe (GGCL)  
MERCEDES-BENZ CLASSE C (W202)  
MERCEDES-BENZ CLASSE C Station wagon  
(S202)  
MERCEDES-BENZ CLASSE E (W210)  
MERCEDES-BENZ CLASSE E Station wagon

**OE**  
1101507218

For OE number: 1101507218  
Length 1 [mm]: 710  
Length 2 [mm]: 800  
Length 3 [mm]: 910  
Length 4 [mm]: 980  
Length 5 [mm]: 1070  
Length 6 [mm]: 1180  
Length 7 [mm]: 540  
Number of circuits: 7  
Outer Diameter [mm]: 7

**13200036**

**Ignition Cable Kit**



MERCEDES-BENZ 190 (W201)  
MERCEDES-BENZ CLASSE G (W461)  
MERCEDES-BENZ CLASSE G (W463)  
MERCEDES-BENZ CLASSE G Cabrio (W463)  
MERCEDES-BENZ CLASSE S (W140)  
MERCEDES-BENZ CLASSE S Coupe (C140)

**OE**  
1021502818

For OE number: 1021502818  
Length 1 [mm]: 660  
Length 2 [mm]: 840  
Length 3 [mm]: 840  
Length 4 [mm]: 930  
Length 5 [mm]: 450  
Number of circuits: 5  
Outer Diameter [mm]: 7

## Electrics

**13200037**

**Ignition Cable Kit**



MERCEDES-BENZ CLASSE C (W202)  
 MERCEDES-BENZ CLASSE E (W124)  
 MERCEDES-BENZ CLASSE E Cabriolet (A124)  
 MERCEDES-BENZ Tre volumi (W124)

**OE**  
 A1111500615

Diameter [mm]: 7  
 For OE number: A1111500615  
 Length 1 [mm]: 720  
 Length 2 [mm]: 720  
 Length 3 [mm]: 780  
 Length 4 [mm]: 780  
 Number of circuits: 4

**13200039**

**Ignition Cable Kit**



AUDI A3 (8L1)  
 AUDI A3 (8P1)  
 AUDI A3 Cabriolet (8P7)  
 AUDI A3 Sportback (8PA)  
 AUDI A4 (8D2, B5)  
 AUDI A4 (8E2, B6)

**OE**  
 06A905409M

For OE number: 06A905409M  
 Length 1 [mm]: 290  
 Length 2 [mm]: 510  
 Length 3 [mm]: 660  
 Length 4 [mm]: 680  
 Number of circuits: 4  
 Outer Diameter [mm]: 7

**13200040**

**Ignition Cable Kit**



SEAT IBIZA II (6K1)  
 SEAT TOLEDO I (1L)  
 SKODA OCTAVIA (1U2)  
 SKODA OCTAVIA Combi (1U5)  
 TOYOTA COROLLA Liftback (\_E10\_)  
 VW GOLF III (1H1)

**OE**  
 N10070210

For OE number: N10070210  
 Length 1 [mm]: 720  
 Length 2 [mm]: 720  
 Length 3 [mm]: 720  
 Length 4 [mm]: 720  
 Length 5 [mm]: 610  
 Number of circuits: 5  
 Outer Diameter [mm]: 7

**13200041**

**Ignition Cable Kit**



AUDI A6 (4A, C4)  
 AUDI A6 Avant (4A, C4)  
 AUDI CABRIOLET (8G7, B4)  
 SEAT AROSA (6H)  
 SEAT CORDOBA (6K1, 6K2)  
 SEAT IBIZA II (6K1)

**OE**  
 N10052903

For OE number: N10052903  
 Length 1 [mm]: 420  
 Length 2 [mm]: 570  
 Length 3 [mm]: 570  
 Length 4 [mm]: 790  
 Length 5 [mm]: 500  
 Number of circuits: 5  
 Outer Diameter [mm]: 7

**13200042**

**Ignition Cable Kit**



SEAT AROSA (6H)  
 SEAT CORDOBA (6K1, 6K2)  
 SEAT INCA (6K9)  
 VW LUPO (6X1, 6E1)  
 VW POLO (6N2)

**OE**  
 030905409B

For OE number: 030905409B  
 Length 1 [mm]: 720  
 Length 2 [mm]: 750  
 Length 3 [mm]: 800  
 Length 4 [mm]: 980  
 Number of circuits: 4  
 Outer Diameter [mm]: 7

**13200043**

**Ignition Cable Kit**



SEAT CORDOBA (6K1, 6K2)  
 SEAT IBIZA II (6K1)  
 SEAT INCA (6K9)  
 VW POLO (6N1)

**OE**  
 030905430H

For OE number: 030905430H  
 Length 1 [mm]: 470  
 Length 2 [mm]: 600  
 Length 3 [mm]: 630  
 Length 4 [mm]: 750  
 Length 5 [mm]: 590  
 Number of circuits: 5  
 Outer Diameter [mm]: 7

## Electrics

**13200044**

**Ignition Cable Kit**



SEAT CORDOBA (6L2)  
SEAT IBIZA IV (6L1)  
VW FOX (5Z1, 5Z3)  
VW POLO (9N\_)  
VW POLO Tre volumi (9A4)

**OE**

032 905 430 K  
032 905 430 L  
032 905 430 M  
032 905 430 N  
134959

Length 1 [mm]: 430  
Length 2 [mm]: 540  
Length 3 [mm]: 660  
Length 4 [mm]: 780  
Number of circuits: 4  
Outer Diameter [mm]: 7

**13200045**

**Ignition Cable Kit**



AUDI A6 (4A, C4)  
AUDI A6 Avant (4A, C4)  
AUDI CABRIOLET (8G7, B4)  
SEAT CORDOBA (6K1, 6K2)  
SEAT IBIZA II (6K1)  
SEAT TOLEDO I (1L)

**OE**

N03888510

For OE number: N03888510  
Length 1 [mm]: 830  
Length 2 [mm]: 860  
Length 3 [mm]: 1040  
Length 4 [mm]: 1100  
Number of circuits: 4  
Outer Diameter [mm]: 7

**13200046**

**Ignition Cable Kit**



SEAT AROSA (6H)  
SKODA FAVORIT (781)  
SKODA FELICIA I (6U1)  
VW LUPO (6X1, 6E1)  
VW POLO (6N1)  
VW POLO (6N2)

**OE**

115093593

For OE number: 115093593  
Length 1 [mm]: 250  
Length 2 [mm]: 400  
Length 3 [mm]: 430  
Length 4 [mm]: 520  
Length 5 [mm]: 330  
Number of circuits: 5  
Outer Diameter [mm]: 7

**13200047**

**Ignition Cable Kit**



AUDI A4 (8D2, B5)  
AUDI A4 Avant (8D5, B5)  
VW GOLF III (1H1)  
VW GOLF III Cabriolet (1E7)  
VW GOLF III Variant (1H5)  
VW PASSAT (3A2, 35I)

**OE**

N10243611

For OE number: N10243611  
Length 1 [mm]: 820  
Length 2 [mm]: 820  
Length 3 [mm]: 820  
Length 4 [mm]: 820  
Length 5 [mm]: 640  
Number of circuits: 5  
Outer Diameter [mm]: 7

**13200048**

**Ignition Cable Kit**



HYUNDAI ACCENT I (X-3)  
HYUNDAI ACCENT II (LC)  
HYUNDAI ACCENT II Tre volumi (LC)  
HYUNDAI ACCENT Tre volumi (X-3)  
HYUNDAI ATOS (MX)  
HYUNDAI GETZ (TB)

**OE**

2750122C00

For OE number: 2750122C00  
Length 1 [mm]: 660  
Length 2 [mm]: 630  
Length 3 [mm]: 480  
Length 4 [mm]: 420  
Number of circuits: 4  
Outer Diameter [mm]: 7

**13200049**

**Ignition Cable Kit**









FIAT TEMPRA (159)  
FIAT TEMPRA S.W. (159)  
LANCIA DEDRA (835)  
LANCIA DEDRA SW (835)

**OE**

7749930

For OE number: 7749930  
Length 1 [mm]: 460  
Length 2 [mm]: 490  
Length 3 [mm]: 610  
Length 4 [mm]: 640  
Length 5 [mm]: 300  
Number of circuits: 5  
Outer Diameter [mm]: 7

## Engine

<b>115121</b> 	<b>Bolt Kit, cylinder head</b> NISSAN ROGUE NISSAN TEANA I (J31) NISSAN TEANA II (J32) NISSAN TEANA III (J33) NISSAN X-TRAIL (T30) NISSAN X-TRAIL (T31)	<b>OE</b> 11 05 6AR 002 11 05 6AR 002 (10x) 11056-3Z001 11056-3Z001 (x10) 11056-3Z00A (x10) 11056-AR001 (x10)	Bolt Head-/Nut Design: Male Torx Length [mm]: 122 Quantity: 10 Thread Pitch [mm]: 1,75 Thread Size: M12
<b>115305</b> 	<b>Bolt Kit, cylinder head</b> CATERHAM AEROSEVEN CATERHAM SEVEN (CF) FORD C-MAX (DM2) FORD C-MAX II FORD ECOSPORT FORD FIESTA V (JH_, JD_)	<b>OE</b> 1 229 267 1 229 267 (10x) 1S7Z-6065CA 1S7Z-6065CA (10x) 30 723 252 30 723 252 (10x)	Bolt Head-/Nut Design: Female Torx Length [mm]: 145 Quantity: 10 Thread Pitch [mm]: 1,25 Thread Size: M10
<b>115904</b> 	<b>Bolt Kit, cylinder head</b> CHEVROLET AVEO 2 volumi /Coda spiovente (T300) CHEVROLET AVEO Tre volumi (T300) CHEVROLET CRUZE (J300) CHEVROLET CRUZE 2 volumi /Coda spiovente (J305)	<b>OE</b> 55 566 811 607165 (x12)	Bolt Head-/Nut Design: Male Torx Length [mm]: 121 Quantity: 12 Thread Pitch [mm]: 1,25 Thread Size: M9
<b>115W03</b> 	<b>Bolt Kit, cylinder head</b> ARO 10 CHEVROLET AVEO 2 volumi /Coda spiovente (T250, T255) CHEVROLET AVEO Tre volumi (T200) CHEVROLET AVEO Tre volumi (T250, T255) CHEVROLET CRUZE (J300)	<b>OE</b> 94501031 94501031 (x10)	Bolt Head-/Nut Design: Male Hex Length [mm]: 166 Quantity: 10 Thread Pitch [mm]: 1,25 Thread Size: M10
<b>15700007</b> 	<b>Oil Pump</b> CITROEN BERLINGO (K9) CITROEN BERLINGO Furgonato (K9) CITROEN C-ELYSEE CITROEN C3 AIRCROSS II CITROEN C3 AIRCROSS II VAN (2C_, 2R_) CITROEN C3 III (SX)	<b>OE</b> 1628955080	For OE number: 1628955080 Operating Mode: Mechanical Pump Type: Tandem Pump Supplementary Article/Supplementary Info: Without gasket / seal
<b>15700009</b> 	<b>Oil Pump</b> ALPINA D3 (E90) ALPINA D3 Coupé (E92) ALPINA D3 Station wagon (E91) BMW 1 (E81) BMW 1 (E87) BMW 1 (F20)	<b>OE</b> 11417798014	For OE number: 11417798014

## Engine

**15700010**

**Oil Pump**



CITROEN BERLINGO (B9)  
 CITROEN BERLINGO (K9)  
 CITROEN BERLINGO Furgonato (B9)  
 CITROEN BERLINGO Furgonato (K9)  
 CITROEN C3 AIRCROSS II  
 CITROEN C3 AIRCROSS II VAN (2C\_, 2R\_)

**OE**  
 9837408880

Exhaust Emission Norm: Euro 6  
 For OE number: 9837408880

**15700016**

**Oil Pump**



FIAT DUCATO Autobus (250)  
 FIAT DUCATO Furgonato (250)  
 FIAT DUCATO Pianale piatto/Telaio (250)  
 IVECO DAILY Cassone / Furgonato / Promiscuo  
 IVECO DAILY CITYS Autobus  
 IVECO DAILY Pianale piatto/Telaio

**OE**  
 5802582771

For OE number: 5802582771  
 Fuel Type: Diesel  
 Operating Mode: Mechanical  
 Pump Type: Tandem Pump  
 Supplementary Article/Supplementary Info:  
 Without gasket / seal

**15700027**

**Oil Pump**



CITROEN JUMPER Autobus  
 CITROEN JUMPER Furgonato  
 CITROEN JUMPER Pianale piatto/Telaio  
 FORD C-MAX II  
 FORD C-MAX II Van  
 FORD FOCUS III

**OE**  
 9809524280

For OE number: 9809524280

**15700029**

**Oil Pump**



CHEVROLET MALIBU (V300)  
 OPEL INSIGNIA  
 OPEL INSIGNIA A Country Tourer (G09)  
 OPEL INSIGNIA Station wagon  
 OPEL INSIGNIA Tre volumi  
 OPEL ZAFIRA TOURER C (P12)

**OE**  
 55584330

For OE number: 55584330  
 Supplementary Article/Supplementary Info 2:  
 With shaft oil seal  
 Supplementary Article/Supplementary Info:  
 with electrical oil pressure valve  
 Supplementary Article/Supplementary Info:  
 with seal

**15700033**

**Oil Pump**



MERCEDES-BENZ CLASSE C (W203)  
 MERCEDES-BENZ CLASSE C (W204)  
 MERCEDES-BENZ CLASSE C Coupé (C204)  
 MERCEDES-BENZ CLASSE C Coupe (CL203)  
 MERCEDES-BENZ CLASSE C T-Model (S203)  
 MERCEDES-BENZ CLASSE C T-Model (S204)

**OE**  
 2711800801

For OE number: 2711800801  
 Pump Type: Vane Pump

**15700051**

**Oil Pump**



TOYOTA COROLLA (\_E10\_)  
 TOYOTA COROLLA (\_E11\_)  
 TOYOTA COROLLA Compact (\_E10\_)  
 TOYOTA COROLLA Compact (\_E11\_)  
 TOYOTA COROLLA Liftback (\_E10\_)  
 TOYOTA COROLLA Liftback (\_E11\_)

**OE**  
 1510011071

For OE number: 1510011071

## Engine

### JKK023

#### Cylinder Head



KIA SOUL (AM)

**OE**  
221102A200

For OE number: 221102A200

### JSZ021S

#### Cylinder Head




SUZUKI LJ 80

**OE**  
11100-84300  
11100-84301

For OE number: 11100-84300

### JSZ023S

#### Cylinder Head



SUZUKI VITARA (ET, TA)

**OE**  
11110-60A00  
1111060A00000  
1111061A00000

For OE number: 1111060A00000

## Engine Timing Control

### KJK1031

#### Timing Chain Kit



JAGUAR E-PACE (X540)  
JAGUAR F-PACE (X761)  
JAGUAR F-TYPE Cabriolet  
JAGUAR F-TYPE Coupé  
JAGUAR XE (X760)  
JAGUAR XF (X260)

**OE**  
JDE38677  
JDE40738  
LR091740  
LR139321

Fitting Position: Lower  
Fitting Position: Upper  
Number of Chain Links: 100  
Number of Chain Links: 78  
Supplementary Article/Supplementary Info 2:  
Without gear

## Filter

### FA-0132JM

#### Air Filter



BMW 2 Coupé (G42)  
BMW 3 (G20)  
BMW 3 Touring (G21)  
BMW 3 Touring Van (G21)  
BMW 4 Cabriolet (G23, G83)  
BMW 4 Coupé (G22)


**OE**  
13 71 8 580 429  
13718580429  
8 580 429

Filter Type: Filter Insert  
For OE number: 13 71 8 580 429  
Height [mm]: 46  
Length [mm]: 273  
Width [mm]: 233

## Filter

### FA-0134JM

#### Air Filter



MAXUS (SAIC MOTOR) DELIVER 9 Furgonato

**OE**  
C00176661

Filter Type: Filter Insert  
For OE number: C00176661  
Height [mm]: 58  
Length [mm]: 318  
Width [mm]: 155

### FA-0135JM

#### Air Filter



MG MG 3

**OE**  
10377350

Filter Type: Filter Insert  
For OE number: 10377350  
Height [mm]: 28  
Length [mm]: 412  
Width [mm]: 238

### FA-0138JM

#### Air Filter



MG MG 3

**OE**  
10144394  
30005099

Filter Type: Filter Insert  
For OE number: 10144394  
Height [mm]: 41  
Length [mm]: 374  
Supplementary Article/Supplementary Info 2:  
With pre-filter  
Width [mm]: 181

### FA-0258JM

#### Air Filter



FIAT CROMA (154)  
LANCIA KAPPA (838A)  
LANCIA KAPPA Coupe (838)  
LANCIA KAPPA SW (838B)  
LANCIA THEMA (834)  
LANCIA THEMA SW (834)

**OE**  
35A1029  
5984020  
71736136  
82380591  
82398171

Filter Type: Filter Insert  
For OE number: 71736136  
Height [mm]: 49  
Length [mm]: 300  
Width [mm]: 198

### FA-0342JM

#### Air Filter



FORD GALAXY  
FORD KUGA III (DFK)  
FORD S-MAX

**OE**  
2368605  
LX61-9601-FC

Filter Type: Filter Insert  
For OE number: 2368605  
Height [mm]: 42  
Length [mm]: 199  
Width [mm]: 169

### FA-0343JM

#### Air Filter



LYNK & CO 01  
VOLVO XC40

**OE**  
31474821  
32146444  
8888475605

Filter Type: Filter Insert  
For OE number: 31474821  
Height [mm]: 60  
Length [mm]: 265  
Width [mm]: 178

## Filter

**20848**

**Air Filter**



SUZUKI S-CROSS  
SUZUKI VITARA (LY)

**OE**  
13780-76SA0  
13780-76SA0-000  
13780-M76SA0  
13780M76SA0

Filter Type: Filter Insert  
Height [mm]: 24  
Length [mm]: 302  
Width [mm]: 261

**FAA-046JM**

**Filter, interior air**



AUDI A4 (8K2, B8)  
AUDI A4 Allroad (8KH, B8)  
AUDI A4 Avant (8K5, B8)  
AUDI A5 (8T3)  
AUDI A5 Cabriolet (8F7)  
AUDI A5 Sportback (8TA)

**OE**  
8K0 819 439  
8K0 819 439 C  
8K0819439

Filter Type: Pollen Filter  
For OE number: 8K0 819 439  
Height [mm]: 36  
Length [mm]: 279  
Width [mm]: 241

**FAA-051JM**

**Filter, interior air**



ALPINA B3 (G20)  
ALPINA B3 Touring (G21)  
ALPINA B4 Gran Coupe (G26)  
ALPINA D3 (G20)  
ALPINA D3 Touring (G21)  
ALPINA D4 Gran Coupe (G26)

**OE**  
64 11 9 382 885  
64 31 9 382 889  
64119382885

Filter Type: Pollen Filter  
For OE number: 64 11 9 382 885  
Height [mm]: 30  
Length [mm]: 300  
Width [mm]: 212

**FAA-055JM**

**Filter, interior air**



CITROEN C5 X  
DS DS 4 II (F\_, FB\_, F3\_)  
DS DS 9 (X2\_)  
OPEL ASTRA L  
OPEL ASTRA L Sports Tourer (O5)  
PEUGEOT 308 Cassone / coda spiovente (LB\_)

**OE**  
1612920380  
1612920480  
1616959280  
98 041 633 80  
9804163380  
9804163480

Filter Type: Pollen Filter  
For OE number: 98 041 633 80  
Height [mm]: 32  
Length [mm]: 259  
Quantity Unit: Kit  
Width [mm]: 98

**FAA-058JM**

**Filter, interior air**



FORD TOURNEO CUSTOM Autobus  
FORD TOURNEO CUSTOM V710 Autobus (NXN)  
FORD TRANSIT Autobus  
FORD TRANSIT CUSTOM Autobus  
FORD TRANSIT CUSTOM Furgonato  
FORD TRANSIT CUSTOM V710 Furgonato (NRN)

**OE**  
1812 679  
1812679  
BK21-18D543-AA

Filter Type: Pollen Filter  
For OE number: 1812 679  
Height [mm]: 30  
Length [mm]: 284  
Width [mm]: 232

**FAA-062JM**

**Filter, interior air**



BMW 1 (F40)  
BMW 2 Active Tourer (F45)  
BMW 2 Active Tourer Van (F45)  
BMW 2 Gran Coupe (F44)  
BMW 2 Gran Tourer (F46)  
BMW 2 Gran Tourer Van (F46)

**OE**  
64 11 6 835 404  
64 31 6 835 404  
64116823724  
64116835404  
64119321876  
64316835406

Filter Type: Pollen Filter  
For OE number: 64 11 6 835 404  
Height [mm]: 32  
Length [mm]: 233  
Quantity Unit: Kit  
Width [mm]: 115

## Filter

### FAA-065JM

Filter, interior air



POLESTAR POLESTAR 1 (P)  
VOLVO S60 III (224)  
VOLVO S90 II  
VOLVO V60 II (225)  
VOLVO V60 II Cross Country (227)  
VOLVO V90 II

#### OE

31404470  
31407747

Filter Type: Pollen Filter  
For OE number: 31404470  
Height [mm]: 41  
Length [mm]: 337  
Width [mm]: 238

### FAA-070JM

Filter, interior air



JAGUAR E-PACE (X540)  
LAND ROVER DISCOVERY SPORT (LC)  
LAND ROVER DISCOVERY SPORT VAN (L550)  
LAND ROVER RANGE ROVER EVOQUE (L551)

#### OE

K8D2-18D543-AA  
K8D218D543AA  
LR115784

Filter Type: Pollen Filter  
For OE number: K8D2-18D543-AA  
Height [mm]: 43  
Length [mm]: 272  
Width [mm]: 194

### FAA-075JM

Filter, interior air



MG MG ZS Fuoristrada chiuso

#### OE

10632431

Filter Type: Pollen Filter  
For OE number: 10632431  
Height [mm]: 37  
Length [mm]: 195  
Width [mm]: 190

### FAA-080JM

Filter, interior air



TESLA MODEL X


#### OE

1045566-00-D  
1045566-00-E  
1045566-00-G  
1045566-00-H  
1045566-99-D  
104556600EV

Filter Type: Activated Carbon Filter  
Height [mm]: 31  
Length [mm]: 1022  
Width [mm]: 318

### FAA-081JM

Filter, interior air



TESLA MODEL S


#### OE

105933300C  
105933300D  
105933300D SK1  
105933300E  
105933300E SK1  
105933300F

Filter Type: Activated Carbon Filter  
Height [mm]: 20  
Length [mm]: 699  
Width [mm]: 361

### FAA-082JM

Filter, interior air



TESLA MODEL X

#### OE

1039042-00-A  
1039042-00-B

Filter Type: Activated Carbon Filter  
Height [mm]: 30  
Length [mm]: 320  
Width [mm]: 260

## Filter

### FAA-086JM

Filter, interior air



TESLA MODEL Y (5YJY)


#### OE

1658376-00-A  
165837600A

Filter Type: Activated Carbon Filter  
For OE number: 1658376-00-A  
Height [mm]: 26  
Length [mm]: 456  
Width [mm]: 172

### FAA-088JM

Filter, interior air



BYD TANG


#### OE

12447996-00  
1244799600  
SA-8121211

Filter Type: Activated Carbon Filter  
Height [mm]: 40  
Length [mm]: 199  
Width [mm]: 190

### FAA-097JM

Filter, interior air



HAVAL H2


#### OE

8104400XSZ47A

Filter Type: Activated Carbon Filter  
Height [mm]: 29  
Length [mm]: 234  
Width [mm]: 227

### FAA-098JM

Filter, interior air



TESLA MODEL S  
TESLA MODEL X

#### OE

1647254-00-A

Filter Type: Activated Carbon Filter  
Height [mm]: 63  
Length [mm]: 413  
Width [mm]: 413

### 30052

Fuel filter



DR DR PK8

#### OE

1105014P31F0  
3320200111

Diameter 1 [mm]: 39,7  
Diameter 2 [mm]: 41,9  
Diameter [mm]: 79,4  
Filter Type: Filter Insert  
For OE number: 3320200111  
Height [mm]: 116,8

## Filter

### 3EC0041

#### Fuel filter



CITROEN JUMPY  
CITROEN JUMPY Furgonato  
CITROEN JUMPY Pianale piatto/Telaio  
CITROEN SPACETOURER  
FIAT SCUDO Furgonato  
FIAT SCUDO Pianale piatto/Telaio

#### OE

155253599  
16 742 134 80  
1674213480  
SU001-B3209

Filter Type: Filter Insert  
For OE number: 16 742 134 80  
Gasket inner diameter: 91,5  
Gasket outer diameter: 102,3  
Height [mm]: 123  
Inner Diameter [mm]: 21  
Outer Diameter [mm]: 84  
Supplementary Article/Supplementary Info:  
With gaskets/seals

### FO-001JM

#### Oil Filter



MAXUS (SAIC MOTOR) G10


#### OE

10105963

Filter Type: Filter Insert  
For OE number: 10105963  
Gasket inner diameter: 63,5  
Gasket outer diameter: 70,7  
Height [mm]: 127  
Inner Diameter [mm]: 14  
Outer Diameter [mm]: 56  
Supplementary Article/Supplementary Info 2:  
With seal

### FO-003JM

#### Oil Filter



CADILLAC ATS  
CADILLAC ATS Coupé  
CADILLAC CTS  
CHEVROLET CAMARO  
CHEVROLET CAMARO Cabriolet  
CHEVROLET CORVETTE (C7)

#### OE

00K04892339WE  
10604737  
12640445  
12667194  
12670058  
12674698

Bypass Valve Opening Pressure [bar]: 1,8  
Filter Type: Screw-on Filter  
For OE number: 10105963  
Gasket inner diameter: 63  
Gasket outer diameter: 70  
Height [mm]: 75  
Outer Diameter [mm]: 76  
Supplementary Article/Supplementary Info 2:  
With one anti-return valve  
Thread Size: M22x1.5

### FO-054JM

#### Oil Filter



AUDI A4 (8K2, B8)  
AUDI A4 Allroad (8KH, B8)  
AUDI A4 Avant (8K5, B8)  
AUDI A5 (8T3)  
AUDI A5 Cabriolet (8F7)  
AUDI A5 Sportback (8TA)

#### OE

057115441B  
059 115 561 D  
059 198 405  
059115561D  
958.107.222.20

Filter Type: Filter Insert  
For OE number: 059 115 561 D  
Height [mm]: 128  
Inner Diameter 1 [mm]: 29  
Inner Diameter [mm]: 29  
Outer Diameter [mm]: 76  
Supplementary Article/Supplementary Info:  
with seal

### FO-059JM

#### Oil Filter



FIAT DUCATO Autobus (250)  
FIAT DUCATO Furgonato (250)  
FIAT DUCATO Pianale piatto/Telaio (250)

#### OE


46349008  
73504476

Filter Type: Filter Insert  
For OE number: 46349008  
Gasket inner diameter: 90  
Gasket outer diameter: 98  
Height [mm]: 107  
Inner Diameter 1 [mm]: 21  
Inner Diameter [mm]: 30  
Outer Diameter [mm]: 77  
Supplementary Article/Supplementary Info 2:  
With seal

## Filter

### FOE-039JM

#### Oil Filter



MERCEDES-BENZ CLASSE A (W168)  
 MERCEDES-BENZ CLASSE A (W169)  
 MERCEDES-BENZ CLASSE B (W245)  
 MERCEDES-BENZ Vaneo (414)

**OE**  
 640 180 00 09  
 640 180 01 09  
 640 180 01 09 90  
 640 184 01 25  
 640 184 02 25  
 668 180 00 09

Filter Type: Filter Insert  
 Fitted Diameter [mm]: 33  
 For OE number: A6401800109  
 Inner Diameter [mm]: 19  
 Length [mm]: 117  
 Outer Diameter [mm]: 53

### FOE-046JM

#### Oil Filter




AUDI A3 Limousine (8YS)  
 AUDI A3 Sportback (8YA)  
 AUDI Q2  
 AUDI Q3 Sportback (F3N)  
 SEAT ATECA  
 SEAT LEON (KL1)

**OE**  
 05L 115 466 A  
 05L 115 562 A  
 05L115562A  
 2582 474

Filter Type: Filter Insert  
 For OE number: 05L115562A  
 Height [mm]: 161  
 Inner Diameter [mm]: 21  
 Outer Diameter [mm]: 47

### FOE-134JM

#### Oil Filter



EC0134

BMW 2 Active Tourer (F45)  
 BMW i8 (I12)

**OE**  
 11 42 8 513 948  
 11 42 8 570 590  
 11 42 8 575 210  
 11 42 8 585 237  
 11428570590  
 8570590

Filter Type: Filter Insert  
 For OE number: 11428570590  
 Inner Diameter [mm]: 16,5  
 Length [mm]: 125  
 Outer Diameter [mm]: 53

### FOE-163JM

#### Oil Filter



CHRYSLER CROSSFIRE  
 CHRYSLER CROSSFIRE Roadster  
 MERCEDES-BENZ CLASSE C (W202)  
 MERCEDES-BENZ CLASSE C (W203)  
 MERCEDES-BENZ CLASSE C (W204)  
 MERCEDES-BENZ CLASSE C Coupe (CL203)

**OE**  
 000 180 22 09  
 000 180 23 09  
 000 180 26 09  
 000 180 26 09 90  
 000 180 31 09  
 05102905AA

Filter Type: Filter Insert  
 Height [mm]: 115  
 Inner Diameter 1 [mm]: 31  
 Inner Diameter [mm]: 31  
 Outer Diameter [mm]: 64  
 Part number of the recommended special tools: LS 7  
 Supplementary Article/Supplementary Info: with seal

### FTJ182

#### Hydraulic Filter, automatic transmission



AUDI A4 (8W2, B9)  
 AUDI A4 Allroad (8WH, B9)  
 AUDI A4 Avant (8W5, B9)  
 AUDI A5  
 AUDI A5 Cabriolet  
 AUDI A5 Sportback (F5A)


**OE**  
 0D5 398 009  
 0D5 398 009 C  
 0D5 398 010  
 0D5398009  
 D5 398 009  
 D5 398 009 C


Filter Type: Screen Filter  
 For OE number: 0D5398009  
 Height [mm]: 46  
 Length [mm]: 503  
 Supplementary Article/Supplementary Info 2: with filter  
 Supplementary Article/Supplementary Info 2: With screws  
 Supplementary Article/Supplementary Info: With oil drainage plug  
 Transmission Type: For automatic transmission  
 Width [mm]: 337

## Filter

<b>FTJ189</b> 	<b>Hydraulic Filter, automatic transmission</b> MERCEDES-BENZ CLA (C118) MERCEDES-BENZ CLA Shooting Brake (X118) MERCEDES-BENZ CLASSE B (W247) MERCEDES-BENZ CLASSE-A (W177) MERCEDES-BENZ CLASSE-A Tre volumi (W177) MERCEDES-BENZ GLA (H247)	<b>OE</b> 247 370 17 05 247 370 83 01 A247 370 17 05 A247 370 83 01	Filter Type: Filter Insert Height [mm]: 68 Outer Diameter [mm]: 81
<b>FTJ190</b> 	<b>Hydraulic Filter, automatic transmission</b> MERCEDES-BENZ CLA (C118) MERCEDES-BENZ CLA Shooting Brake (X118) MERCEDES-BENZ CLASSE B (W247) MERCEDES-BENZ CLASSE-A (W177) MERCEDES-BENZ CLASSE-A Tre volumi (W177) MERCEDES-BENZ GLA (H247)	<b>OE</b> 247 370 16 05 247 370 82 01 A247 370 16 05 A247 370 82 01	Filter Type: Filter Insert Height [mm]: 102 Outer Diameter [mm]: 81
<b>FTJ192</b> 	<b>Hydraulic Filter, automatic transmission</b> AUDI A4 (8W2, B9) AUDI A4 Allroad (8WH, B9) AUDI A4 Avant (8W5, B9) AUDI A5 AUDI A5 Sportback (F5A) AUDI A6 (C8, 4A2)	<b>OE</b> OD5 398 009 A OD5 398 009 B D5 398 009 A D5 398 009 B PAB 398 009 PAB 398 009 01	Filter Type: Screen Filter Height [mm]: 46 Length [mm]: 503 Supplementary Article/Supplementary Info 2: with filter Transmission Type: For automatic transmission Width [mm]: 339
<b>FTJ193</b> 	<b>Hydraulic Filter, automatic transmission</b> MERCEDES-BENZ CLA (C118) MERCEDES-BENZ CLA Shooting Brake (X118) MERCEDES-BENZ GLA (H247) MERCEDES-BENZ GLB (X247)	<b>OE</b> 247 371 48 00 247 371 48 00 S1 247 377 39 01 247 377 39 01 S1 247 377 54 01 247 377 54 01 S1	Filter Type: Screen Filter Length [mm]: 170 Supplementary Article/Supplementary Info: with seal Width [mm]: 135
<b>FTJ195</b> 	<b>Hydraulic Filter, automatic transmission</b> MERCEDES-BENZ AMG GT (X290) MERCEDES-BENZ CLASSE C (W205) MERCEDES-BENZ CLASSE C (W206) MERCEDES-BENZ CLASSE C All-Terrain (S206) MERCEDES-BENZ CLASSE C Cabriolet (A205) MERCEDES-BENZ CLASSE C Coupé (C205)	<b>OE</b> 725 270 31 14 A725 270 31 14	Filter Type: Screen Filter Height [mm]: 53 Length [mm]: 437 Supplementary Article/Supplementary Info 2: with filter Supplementary Article/Supplementary Info 2: With screws Supplementary Article/Supplementary Info: with seal Weight [kg]: 1,55 Width [mm]: 300

## Filter

<b>FTJ196</b> 	<b>Hydraulic Filter, automatic transmission</b>  BMW 3 (F30, F35, F80) BMW 3 (G20) BMW 3 Touring (G21) BMW 5 (G30) BMW 5 Touring (G31) BMW 7 (G11, G12)	<b>OE</b> 24 11 8 632 189 24118632189	Filter Type: Screen Filter Height [mm]: 59 Length [mm]: 608 Supplementary Article/Supplementary Info 2: with filter Supplementary Article/Supplementary Info 2: With screws Supplementary Article/Supplementary Info: With oil drainage plug Supplementary Article/Supplementary Info: with seal Transmission Type: For automatic transmission Width [mm]: 286
---	--	---	---

<b>FTJ197</b> 	<b>Hydraulic Filter, automatic transmission</b>  HONDA ACCORD VIII (CU) HONDA ACCORD VIII Station wagon HONDA CIVIC VI Hatchback (EJ, EK) HONDA CIVIC VI Tre volumi (EJ, EK) HONDA CIVIC X 2 volumi /Coda spiovente (FC_, FK)	<b>OE</b> 25450-P4V-003 25450-P4V-013	Filter Type: Filter Insert Gasket inner diameter: 37 Gasket inner diameter: 48,9 Gasket outer diameter: 43 Gasket outer diameter: 54,14 Height [mm]: 52 Outer Diameter [mm]: 44 Supplementary Article/Supplementary Info 2: With seal
---	---	---	---

## Joints

<b>AC-G001</b> 	<b>Propshaft, axle drive</b>  PIAGGIO APE (MP) VESPACAR PIAGGIO APE TM Furgonato PIAGGIO APE TM Pianale piatto/Telaio PIAGGIO QUARGO Pianale piatto/Telaio	<b>OE</b> B073421	Fitting Position: Rear Axle Pitch Circle [mm]: 12
--	---	----------------------	--

<b>620326</b> 	<b>Joint Kit, drive shaft</b>  FORD KUGA I	<b>OE</b> 1534272 1595118 8V413C356AA 8V413C356AB	External Teeth, diff.side: 26 Fitting Position: Front Axle Left Fitting Position: Transmission End Int. teeth, diff.side, conn.to transm.: 27 Length [mm]: 180 Seal Diameter [mm]: 40
---	--	---	--

<b>660200</b> 	<b>Joint, propshaft</b>  FIAT PANDA (169)	<b>OE</b> 55193595 55197051 55222107	Diameter [mm]: 24 Length [mm]: 63
---	---	---	--------------------------------------

## Mounting

## Mounting

<b>72556L</b> 	<b>Track Control Arm</b> MITSUBISHI CARISMA (DA_) MITSUBISHI CARISMA Tre volumi (DA_) MITSUBISHI SPACE STAR (DG_A)	<b>OE</b> MR171305 MR171307	Fitting Position: Rear Axle Left Paired article numbers: 72-05-556R Paired article numbers: 72556R Paired article numbers: BS-556R Steering Type: Control Arm
<b>72556R</b> 	<b>Track Control Arm</b> MITSUBISHI CARISMA (DA_) MITSUBISHI CARISMA Tre volumi (DA_) MITSUBISHI SPACE STAR (DG_A)	<b>OE</b> MR171306 MR171308	Fitting Position: Rear Axle Right Paired article numbers: 72-05-556L Paired article numbers: 72556L Paired article numbers: BS-556L Steering Type: Control Arm
<b>72K48L</b> 	<b>Track Control Arm</b> KIA CARENS II (FJ)	<b>OE</b> 0K2FA-28350	Steering Type: Trailing Arm
<b>429088</b> 	<b>Wheel Hub</b> MAHINDRA GOA MAHINDRA GOA Pick-up MAHINDRA THAR	<b>OE</b> 0503AA0230N	Fitting Position: Front Axle
<b>429093</b> 	<b>Wheel Bearing Kit</b> CHRYSLER VOYAGER II (ES) CHRYSLER VOYAGER III (GS)	<b>OE</b> 3683 975 3683974 3683974K 3683975 4486860 5252823	Fitting Position: Rear Axle For OE number: 3683 975 Inner Diameter [mm]: 35 Outer Diameter [mm]: 60 Width [mm]: 17

## Mounting

### MJ01310

#### Shock Absorber



INFINITI Q30  
INFINITI QX30  
MERCEDES-BENZ CLASSE GLA (X156)

#### OE

156 323 19 00  
1563231900  
242 323 05 00  
A 156 323 19 00  
A 242 323 05 00

Fitting Position: Front Axle Left  
For OE number: 156 323 19 00  
Paired article numbers: MA-01312  
Paired article numbers: MJ01312  
Paired article numbers: MM-01312  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJ01312

#### Shock Absorber



INFINITI Q30  
INFINITI QX30  
MERCEDES-BENZ CLASSE GLA (X156)

#### OE

156 313 20 00  
156 323 20 00  
1563132000  
242 323 06 00  
A 156 313 20 00  
A 156 323 20 00

Fitting Position: Front Axle Right  
For OE number: 156 313 20 00  
Paired article numbers: MA-01310  
Paired article numbers: MJ01310  
Paired article numbers: MM-01310  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJ01313

#### Shock Absorber



INFINITI Q30  
MERCEDES-BENZ CLASSE GLA (X156)

#### OE

156 323 15 00  
1563231500  
A 156 323 15 00

Fitting Position: Front Axle Left  
For OE number: 156 323 15 00  
Paired article numbers: MA-01314  
Paired article numbers: MJ01314  
Paired article numbers: MM-01314  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJ01314

#### Shock Absorber



INFINITI Q30  
MERCEDES-BENZ CLASSE GLA (X156)

#### OE

156 323 16 00  
1563231600  
A 156 323 16 00

Fitting Position: Front Axle Right  
For OE number: 156 323 16 00  
Paired article numbers: MA-01313  
Paired article numbers: MJ01313  
Paired article numbers: MM-01313  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJ01318

#### Shock Absorber



DACIA LOGAN III  
DACIA SANDERO III

#### OE

562102144R

Fitting Position: Rear Axle  
For OE number: 562102144R  
Shock Absorber Design: Absorber does not carry a spring  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

## Mounting

### MJ01320

#### Shock Absorber



DACIA SANDERO III

**OE**  
543022129R

Fitting Position: Front Axle  
For OE number: 543022129R  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJ01321

#### Shock Absorber



DACIA LOGAN III  
DACIA SANDERO III

**OE**  
543021244R

Fitting Position: Front Axle  
For OE number: 543021244R  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJ01336

#### Shock Absorber



IVECO DAILY Cassone / Furgonato / Promiscuo  
IVECO DAILY CITYS Autobus  
IVECO DAILY IV Autobus  
IVECO DAILY IV Cassone / Furgonato / Promiscuo  
IVECO DAILY IV Pianale piatto/Telaio

**OE**  
504170986

Bore [mm]: 35  
Fitting Position: Rear Axle  
Length 1 [mm]: 360  
Length 2 [mm]: 462  
Piston Rod Diameter [mm]: 15,8  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top eye  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure  
Weight [kg]: 2,600

### MJ01338

#### Shock Absorber



DR DR 5.0 SUV

**OE**  
3360100121

Fitting Position: Left Front  
Paired article numbers: MA-01344  
Paired article numbers: MJ01344  
Paired article numbers: MM-01344  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MJ01351

#### Shock Absorber



MG MG HS

**OE**  
10671727

Fitting Position: Left Front  
Paired article numbers: MA-01352  
Paired article numbers: MJ01352  
Paired article numbers: MM-01352  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

## Mounting

### MJ01352

#### Shock Absorber



MG MG HS

**OE**  
10671729

Fitting Position: Right Front  
Paired article numbers: MA-01351  
Paired article numbers: MJ01351  
Paired article numbers: MM-01351  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MJ01359

#### Shock Absorber



FORD FIESTA VI

**OE**  
1780874  
1800308  
1804547  
1904598  
2002573  
C1BC18K001ED

Fitting Position: Front Axle Left  
Paired article numbers: MA-01360  
Paired article numbers: MJ01360  
Paired article numbers: MM-01360  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MJ01360

#### Shock Absorber



FORD FIESTA VI

**OE**  
1772029  
1800309  
1804549  
1904583  
2002575  
C1BC18045ED

Fitting Position: Front Axle Right  
Paired article numbers: MA-01359  
Paired article numbers: MJ01359  
Paired article numbers: MM-01359  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MJ33133

#### Shock Absorber



FORD FIESTA VII  
FORD FIESTA VII Van

**OE**  
2087091  
2087096  
2096468  
2096469  
2126814  
2126815

Fitting Position: Rear Axle  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Monotube  
Shock Absorber Type: Gas Pressure

### MJ40068

#### Shock Absorber



HONDA JAZZ III (GE)

**OE**  
52610TF0G12  
52610TF0G120M1  
52610TF0J03  
52610TF0J030M1  
52610TG0T03  
52610TG5C02

Fitting Position: Rear Axle  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

## Mounting

### MJ40074

#### Shock Absorber



HONDA HR-V  
HONDA HR-V (RU)

#### OE

52611T7AG01  
52611T7AJ31  
52611T7AJ51  
52611T7AJ61  
52611T7JH02  
52611T7JH11

Fitting Position: Rear Axle  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MJ90050

#### Shock Absorber



JEEP COMPASS (MP)

#### OE

6825 2481AB  
68252481AB  
6829 0251AB  
6829 0253AB  
6829 0257AB  
6829 0259AB

Fitting Position: Rear Axle Left  
For OE number: 6825 2481AB  
Paired article numbers: MA-90051  
Paired article numbers: MJ90051  
Paired article numbers: MM-90051  
Shock Absorber Design: Absorber does not carry a spring  
Shock Absorber Mounting Type: Top eye  
Shock Absorber Type: Gas Pressure

### MJ90059

#### Shock Absorber



AUDI A3 Limousine (8YS)  
AUDI A3 Sportback (8YA)  
AUDI Q2  
CUPRA FORMENTOR (KM7)  
CUPRA LEON (KL1, KU1)  
CUPRA LEON Sportstourer (KL8, KU8)

#### OE

3Q0513049HK  
3Q0513049HL  
5Q0513029JB  
5Q0513029KG  
5Q0513029KR  
5Q0513029LF

Fitting Position: Rear Axle  
Length 2 [mm]: 415  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MJ90061

#### Shock Absorber



AUDI A4 (8K2, B8)  
AUDI A4 Avant (8K5, B8)


#### OE

8F0413031AA  
8F0413031B  
8F0413031T  
8K0413031AE  
8K0413031AF  
8K0413031BD

Fitting Position: Front Axle  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MJ90063

#### Shock Absorber



AUDI A4 (8W2, B9)  
AUDI A4 Avant (8W5, B9)  
AUDI A5  
AUDI A5 Cabriolet  
AUDI A5 Sportback (F5A)

#### OE

8W0413031AT  
8W0413031BA  
8W0413031BB  
8W0413031BC  
8W0413031BF  
8W0413031BG

Fitting Position: Front Axle  
Piston Rod Diameter [mm]: 15  
Shock Absorber Design: Spring-bearing Damper  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

## Mounting

### MJAS183

#### Pneumatic Suspension

PORSCHE PANAMERA



#### OE

97034305200  
97034305201  
97034305202  
97034305203  
97034305204  
97034305205

Fitting Position: Right Front  
Paired article numbers: MA-AS184  
Paired article numbers: MJAS184  
Paired article numbers: MM-AS184  
Shock Absorber Mounting Type: Bottom Fork  
Spring Type: for pneumatic suspension vehicles

### MJAS184

#### Pneumatic Suspension

PORSCHE PANAMERA



#### OE

97034305100  
97034305101  
97034305102  
97034305103  
97034305104  
97034305105

Fitting Position: Left Front  
Paired article numbers: MA-AS183  
Paired article numbers: MJAS183  
Paired article numbers: MM-AS183  
Shock Absorber Mounting Type: Bottom Fork  
Spring Type: for pneumatic suspension vehicles

### MJAS480

#### Pneumatic Suspension

LAND ROVER DISCOVERY V (LR\_)  
LAND ROVER DISCOVERY V VAN (L462)



#### OE

LR081560

Fitting Position: Front Axle Right  
Paired article numbers: MA-AS481  
Paired article numbers: MJAS481  
Paired article numbers: MM-AS481  
Shock Absorber Type: Gas Pressure  
Spring Type: for pneumatic suspension vehicles

### MJAS481

#### Pneumatic Suspension

LAND ROVER DISCOVERY V (LR\_)  
LAND ROVER DISCOVERY V VAN (L462)



#### OE

LR081564  
LR102253

Fitting Position: Front Axle Left  
Paired article numbers: MA-AS480  
Paired article numbers: MJAS480  
Paired article numbers: MM-AS480  
Spring Type: for pneumatic suspension vehicles

### MJAS482

#### Pneumatic Suspension

MERCEDES-BENZ CLASSE E (W211)  
MERCEDES-BENZ CLASSE E T-Model (S211)  
MERCEDES-BENZ CLS (C219)



#### OE

211 320 53 38  
211 320 55 38  
211 320 63 13  
211 320 83 13  
A 211 320 53 38  
A 211 320 55 38

Fitting Position: Front Axle Left  
Paired article numbers: MA-AS483  
Paired article numbers: MJAS483  
Paired article numbers: MM-AS483  
Shock Absorber Type: Gas Pressure  
Spring Type: for pneumatic suspension vehicles

### MJAS483

#### Pneumatic Suspension

MERCEDES-BENZ CLASSE E (W211)  
MERCEDES-BENZ CLASSE E T-Model (S211)  
MERCEDES-BENZ CLS (C219)



#### OE

211 320 54 38  
211 320 56 38  
211 320 64 13  
211 320 84 13  
A 211 320 54 38  
A 211 320 64 13

Fitting Position: Front Axle Right  
Paired article numbers: MA-AS482  
Paired article numbers: MJAS482  
Paired article numbers: MM-AS482  
Shock Absorber Type: Gas Pressure  
Spring Type: for pneumatic suspension vehicles

## Mounting

### MJAS486

#### Pneumatic Suspension

PORSCHE PANAMERA (971)



#### OE

971413031D  
971413031F  
971413031J  
971413031K  
971616038G  
971616038K

Fitting Position: Front Axle Right  
Paired article numbers: MA-AS487  
Paired article numbers: MJAS487  
Paired article numbers: MM-AS487  
Spring Type: for pneumatic suspension vehicles

### MJAS487

#### Pneumatic Suspension

PORSCHE PANAMERA (971)



#### OE

971413031D  
971413031F  
971413031J  
971413031K  
971616037G  
971616037K

Fitting Position: Front Axle Left  
Paired article numbers: MA-AS486  
Paired article numbers: MJAS486  
Paired article numbers: MM-AS486  
Spring Type: for pneumatic suspension vehicles

### MJAS488

#### Pneumatic Suspension

MERCEDES-BENZ CLASSE S (W222, V222, X222)



#### OE

2223200613  
222320061380  
2223208413  
222320841380  
A2223200613  
A222320061380

Fitting Position: Front Axle Right  
Paired article numbers: MA-AS489  
Paired article numbers: MJAS489  
Paired article numbers: MM-AS489  
Spring Type: for pneumatic suspension vehicles

### MJAS489

#### Pneumatic Suspension

MERCEDES-BENZ CLASSE S (W222, V222, X222)  
MERCEDES-BENZ CLASSE S Coupé (C217)



#### OE

2223200513  
222320051380  
2223208313  
222320831380  
A2223200513  
A222320051380

Fitting Position: Front Axle Left  
Paired article numbers: MA-AS488  
Paired article numbers: MJAS488  
Paired article numbers: MM-AS488  
Spring Type: for pneumatic suspension vehicles

### MJAS490

#### Pneumatic Suspension

MERCEDES-BENZ CLASSE S (W222, V222, X222)  
MERCEDES-BENZ CLASSE S Coupé (C217)



#### OE

2223200813  
222320081380  
2223204413  
222320441380  
2223208613  
222320861380

Fitting Position: Rear Axle Right  
Paired article numbers: MA-AS491  
Paired article numbers: MJAS491  
Paired article numbers: MM-AS491

### MJAS491

#### Pneumatic Suspension

MERCEDES-BENZ CLASSE S (W222, V222, X222)  
MERCEDES-BENZ CLASSE S Coupé (C217)



#### OE

2223200713  
222320071380  
2223208513  
222320851380  
A2223200713  
A222320071380

Fitting Position: Rear Axle Left  
Paired article numbers: MA-AS490  
Paired article numbers: MJAS490  
Paired article numbers: MM-AS490

## Mounting

### MJAS492

#### Pneumatic Suspension

BMW X5 (G05)



#### OE

37-10-6-869-030  
37-10-6-869-036  
37106869030  
37106869036  
6869030  
6869036

Fitting Position: Front Axle Right  
Paired article numbers: MA-AS493  
Paired article numbers: MJAS493  
Paired article numbers: MM-AS493  
Spring Type: for pneumatic suspension vehicles

### MJAS493

#### Pneumatic Suspension

BMW X5 (G05)



#### OE

37106869029  
37106869035

Fitting Position: Front Axle Left  
Paired article numbers: MA-AS492  
Paired article numbers: MJAS492  
Paired article numbers: MM-AS492  
Spring Type: for pneumatic suspension vehicles

### MJAS496

#### Air Spring, suspension

PORSCHE PANAMERA



#### OE

97034305100  
97034305101  
97034305102  
97034305103  
97034305104  
97034305105

Fitting Position: Front Axle Left  
Spring Type: for pneumatic suspension vehicles

### MJAS498

#### Air Spring, suspension

HYUNDAI EQUUS / CENTENNIAL  
HYUNDAI GENESIS (BH)  
HYUNDAI GENESIS (DH)



#### OE

55350-3M501  
553503M500

Fitting Position: Rear Axle Left  
Paired article numbers: MA-AS497  
Paired article numbers: MJAS497  
Paired article numbers: MM-AS497  
Spring Type: for pneumatic suspension vehicles

### MJAS500

#### Air Spring, suspension

KIA BORREGO



#### OE

55331-2J000  
55331-2J100  
553312J000  
553312J100

Fitting Position: Rear Axle Right  
Paired article numbers: MA-AS499  
Paired article numbers: MJAS499  
Paired article numbers: MM-AS499  
Spring Type: for pneumatic suspension vehicles

### MJAS501

#### Air Spring, suspension

PORSCHE PANAMERA



#### OE

97034305200  
97034305201  
97034305202  
97034305203  
97034305204  
97034305205

Fitting Position: Front Axle Right  
Spring Type: for pneumatic suspension vehicles

## Mounting

### MJDR022

#### Shock Absorber



CHERY TIGGO 5x  
DR DR 4.0  
DR DR 5.0 SUV  
DR DR 6.0 SUV

#### OE

202000261AA  
202000359AA  
3360100048  
3360100083

Fitting Position: Front Axle Left  
For OE number: 3360100048  
Input Shaft Diameter [mm]: 15  
Piston Rod Diameter [mm]: 22  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJDR023

#### Shock Absorber



CHERY TIGGO 5x  
DR DR 4.0  
DR DR 5  
DR DR 5.0 SUV  
DR DR 6.0 SUV

#### OE

202000262AA  
202000360AA  
3360100049  
3360100084

Fitting Position: Right Front  
For OE number: 3360100049  
Input Shaft Diameter [mm]: 15  
Piston Rod Diameter [mm]: 22  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJDR024

#### Shock Absorber



DR DR 5.0 SUV  
DR DR F35 SUV

#### OE

230326  
3360100057  
3360100058  
3360100066  
J68-2905010  
T15-2905010

Fitting Position: Left Front  
For OE number: 3360100058  
Input Shaft Diameter [mm]: 15  
Piston Rod Diameter [mm]: 22  
Shock Absorber Design: Suspension Strut Insert  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJDR025

#### Shock Absorber



DR DR 5.0 SUV  
DR DR F35 SUV

#### OE

202000039AA  
3360100058  
3360100067  
J68-2905020

Fitting Position: Right Front  
For OE number: 3360100067  
Input Shaft Diameter [mm]: 15  
Piston Rod Diameter [mm]: 22  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### GOJ2857

#### Engine Mounting



TOYOTA YARIS (SCP9\_, NSP9\_, KSP9\_, NCP9\_, ZSP9\_)

#### OE

123630J010

For OE number: 123630J010

## Mounting

**1060001**

**Rod/Strut, stabiliser**



MG MG ZS Fuoristrada chiuso

**OE**  
10227851

Bar/Strut: Pull Rod  
Fitting Position: Front Axle  
Length [mm]: 300  
Material: Metal  
Thread Size: M10 x 1.5 RHT

**106178R**

**Rod/Strut, stabiliser**



NISSAN QASHQAI III (J12)

**OE**  
546186UA0A

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle Right  
Length [mm]: 300  
Paired article numbers: 106-01-178L  
Paired article numbers: 106178L  
Paired article numbers: SI-178L  
Pipe [mm]: 14  
Specification: Lung perno-perno  
Thread Measurement 1: MM12X1,25R

**SMJ0502**

**Strut Mount**



CITROEN C3 II  
CITROEN C3 III (SX)  
CITROEN C4 CACTUS  
CITROEN DS3  
CITROEN DS3 Cabriolet  
DS DS 3

**OE**  
9811370580

Fitting Position: Front Axle  
Height [mm]: 35  
Length [mm]: 136  
Material: Steel Elastomer  
Supplementary Article/Supplementary Info 2:  
Without ball bearing  
Width [mm]: 122

**SMJ0521S**

**Strut Mount**



FIAT TIPO 2 volumi /Coda spiovente (356\_)

**OE**  
51983626

Fitting Position: Front Axle

**SMJ0543S**

**Strut Mount**



PEUGEOT 406 (8B)  
PEUGEOT 406 Break (8E/F)  
PEUGEOT 406 Coupe (8C)

**OE**  
503825  
503866

Fitting Position: Upper Front Axle  
Standard: attacco ammortizzato  
Standard: no sosp. Autolivell.

## Mounting

**11100002**

**Tie Rod End**



MG MG ZS Fuoristrada chiuso

**OE**  
10353668

Cone Size 1 [mm]: 13  
Cone Size 2 [mm]: 16  
Fitting Position: Front Axle Left  
Inner Thread [mm]: M14x1,5  
Length [mm]: 185  
Outer Thread [mm]: M10x1,25

**11100003**

**Tie Rod End**



MG MG ZS Fuoristrada chiuso

**OE**  
10353669

Cone Size 1 [mm]: 13  
Cone Size 2 [mm]: 16  
Fitting Position: Front Axle Right  
Inner Thread [mm]: M14x1,5  
Length [mm]: 185  
Outer Thread [mm]: M10x1,25

**ZCJ00002**

**Coil Spring**



CITROEN C3 III (SX)  
CITROEN C4 CACTUS  
PEUGEOT 2008

**OE**  
9802157080

Fitting Position: Front Axle  
Length [mm]: 337  
Outer Diameter [mm]: 137  
Spring Design: Coil Spring  
Thickness/Strength 1 [mm]: 11,2

**ZCJ00006**

**Coil Spring**



FIAT DUCATO Autobus (250)  
FIAT DUCATO Pianale piatto/Telaio (250)

**OE**  
1608309780  
50711909

Axle load to [t]: 2  
Fitting Position: Front Axle  
Reinforced Version:  
Spring Design: Coil Spring

**ZCJ1515A**

**Coil Spring**



CITROEN C3 III (SX)

**OE**  
9673329880

Fitting Position: Front Axle  
Spring Design: Coil Spring