

ashika®



www.ashika.eu

CATALOGUE

DR / EVO

SPARE PARTS

CATALOGO

DR / EVO

RICAMBI

Brake system

65-08-802

Wheel Brake Cylinder



DR DR 1

OE

53400-58040
53400-80040
5340058040000
5340080040000
5340280040

Bore [mm]: 22,2
Fitted Diameter [mm]: 29,9
Fitting Position: Rear

67-W0-002

Wheel Brake Cylinder



DR DR ZERO

OE

96320670
96320670/96518606
96518606

Bore [mm]: 17,4
Fitted Diameter [mm]: 29,9
Fitting Position: Rear Axle

60-00-019C

Brake Disc



DR DR 5

OE

T11-3501075
T113501075

Brake Disc Thickness [mm]: 25
Brake Disc Type: Vented
Fitting Position: Front Axle
For OE number: T113501075
Height [mm]: 50
Minimum Thickness [mm]: 23
Number of Bores: 5
Outer Diameter [mm]: 265
Pitch Circle [mm]: 62
Surface: Painted

60-00-020

Brake Disc



DR DR 1
DR DR 2

OE

720050026

Brake Disc Thickness [mm]: 17
Brake Disc Type: Vented
Fitting Position: Front Axle
Height [mm]: 45
Inspection Tag: ECE R90 APPROVED
Minimum Thickness [mm]: 15
Number of Bores: 4
Outer Diameter [mm]: 257
Pitch Circle [mm]: 60

60-00-020C

Brake Disc



DR DR 1
DR DR 2

OE

720050026

Brake Disc Thickness [mm]: 17
Brake Disc Type: Vented
Fitting Position: Front Axle
For OE number: 720050026
Height [mm]: 45
Inspection Tag: ECE R90 APPROVED
Minimum Thickness [mm]: 15
Number of Bores: 4
Outer Diameter [mm]: 257
Pitch Circle [mm]: 60
Surface: Painted

Brake system

60-00-0268C

Brake Disc



DR DR 3
DR DR 3.0

OE
3370100045

Brake Disc Thickness [mm]: 25
Brake Disc Type: Vented
Fitting Position: Front Axle
For OE number: 3370100045
Height [mm]: 45
Inner Diameter [mm]: 65,2
Minimum Thickness [mm]: 23
Number of Holes: 5
Outer Diameter [mm]: 283

60-00-027C

Brake Disc




DR DR 5

OE
3370100007
T11-3501075BA

Brake Disc Thickness [mm]: 25
Brake Disc Type: Vented
Fitting Position: Front Axle
For OE number: 3370100007
Height [mm]: 49,5
Inspection Tag: ECE R90 APPROVED
Minimum Thickness [mm]: 23
Number of Bores: 5
Outer Diameter [mm]: 300
Pitch Circle [mm]: 62
Surface: Painted

60-00-079C

Brake Disc




DR DR ZERO

OE
337010027

Brake Disc Thickness [mm]: 12
Brake Disc Type: Solid
Fitting Position: Front Axle
For OE number: 337010027
Height [mm]: 36
Minimum Thickness [mm]: 9,5
Number of Bores: 4
Outer Diameter [mm]: 236
Pitch Circle [mm]: 86
Surface: Painted

60-00-082C

Brake Disc




DR DR 4

OE
3370100036

Brake Disc Thickness [mm]: 25,5
Brake Disc Type: Internally Vented
Fitting Position: Front Axle
For OE number: 3370100036
Minimum Thickness [mm]: 23,5
Number of Bores: 5
Outer Diameter [mm]: 293

60-00-083C

Brake Disc



DR DR 6

OE
3370100042

Brake Disc Thickness [mm]: 25,4
Brake Disc Type: Internally Vented
Fitting Position: Front Axle
For OE number: 3370100042
Minimum Thickness [mm]: 23,4
Number of Bores: 5
Outer Diameter [mm]: 325

Brake system

60-02-2034C

Brake Disc



DR DR PK8

OE

3370100141
3501050P3010
43512-35320
43512-35321
4351204050
4351204051

Brake Disc Thickness [mm]: 28
Brake Disc Type: Vented
Fitting Position: Front Axle
For OE number: 4351204051
Height [mm]: 67,5
Minimum Thickness [mm]: 26
Number of Bores: 6
Outer Diameter [mm]: 318
Pitch Circle [mm]: 108
Surface: Painted

61-00-0147C

Brake Disc



DR DR 4.0
DR DR 5.0 SUV
DR DR F35 SUV

OE

3370200124

Brake Disc Thickness [mm]: 10
Brake Disc Type: Solid
Centering Diameter [mm]: 62
Fitting Position: Rear Axle
For OE number: 3370200124
Height [mm]: 32,8
Number of Bores: 5
Outer Diameter [mm]: 312

61-00-020C

Brake Disc



DR DR 4
EVO EVO 3


OE

3370200050

Brake Disc Thickness [mm]: 9,5
Brake Disc Type: Solid
Fitting Position: Rear Axle
For OE number: 3370200050
Minimum Thickness [mm]: 8
Number of Bores: 5
Outer Diameter [mm]: 275

61-00-022C

Brake Disc



DR DR 6

OE

3370200054

Brake Disc Thickness [mm]: 10
Brake Disc Type: Solid
Fitting Position: Rear Axle
For OE number: 3370200054
Minimum Thickness [mm]: 8
Number of Bores: 5
Outer Diameter [mm]: 320

61-00-0236C

Brake Disc



DR DR 3

OE

3370200061

Brake Disc Thickness [mm]: 9
Brake Disc Type: Solid
Fitting Position: Rear Axle
For OE number: 3370200061
Height [mm]: 34,5
Inner Diameter [mm]: 65,5
Minimum Thickness [mm]: 7
Number of Holes: 5
Outer Diameter [mm]: 263
Required quantity: 2
Thickness [mm]: 9

Brake system

61-02-221C

Brake Disc



DR DR 5
EVO EVO 5

OE
4243142040
4243142041
720060009
S3502110
T113502075
T113502075BC

Brake Disc Thickness [mm]: 9
Brake Disc Type: Solid
Fitting Position: Rear Axle
For OE number: 4243142041
Height [mm]: 62,5
Minimum Thickness [mm]: 8
Number of Bores: 5
Outer Diameter [mm]: 302,7
Pitch Circle [mm]: 62
Surface: Painted
Tightening Torque [Nm]: 103

55-00-007

Brake Shoe Set



DR DR 1
DR DR 2

OE
4800A089
720060023
MR449086
MR449087
MR449088
MR485499

Diameter [mm]: 200
Fitting Position: Rear Axle
Supplementary Article/Supplementary Info:
Without lever
Width [mm]: 32

55-02-223

Brake Shoe Set



DR DR 5

OE
46540-28010
46540-44010
46540-48010
46540-50010
46550-28010
46550-44010

Diameter [mm]: 190
Fitting Position: Rear Axle
Friction Surface Width [mm]: 25
Width [mm]: 45

55-W0-001

Brake Shoe Set



DR DR ZERO

OE
5320070810
5320070810000
96268079
96268686
96288490
96446177

Diameter [mm]: 180
Fitting Position: Rear Axle
Supplementary Article/Supplementary Info 2:
with handbrake lever
Thickness [mm]: 4,5
Width [mm]: 31

50-00-0153

Brake Pad Set, disc brake



DR DR 1.0 2 volumi /Coda spiovente

OE
011-1004-2450
1014031276
3370100175

Fitting Position: Front Axle
For OE number: 3370100175
Height [mm]: 52,5
Length [mm]: 120
Thickness [mm]: 16,5
Wear Warning Contact: With acoustic wear warning

Brake system

50-00-0156

Brake Pad Set, disc brake

DR DR 6.0 SUV



OE


3370100128

Fitting Position: Front Axle
For OE number: 3370100128
Height [mm]: 59,6
Length [mm]: 51,8
Thickness [mm]: 17
Vibration: with vibration damper
Wear Warning Contact: With acoustic wear warning

50-00-0163

Brake Pad Set, disc brake

DR DR 4.0
DR DR 5.0 SUV
DR DR 7.0 SUV
DR DR F35 SUV



OE

1014028179
3370100084
35020200C02B01
B123501080
SA3F3501170
T153501080

Fitting Position: Front Axle
Height [mm]: 63
Thickness [mm]: 17,5
Vibration: with vibration damper
Wear Warning Contact: Incl. wear warning contact
Width [mm]: 148

50-00-020

Brake Pad Set, disc brake

DR DR 5



OE

357698151A
720050006
853698151E
A213501070
T113501080

Brake Type: Disc Brake
Fitting Position: Front Axle
For OE number: 720050006
Height [mm]: 70
Inspection Tag: ECE R90 APPROVED
Length [mm]: 119
Thickness [mm]: 18
WVA Number: 20669

50-00-022

Brake Pad Set, disc brake

DR DR 3
DR DR 3.0
DR DR 4.0
DR DR 5
DR DR 5.0 SUV



OE


3370100005
3370100052
A116GN3501080
A133501080
A216GN3501080BA
FS10-3501010013

Brake Type: Disc Brake
Fitting Position: Front Axle
for brake disk diameter [mm]: 300
Height [mm]: 55
Length [mm]: 132
Thickness [mm]: 17

50-00-029

Brake Pad Set, disc brake

DR DR 1
x2 DR DR CITY CROSS



OE

S21-6GN3501080
S216GN3501080

Fitting Position: Front Axle
For OE number: S216GN3501080
Length 1 [mm]: 118
Length [mm]: 100
Width [mm]: 49

Brake system

50-00-030

Brake Pad Set, disc brake



DR DR 5

OE
720050006
T113501080

Brake System: TRW
Fitting Position: Front Axle
Height [mm]: 70
Length [mm]: 119
Thickness [mm]: 16

50-00-048

Brake Pad Set, disc brake



DR DR 4

OE
3370100041

Fitting Position: Front Axle
For OE number: 3370100041
Height [mm]: 53
Thickness [mm]: 15
Width [mm]: 124

50-00-049

Brake Pad Set, disc brake



DR DR 6

OE
3370100037
F16-3501080

Fitting Position: Front Axle
For OE number: 3370100037
Height [mm]: 58
Thickness [mm]: 17
Width [mm]: 160

50-02-205

Brake Pad Set, disc brake



DR DR PK8
EVO CROSS 4 Pick-up

OE
04465 35290
04465 60320
04465-35290
044650K030
044650K090
044650K360

Brake System: SUMITOMO
Fitting Position: Front Axle
For OE number: 0446535290
Height [mm]: 77,1
Inspection Tag: ECE R90 APPROVED
Length [mm]: 134,6
Thickness [mm]: 17
WVA Number: 24024

50-08-813

Brake Pad Set, disc brake



DR DR 1
DR DR 2

OE
3501500-01
350150001
50350150001
55810-75F00
55810-75F10
5581075F00

Brake System: ATE
Brake Type: Disc Brake
Fitting Position: Front Axle
For OE number: 5581075F00
Height [mm]: 49,8
Inspection Tag: ECE R90 APPROVED
Length [mm]: 106,4
Thickness [mm]: 14,8
WVA Number: 23662

Brake system

50-H0-010

Brake Pad Set, disc brake



DR DR 6.0 SUV

OE

3370100128
3501500FB01
3501500SA01
3501500SC01
3501510SA01
581011FA50

Brake System: MANDO
Fitting Position: Front Axle
For OE number: 581011FA50
Height [mm]: 59,9
Inspection Tag: ECE R90 APPROVED
Length [mm]: 131,5
Thickness [mm]: 17,3
WVA Number: 23891
WVA Number: 23892
WVA Number: 23893

50-W0-004

Brake Pad Set, disc brake



DR DR ZERO

OE

3370100030
96273708
96281945
96288629
96316582
96446175

Brake System: AKEBONO
Brake Type: Disc Brake
Fitting Position: Front Axle
For OE number: 96288629
Height [mm]: 48
Inspection Tag: ECE R90 APPROVED
Length [mm]: 126,8
Thickness [mm]: 15,9
WVA Number: 23241

51-00-0022

Brake Pad Set, disc brake



DR DR PK8

OE

3370200277

Fitting Position: Rear Axle left and right
For OE number: 3370200277
Height [mm]: 47,70
Length [mm]: 108,6
Thickness [mm]: 17
Wear Warning Contact: With acoustic wear warning

51-00-0023

Brake Pad Set, disc brake



DR DR 6.0 SUV

OE

3370200159
T1C3502080

Fitting Position: Rear Axle
For OE number: 3370200159
Height [mm]: 44,8
Length [mm]: 108,8
Thickness [mm]: 15
Wear Warning Contact: With acoustic wear warning

51-00-0025

Brake Pad Set, disc brake



DR DR 1.0 2 volumi /Coda spiovente
DR DR 3
DR DR 3.0
DR DR 4.0
DR DR 5.0 SUV

OE

011-1004-6532
1014030659
128425334
3370200117
3370200200
3370200303

Fitting Position: Rear Axle
For OE number: 3370200117
Height [mm]: 40,5
Length [mm]: 100,1
Thickness [mm]: 16,7
Vibration: with vibration damper
Wear Warning Contact: With acoustic wear warning

Brake system

51-00-0026

Brake Pad Set, disc brake



DR DR 3
DR DR 3.0

OE
3370200062
J-69-3502080

Fitting Position: Rear Axle
Height [mm]: 42,6
Length [mm]: 98,5
Thickness [mm]: 15,9
Vibration: with vibration damper
Wear Warning Contact: With acoustic wear warning

51-00-0029

Brake Pad Set, disc brake



DR DR PK8

OE
3370200174

Fitting Position: Rear Axle
For OE number: 3370200174
Height [mm]: 47,5
Length [mm]: 108,9
Thickness [mm]: 16,5
Vibration: with vibration damper
Wear Warning Contact: With acoustic wear warning

51-00-0030

Brake Pad Set, disc brake



DR DR 4.0
DR DR 5.0 SUV
DR DR 7.0 SUV
DR DR F35 SUV

OE
204002032AA
204003470AA
3370200123
3500700U3400F031
3504100U7300F031
3504100X1520F101

Fitting Position: Rear Axle
For OE number: 3370200123
Height [mm]: 49,7
Length [mm]: 108,4
Thickness [mm]: 16,5
Vibration: with vibration damper
Wear Warning Contact: With acoustic wear warning

51-00-013

Brake Pad Set, disc brake



DR DR 1
DR DR 5
DR DR 5.0 SUV
DR DR 6

OE
3370200004
720050017
A213502080BA
B213502080
J423502090
M113502090

Fitting Position: Rear Axle
For OE number: B213502080
Height [mm]: 38,4
Length [mm]: 100
Thickness [mm]: 16,4

51-00-024

Brake Pad Set, disc brake



DR DR 4

OE
3370200053

Fitting Position: Rear Axle
For OE number: 3370200053
Height [mm]: 44
Thickness [mm]: 14
Width [mm]: 99

Brake system

51-02-214

Brake Pad Set, disc brake

DR DR 5



OE

04466-12150
0446602260
0446602270
0446602310
0446612130
0446612140

Brake Type: Disc Brake
Fitting Position: Rear Axle
For OE number: 0446652140
Height [mm]: 42,5
Inspection Tag: ECE R90 APPROVED
Length [mm]: 98,2
Thickness [mm]: 14,8
WVA Number: 24610

51-02-237

Brake Pad Set, disc brake

DR DR 3
DR DR 3.0



OE

0446602190
0446602191
0446602210
0446647020
0446647030
0446647040

Brake System: AKEBONO
Fitting Position: Rear Axle
For OE number: 0446647020
Height [mm]: 42,5
Length [mm]: 98,6
Thickness [mm]: 15
WVA Number: 25016
WVA Number: 25017
WVA Number: 25018

51-02-256

Brake Pad Set, disc brake

DR DR 5



OE

0446642010
0446642020
0446642030
0446642040
0446642050
04466YZZD3

Brake Type: Disc Brake
Fitting Position: Rear Axle
For OE number: T113502080
Height [mm]: 54
Inspection Tag: ECE R90 APPROVED
Length [mm]: 78,5
Thickness [mm]: 13,6
WVA Number: 23656

56-00-001

Brake Drum

DR DR 1
DR DR 2



OE

720060022

Fitting Position: Rear Axle
Hub Bore [mm]: 64
Inner Br. Drum Diam. [mm]: 203
Inner Brake Drum Height [mm]: 43
Number of Bores: 4

56-00-001C

Brake Drum

DR DR 1
DR DR 2



OE

720060022

Centering Diameter [mm]: 64
Fitting Position: Rear Axle
Inner Br. Drum Diam. [mm]: 203
Inner Brake Drum Height [mm]: 43
Number of Bores: 4
Surface: Painted
Total Br. Drum Height [mm]: 61,5

Brake system

69-00-022

Holding Bracket, brake hose



DR DR 1
DR DR 2

OE

Fitting Position: Front
Fitting Position: Left and right
Length [mm]: 445

69-00-023

Holding Bracket, brake hose



DR DR 5

OE

Fitting Position: Front
Fitting Position: Left and right
Length [mm]: 665

Clutch

90-00-015

Releaser



DR DR 1
DR DR 2
DR DR 3
DR DR ZERO

OE

703010027

Additionally required articles (article numbers): DF-014
Additionally required articles (article numbers): SF-00003
Inner Diameter [mm]: 28
Outer Diameter [mm]: 57

90-00-016

Releaser



DR DR 4.0
DR DR 5.0 SUV
DR DR 6
DR DR F35 SUV

OE

3130100013

Additionally required articles (article numbers): DF-012
Additionally required articles (article numbers): SF-00002
For OE number: 3130100013
Hole Spacing [mm]: 95,7
Inner Diameter [mm]: 26,5
Outer Diameter [mm]: 65

90-00-017

Releaser



DR DR PK8

OE

3130100025
QBS0028

Additionally required articles (article numbers): DF-013
Additionally required articles (article numbers): SF-00001
Hole Spacing [mm]: 60
Hole Spacing [mm]: 65
Hole Spacing [mm]: 74
Inner Diameter [mm]: 29,4
Outer Diameter [mm]: 66

Clutch

90-05-502

Releaser



DR DR 5

OE

41421-11300
41421-21000
41421-21300
41421-21400
41421-26000
4142111300

Height [mm]: 29
Inner Diameter [mm]: 32,2
Length [mm]: 64,7
Outer Diameter [mm]: 65

90-08-802

Releaser



DR DR 1
DR DR 2

OE

04703047
09205336
09269M28004000
23265-65G00
2326562JEO
25186768

Height [mm]: 24,2
Inner Diameter [mm]: 28
Length [mm]: 60
Outer Diameter [mm]: 50,3

85-00-006

Slave Cylinder, clutch



DR DR 5

OE

703010016

Bore [mm]: 22
Inner Thread [mm]: 9
Mounting Bores Distance [mm]: 34
Number of Thread Bores: 1

80-00-006

Clutch Disc



DR DR 5

OE

703010019

Centering Diameter [mm]: 23
Diameter [mm]: 225
For OE number: 703010019
Hub Profile: 20
Inner Diameter [mm]: 151
Number of Teeth: 20

80-00-008

Clutch Disc



DR DR 1
DR DR 2

OE

703010051

Centering Diameter [mm]: 22
Diameter [mm]: 200
Hub Profile: 26
Inner Diameter [mm]: 135
Number of Teeth: 20

Clutch

80-00-012

Clutch Disc



DR DR 6

OE
3130100011

Additionally required articles (article numbers): CF-016
Additionally required articles (article numbers): SF-00002
Centering Diameter [mm]: 22
Diameter [mm]: 228
For OE number: 3130100011
Inner Diameter [mm]: 130
Number of Teeth: 20

80-00-013

Clutch Disc



DR DR PK8

OE
3130100029

Additionally required articles (article numbers): CF-017
Additionally required articles (article numbers): SF-00001
Centering Diameter [mm]: 25
Diameter [mm]: 250
For OE number: 3130100029
Number of Teeth: 23

80-00-014

Clutch Disc




DR DR 3
DR DR 3.0

OE
3130100014

Additionally required articles (article numbers): CF-015
Additionally required articles (article numbers): SF-00003
Centering Diameter [mm]: 20
Diameter [mm]: 211
For OE number: 3130100014
Number of Teeth: 20

80-00-015

Clutch Disc



DR DR 5.0 SUV
DR DR 6.0 SUV
DR DR F35 SUV

OE
3130100021

Additionally required articles (article numbers): CF-016
Additionally required articles (article numbers): SF-00004
Centering Diameter [mm]: 23
Diameter [mm]: 232
For OE number: 3130100021
Number of Teeth: 20

95-00-006

Master Cylinder, clutch



DR DR 5

OE
703020008
T11-1602020

Bore [mm]: 22
Inner Thread [mm]: 9
Mounting Bores Distance [mm]: 73
Number of Thread Bores: 1

Clutch

95-00-013

Master Cylinder, clutch

DR DR 5



OE

Thread Size: M12

95-00-015

Master Cylinder, clutch

DR DR 3



OE

Thread Size: M12

92-00-020

Clutch Kit

DR DR 5



OE

4142111300
4142121000
4142121300
4142121400
4142126000
4142136000

Centering Diameter [mm]: 23
Diameter [mm]: 225
Fitted Diameter [mm]: 274
Inner Diameter [mm]: 144
Number of Teeth: 20

92-00-021

Clutch Kit

DR DR 1
DR DR 2



OE


0926928006
2326578B00
2326578B000000
25186768
305024A00A
703010027

Centering Diameter [mm]: 22
Diameter [mm]: 195
Fitted Diameter [mm]: 238
Inner Diameter [mm]: 132
Number of Teeth: 20

92-00-025

Clutch Kit

DR DR 1
DR DR ZERO



OE

S11.1601020.DA

Centering Diameter [mm]: 19
Diameter [mm]: 180
Fitted Diameter [mm]: 215
Inner Diameter [mm]: 108
Number of Teeth: 18

Clutch

92-00-044

Clutch Kit

DR DR 5



OE

Centering Diameter [mm]: 23
Diameter [mm]: 225
Number of Teeth: 20

92-00-045

Clutch Kit

DR DR 4
EVO EVO 3
EVO EVO 4



OE
3130100009

Centering Diameter [mm]: 22
Diameter [mm]: 215
For OE number: 3130100009
Number of Teeth: 20

92-00-1205

Clutch Kit

DR DR 4.0
DR DR 5.0 SUV
DR DR F35 SUV



OE
120-0025907
1200025907
250.0.1923.40
2500192340
30 20 526 71R
30 50 151 52R

Centering Diameter [mm]: 19
Diameter [mm]: 270
For OE number: 3140300083
Mounting Type: Pre-assembled
Number of Teeth: 17
Specification: VERSIONE CAMBIO AUTO

92-FI-FI04

Clutch Kit

DR DR 5



OE
46539189
46754542
46792952
46819103
55236496
55240771

Centering Diameter [mm]: 23
Diameter [mm]: 225
Fitted Diameter [mm]: 272
Inner Diameter [mm]: 140
Number of Teeth: 20
Supplementary Article/Supplementary Info 2:
With releaser

70-00-012

Clutch Pressure Plate

DR DR 5



OE
T11-1601020BA

Diameter [mm]: 226
Fitted Diameter [mm]: 274
Inner Diameter [mm]: 144

Clutch

70-00-013

Clutch Pressure Plate



DR DR 1
DR DR 2

OE
703010018

Diameter [mm]: 197
Fitted Diameter [mm]: 238
Inner Diameter [mm]: 132

Cooling System

33-0C-C31

Radiator Cap



DR DR 5

OE
01326027
04709376
0K2C615205
0K2C615205A
1326027
1350A920

Diameter [mm]: 45,3
Height [mm]: 26
Pressure [bar]: 1,1

35-00-010

Water Pump



DR DR 1
DR DR 2
DR DR CITY CROSS

OE
711020031

Diameter [mm]: 70
Number of Teeth: 28
Overall Height [mm]: 85,5

35-00-012

Water Pump



DR DR 5

OE
484FC-1307013
711020028

Belt Pulley [mm]: 80
Number of Teeth: 28
Overall Height [mm]: 86
Specification: Altezza pale girante

35-00-029

Water Pump



DR DR 5

OE
481H-1307010BA

Belt Pulley [mm]: 70
Specification: Altezza pale girante

Cooling System

35-00-030

Water Pump



DR DR ZERO

OE

Belt Pulley [mm]: 95
Height [mm]: 74

35-00-031

Water Pump



DR DR 4

OE

Belt Pulley [mm]: 64
Height [mm]: 86
Number of Bores: 4

35-00-032

Water Pump



DR DR 5
DR DR 6

OE
3101200041

Belt Pulley [mm]: 134
Height [mm]: 100

35-00-034

Water Pump



DR DR 3
DR DR 3.0
DR DR 4.0
DR DR 5.0 SUV
DR DR F35 SUV
EVO EVO 5

OE
3101200013

Belt Pulley [mm]: 59,1
Height [mm]: 83

35-06-618

Water Pump



DR DR 1

OE
16100-97205
16100-97205-000
1610097205
1610097227
1610097245

Mounting Bores Distance [mm]: 28
Number of mounting bores: 4
Overall Height [mm]: 100

Cooling System

35-08-818

Water Pump



DR DR 5

OE

17400-79J50-000
1740079J50
1740079J51000
46432248
46515970
46515972

Diameter [mm]: 48
Overall Height [mm]: 65

38-00-015

Thermostat, coolant



DR DR 1
DR DR 2
DR DR 5
DR DR CITY CROSS

OE


711020019

Opening Temperature [°C]: 87

Electrics

78-00-007

Coil, ignition



DR DR 5

OE

19005270
24101131
28063058

Number of Poles: 3

78-00-008

Coil, ignition



DR DR 1
DR DR 2
DR DR 5
DR DR 6

OE

A11-3705110EA
A113705110EA

Number of Poles: 4

78-00-011

Coil, ignition



DR DR 1

OE

Number of Poles: 4

Electrics

78-00-012

Coil, ignition



DR DR 5

OE

E4G13-3705110
E4G133705110

Number of Poles: 2
Overall Length [mm]: 145

HA-040

Wiper Blade



EVO EVO 3
EVO EVO 4
EVO EVO 7

OE

Length [mm]: 400

HA-045

Wiper Blade



DR DR 6

OE

1272337
1272346
4708240200
6000613513
61 61 0 040 534
61610040534

Length [mm]: 450

HA-060

Wiper Blade



DR DR 6
EVO EVO 3
EVO EVO 4

OE

Length [mm]: 600

HA-065

Wiper Blade



EVO EVO 7

OE

Length [mm]: 650

Electrics

132-00-001

Ignition Cable Kit



DR DR 1
DR DR 2

OE

Length 1 [mm]: 730
Length 2 [mm]: 800
Length 3 [mm]: 850
Length 4 [mm]: 1050
Number of circuits: 4

132-00-002

Ignition Cable Kit



DR DR 5
DR DR 6

OE

Length 1 [mm]: 450
Length 2 [mm]: 330
Length 3 [mm]: 240
Length 4 [mm]: 190

132-00-003

Ignition Cable Kit



DR DR 5

OE
4G64S4M

Length 1 [mm]: 450
Length 2 [mm]: 510
Length 3 [mm]: 550
Length 4 [mm]: 670

003-130212

Starter



DR DR 5

OE
731020005

Mounting Bores Distance [mm]: 105
Number of Teeth: 9
Rated Power [kW]: 1,4
Voltage [V]: 12

05-00-001

Fuel Pump



DR DR 5
DR DR 6

OE
702060049

Operating Mode: Electric

Electrics

05-00-002

Fuel Pump



DR DR 5
DR DR 6

OE
702060069

Operating Mode: Electric

SA-F38

Wiper Blade



DR DR 1.0 2 volumi /Coda spiovente

OE
1556082
1882419
8X1955426A
8X1998002A

Length [in]: 15
Length [mm]: 380
Technical Information Number: Flat

SA-F40

Wiper Blade



EVO EVO 3
EVO EVO 4
EVO EVO 7

OE
1611348480
1613157180
1613158080
1613158380
1613159180
1618843180

Length [in]: 16
Length [mm]: 400
Technical Information Number: Flat

SA-F45

Wiper Blade



DR DR 6

OE
16 113 485 80
1610112480
1611348580
1611631080
1T1998002A
288901962R

Length [in]: 18
Length [mm]: 450
Technical Information Number: Flat

SA-F60

Wiper Blade



DR DR 6
EVO EVO 3
EVO EVO 4

OE
2048201845
2048202200
2128201700
2128201800
2128201900
9829426780

Length [in]: 24
Length [mm]: 600
Technical Information Number: Flat

Electrics

SA-F60-40

Wiper Blade



EVO EVO 3
EVO EVO 4

OE

1609068880
1609069080
1613157180
1613158380
1642332780
288819784R

Fitting Position: Front

Length 1 [mm]: 600
Length 2 [mm]: 400
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F60-45

Wiper Blade



DR DR 6

OE

288901962R
288903994R
288905565R
288905769R
288906926R
288907739R

Fitting Position: Front

Length 1 [mm]: 600
Length 2 [mm]: 450
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-F65

Wiper Blade



EVO EVO 7

OE

1363354
1537077
1537078
1556082
16 113 480 80
16 131 565 80

Length [mm]: 650

Technical Information Number: Flat

SA-F65-40

Wiper Blade



EVO EVO 7

OE

1272102
1608392780
1608392980
1613158080
1613158180
1613159180

Fitting Position: Front

Length 1 [mm]: 650
Length 2 [mm]: 400
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SA-X38C

Wiper Blade



DR DR 1.0 2 volumi /Coda spiovente

OE

Length [mm]: 380

Electrics

SA-X40C

Wiper Blade



EVO EVO 3
EVO EVO 4
EVO EVO 7

OE

Length [mm]: 400

SA-X45C

Wiper Blade



DR DR 6

OE

Length [mm]: 450

8522205090
GB93673309A
GB93673309S
MGB3967330A
N05367330
N05467330

SA-X53C

Wiper Blade



DR DR 1.0 2 volumi /Coda spiovente

OE

Length [mm]: 530

SA-X60C

Wiper Blade



DR DR 6
EVO EVO 3
EVO EVO 4

OE

Length [mm]: 600

263709C004
263709C006
263709C008
288907C900
288909C000
288909C004

SA-X60S

Wiper Blade



DR DR 6
EVO EVO 3
EVO EVO 4

OE

Length [mm]: 600
Styling: with spoiler

Electrics

SA-X65C

Wiper Blade



EVO EVO 7

OE
8522095D05

Length [mm]: 650

SA-X65S

Wiper Blade



EVO EVO 7

OE

Length [mm]: 650
Styling: with spoiler

Engine

16DR004

Camshaft



DR DR 5
DR DR 6

OE
701060013

For OE number: 701060013
Paired article numbers: 16DR005
Paired article numbers: 6DR005
Paired article numbers: AA-DR005

16DR005

Camshaft



DR DR 5
DR DR 6

OE
701060014

For OE number: 701060014
Paired article numbers: 16DR004
Paired article numbers: 6DR004
Paired article numbers: AA-DR004

115-00-003

Bolt Kit, cylinder head



DR DR 1
DR DR 2
DR DR 3.0
DR DR 4.0
DR DR 5
DR DR 5.0 SUV

OE
701010054

Length [mm]: 158
Quantity: 10
Thread Size: M10X1.5

Engine

47-00-008

Gasket, rocker cover

DR DR 5



OE
701010008

For OE number: 701010008

DR003S

Cylinder Head

DR DR 5



OE
3100300002

Supplementary Article/Supplementary Info 2:
Without valve springs

Engine Timing Control

45-00-015

Tensioner, timing belt

DR DR 5



OE
473H-1007060
701070013

Diameter [mm]: 67
Height [mm]: 28

45-00-017

Tensioner, timing belt

DR DR 1
DR DR 2
DR DR 5



OE
481H1007070BA
701070017

Diameter [mm]: 60
Height [mm]: 30

45-00-018

Tensioner, timing belt

DR DR 1
DR DR 2



OE
701060032

Diameter [mm]: 67
Height [mm]: 28

Engine Timing Control

45-00-021

Tensioner, timing belt



DR DR 5

OE
481H1007071
701070018

Height [mm]: 27
Inner Diameter [mm]: 28,5

45-08-810

Tensioner, timing belt



DR DR 5

OE
00636685
05636475
0636685
12810-79J50-000
12810-79J51-000
12810-79J52-000

Diameter [mm]: 65
Height [mm]: 30
Inner Diameter [mm]: 8

45-08-811

Tensioner, timing belt



DR DR 5

OE
12781-79J50
12781-79J50-000
12781-79J51
1278179J51000
701050036

Diameter [mm]: 63
Height [mm]: 29

40-00-008

Timing Belt



DR DR 5

OE
081663
481H-1007073BA
7613823

Belts: With rounded tooth profile
Driven Units: Driven unit: camshaft
Number of Teeth: 173
Width [mm]: 25

40-00-010

Timing Belt



DR DR 1
DR DR 2
DR DR CITY CROSS


OE
701060033

Belts: With rounded tooth profile
Driven Units: Driven unit: camshaft
Number of Teeth: 167
Width [mm]: 25

Engine Timing Control

40-08-811

Timing Belt



DR DR 5

OE

12761-79J50-000
1276179J50
1276179J50LCP
55192896
5636463
636312

Belts: With rounded tooth profile
Number of Teeth: 190
Width [mm]: 24

112-4PK695

V-Ribbed Belts



DR DR 1

OE

MD189130
MD300587
MD310617

Length [mm]: 695
Number of Ribs: 4
Parameter: 4PK695

112-6PK1835

V-Ribbed Belts



DR DR 5

OE

04430217
11720-00QAK
11720-00QAZ
25183525
4430217
8200188959

Length [mm]: 1835
Number of Ribs: 6
Parameter: 6PK1835

KCT008

Timing Belt Kit



DR DR 5

OE

701070013
701070017
701070018

Number of Teeth 1: 173
Width 1 [mm]: 25

KCT009

Timing Belt Kit



DR DR 1
DR DR 2
DR DR CITY CROSS

OE

701060032
701060033
701070017

Number of Teeth 1: 167
Width 1 [mm]: 25

Engine Timing Control

KCT811

Timing Belt Kit



DR DR 5


OE

1276179J50
1276179J50000
1276179J50LCP
1278179J50000
1278179J51000
1281079J50

Number of Teeth 1: 190
Width 1 [mm]: 24

129-00-006

Deflection/Guide Pulley, v-ribbed belt



DR DR 5

OE

701070006

Diameter [mm]: 80
Height [mm]: 25
Inner Diameter [mm]: 10
Overall Height [mm]: 28

SKC008

Water Pump & Timing Belt Kit



DR DR 5

OE

701070013
701070017
701070018
711020028

Number of Teeth 1: 173
Width 1 [mm]: 25

SKC009

Water Pump & Timing Belt Kit



DR DR 1
DR DR 2

OE

701060032
701060033
701070017
711020031

Number of Teeth 1: 167
Width 1 [mm]: 25

128-00-001

Tensioner Lever, v-ribbed belt



DR DR 5

OE

701070036

Diameter [mm]: 65
Height [mm]: 29
Overall Height [mm]: 78

Engine Timing Control

128-00-003

Tensioner Lever, v-ribbed belt

DR DR 5



OE
701070022

Diameter [mm]: 70
Height [mm]: 25

Filter

20-00-022

Air Filter

DR DR 5



OE
702050030

Filter Type: Filter Insert
For OE number: 702050030
Height [mm]: 138
Inner Diameter [mm]: 82
Outer Diameter [mm]: 184

20-00-023

Air Filter

DR DR 5



OE
211109111
702050044
A21-1109111
A211109111

Filter Type: Filter Insert
For OE number: A211109111
Height [mm]: 45
Length [mm]: 246
Width [mm]: 222

20-00-025

Air Filter

DR DR 5




OE
46519049
46806576
6001073227
702050054
71772188

Filter Type: Filter Insert
For OE number: 46519049
Height [mm]: 59
Length [mm]: 230
Width [mm]: 190

20-00-026

Air Filter

DR DR 2




OE
702050057
S121109111
S211109111

Filter Type: Filter Insert
For OE number: S121109111
Height [mm]: 40
Length [mm]: 208
Width [mm]: 195

Filter

20-00-050

Air Filter



DR DR 3

OE

Filter Type: Filter Insert
Height [mm]: 45
Length [mm]: 257
Width [mm]: 165

20-00-051

Air Filter



DR DR 5

OE

3340100005
T11-1109111LA
T111109111LA

Filter Type: Filter Insert
For OE number: 3340100005
Height [mm]: 45
Length [mm]: 264
Width [mm]: 194

20-00-052

Air Filter



DR DR 6

OE

3340100014
T211109111AB

Filter Type: Filter Insert
For OE number: T21-1109111AB
Height [mm]: 40
Length [mm]: 320
Width [mm]: 182
Width [mm]: 190

20-00-053

Air Filter



DR DR 4
EVO EVO 4


OE

1108120U2210
1109120U2210
3340100015

Filter Type: Filter Insert
Height [mm]: 54
Length [mm]: 235
Width [mm]: 193

20-00-054

Air Filter



DR DR 5
EVO EVO 5

OE

3340100012

Filter Type: Filter Insert
Height [mm]: 44
Length [mm]: 260
Width [mm]: 192

Filter

20-00-055

Air Filter




DR DR 1
DR DR CITY CROSS

OE
3340100006
702050051
S18D1109111

Filter Type: Filter Insert
For OE number: S18D1109111
Height [mm]: 36
Length [mm]: 248
Width [mm]: 175

20-00-056

Air Filter




DR DR ZERO

OE
3340100008
S18B-1109111

Filter Type: Filter Insert
For OE number: 3340100008
Height [mm]: 46
Length [mm]: 230
Width [mm]: 146

20-00-063

Air Filter




DR DR PK8
EVO CROSS 4 Pick-up

OE
3340100047

Filter Type: Filter Insert
For OE number: 3340100047
Height [mm]: 47
Length [mm]: 277
Width [mm]: 237

20-00-064

Air Filter



EVO EVO 3

OE
3340100041

Filter Type: Filter Insert
For OE number: 3340100041

20-02-249

Air Filter



DR DR 1


OE
17801-02030
17801-15070
K J01-13Z40
KJ0113Z40
S181109111

Filter Type: Filter Insert
For OE number: KJ0113Z40
Height [mm]: 42
Length [mm]: 269
Width [mm]: 172

Filter

20-09-918

Air Filter



DR DR 3

OE
04891691AA
3340100016
K04891691AA

Filter Type: Filter Insert
For OE number: K04891691AA
Height [mm]: 42
Length [mm]: 256
Width [mm]: 162

21-DR-DR0

Filter, interior air




DR DR 5

OE
735050006
T11-8107910
T118107910

Filter Type: Pollen Filter
For OE number: 735050006
Height 1 [mm]: 21
Height [mm]: 45
Length [mm]: 200
Width 1 [mm]: 225
Width [mm]: 256

21-DR-DR01

Filter, interior air




DR DR 6

OE
301000849AA
301001161AA
301001574AA
T15-8107011
T21-8107011

Filter Type: Pollen Filter
For OE number: T218107011
Height [mm]: 25
Length [mm]: 250
Quantity: 1
Width [mm]: 245

21-DR-DR02

Filter, interior air



DR DR 4
DR DR 5

OE
735050006
T118107910

Filter Type: Pollen Filter
Height [mm]: 45
Length [mm]: 256
Quantity: 1
Width [mm]: 200

21-DR-DR03

Filter, interior air



DR DR 1.0 2 volumi /Coda spiovente

OE
3310100122

Filter Type: Pollen Filter
For OE number: 3310100122
Height [mm]: 30
Length 1 [mm]: 296
Width [mm]: 63

Filter

21-DR-DR04

Filter, interior air



DR DR 3

OE

3310100030
A13-8107915

Filter Type: Pollen Filter
For OE number: 3310100030
Height [mm]: 11
Length [mm]: 184
Width [mm]: 125

21-DR-DR05

Filter, interior air



DR DR 4.0
DR DR 5.0 SUV
DR DR 6.0 SUV
DR DR 7.0 SUV
DR DR F35 SUV

OE

301001573AA
301001778AA
3310100025
BNF2H123AB1
FX11810712001AA
FX11810712002AA

Filter Type: Pollen Filter
For OE number: 3310100025
Height [mm]: 35
Length [mm]: 247
Width [mm]: 188

21-DR-DR07

Filter, interior air



DR DR 4.0
DR DR 5.0 SUV
DR DR 6.0 SUV
DR DR 7.0 SUV
DR DR F35 SUV

OE

3310100189
CY5000055

Filter Type: Activated Carbon Filter
For OE number: 3310100189
Length [mm]: 247
Thickness [mm]: 35
Width [mm]: 188

21-DR-DR08

Filter, interior air



DR DR PK8
EVO CROSS 4 Pick-up


OE

3310300084
8104102P306AA

Filter Type: Pollen Filter
Length [mm]: 213
Thickness [mm]: 30
Width [mm]: 198

21-DR-DR09

Filter, interior air



EVO EVO 4

OE


3310300022

Filter Type: Pollen Filter
For OE number: 3310300022
Length [mm]: 225
Thickness [mm]: 18
Width [mm]: 202

Filter

21-LR-LR7

Filter, interior air



DR DR PK8
EVO CROSS 4 Pick-up


OE

1780087820000
8713950060
871395007000
8713950100
87139YZZ10
87139YZZ100

Filter Type: Activated Carbon Filter
For OE number: T2H54544
Height [mm]: 30
Length [mm]: 195
Width [mm]: 215

21-NS-NS19

Filter, interior air



DR DR 5.0 SUV

OE

272771EA0A
2789100Q0B
3310100024
B72771EA0A

Filter Type: Pollen Filter
For OE number: 272771EA0A
Height [mm]: 20
Length [mm]: 217
Width [mm]: 199

20-0H-H22

Air Filter



DR DR 4.0
DR DR 5.0 SUV
DR DR 6.0 SUV
DR DR 7.0 SUV
DR DR F35 SUV

OE

28113-4H000
281134H000
3340100028
F01-1109111
F01-1109111YZ

Filter Type: Filter Insert
For OE number: 281134H000
Height [mm]: 48
Length [mm]: 261
Width [mm]: 186

FC-008JM

Fuel filter



DR DR 5

OE

0077362340
0813035
0813036
0813037
0813040
0813042

Filter Type: Filter Insert
For OE number: 71746975
Height [mm]: 100,5
Inner Diameter 1 [mm]: 11,3
Outer Diameter [mm]: 67,5

FC-013JM

Fuel filter



DR DR 6
DR DR ZERO

OE

09SQ9901000
09SQ99010009
110R000009
1684531
659749
67R010168

Filter Type: Filter Insert
For OE number: 1684531
Fuel Type: Liquefied Petroleum Gas (LPG)
Height [mm]: 57
Inner Diameter [mm]: 17
Outer Diameter [mm]: 42

Filter

30-00-018

Fuel filter



DR DR 5
DR DR 5.0 SUV
DR DR F35 SUV
DR DR ZERO

OE
3320200023
702060046
T111117110

Filter Type: In-Line Filter
For OE number: 3320200023
Height [mm]: 143
Inlet [mm]: 8
Outer Diameter [mm]: 56
Outlet [mm]: 8

30-00-020

Fuel filter



DR DR 1
DR DR 2
DR DR 3
DR DR CITY CROSS

OE
0J1201511A
1J0 201 511 A
1J0201511A
3D0201511
3D0201511A
702060143

Diameter 1/ Diameter 2 [mm]: IN / OUT:8
Filter Type: In-Line Filter
For OE number: 702060143
Length [mm]: 172
Outer Diameter [mm]: 77

30-00-026

Fuel filter



DR DR 4

OE
3320200026

Filter Type: In-Line Filter
For OE number: 3320200026
Height [mm]: 134
Inlet [mm]: 8
Outer Diameter [mm]: 66
Outlet [mm]: 8

30-00-027

Fuel filter



DR DR 5
DR DR 6

OE
702060046

Filter Type: In-Line Filter
For OE number: 702060046
Height [mm]: 141
Inlet [mm]: 8
Outer Diameter [mm]: 56
Outlet [mm]: 8

30-00-051

Fuel filter



DR DR PK8
EVO CROSS 4 Pick-up

OE
3320200103

Filter Type: Filter Insert
For OE number: 3320200103
Height [mm]: 246
Outer Diameter [mm]: 99,6

Filter

30-00-052

Fuel filter



DR DR PK8

OE
1105014P31F0
3320200111

Diameter 1 [mm]: 39,7
Diameter 2 [mm]: 41,9
Diameter [mm]: 79,4
Filter Type: Filter Insert
For OE number: 3320200111
Height [mm]: 116,8

30-ECO016

Fuel filter



DR DR 5

OE
0077362340
0813035
0813036
0813037
0813040
0813042

Filter Type: Filter Insert
For OE number: 71746975
Inner Diameter [mm]: 25
Length [mm]: 102
Outer Diameter [mm]: 67

10-00-015

Oil Filter



DR DR 5

OE
481H-1012010
481H1012010
710020003

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 86
For OE number: 710020003
Inner Thread [mm]: M 20 X 1,5
Length [mm]: 103
Outer Diameter [mm]: 90

10-00-019

Oil Filter



DR DR 1

OE
3721012010
F1AZ6731BD

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 64
For OE number: 3721012010
Inner Thread [mm]: 3/4 X 16
Length [mm]: 69
Outer Diameter [mm]: 68

FO-022JM

Oil Filter



DR DR 4
EVO EVO 3
EVO EVO 4

OE
0055230822
0650134
10149617-00
12285896-00
1535505
1699522

Bypass Valve Opening Pressure [bar]: 0,7
Filter Type: Screw-on Filter
For OE number: 71736161
Gasket inner diameter: 54
Gasket outer diameter: 62
Height [mm]: 85
Outer Diameter [mm]: 65
Supplementary Article/Supplementary Info 2:
With one anti-return valve
Thread Size: M 20 X 1,5

Filter

10-00-022

Oil Filter



DR DR 4
EVO EVO 3
EVO EVO 4

OE

0.009.4794.1
0.010.2687.0
0.010.3989.1
000 180 28 10
00308662667
0055230822

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 61
For OE number: 570418159905
Inner Thread [mm]: M 20X1,5
Length [mm]: 85
Outer Diameter [mm]: 65

10-00-036

Oil Filter



DR DR PK8
EVO CROSS 4 Pick-up

OE

1010320FB040
3101000056

Filter Type: Filter Insert
For OE number: 3101000056
Height [mm]: 130
Inner Diameter 2 [mm]: 610
Outer Diameter 2 [mm]: 72,7
Outer Diameter [mm]: 760
Thread Size: M20X1,5

10-01-122

Oil Filter



DR DR 5

OE

15 20 854 88R
15 20 895 99R
15208-00Q1D
15208-00Q1J
152080021R
152085488R

Bypass Valve Opening Pressure [bar]: 1,0
Filter Type: Screw-on Filter
Fitted Diameter [mm]: 71
For OE number: 152085488R
Inner Thread [mm]: M20 x 1,5
Length [mm]: 65
Outer Diameter [mm]: 76
Supplementary Article/Supplementary Info 2:
With one anti-return valve
Supplementary Article/Supplementary Info 2:
With seal

FO-279JM

Oil Filter



DR DR 1
DR DR 1.0 2 volumi /Coda spiovente
DR DR 2
DR DR 3
DR DR 4.0
DR DR 5.0 SUV

OE

00K05281090AB
0122-0645
0306483
03549957
04152-03002
04152-64010

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 71,4
For OE number: 90915YZZJ4
Inner Thread [mm]: 3/4 x 16
Length [mm]: 87,2
Outer Diameter [mm]: 76,5

10-02-279

Oil Filter



DR DR 1
DR DR 1.0 2 volumi /Coda spiovente
DR DR 2
DR DR 3
DR DR 4.0
DR DR 5.0 SUV

OE

00K05281090AB
0122-0645
0306483
03549957
04152-03002
04152-64010

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 71,4
For OE number: 90915YZZJ4
Inner Thread [mm]: 3/4 x 16
Length [mm]: 87,2
Outer Diameter [mm]: 76,5

Filter

10-ECO160

Oil Filter



DR DR 5
DR DR 6

OE
3101000013

Article number of recommended accessories:
OR DR 3101000030
Filter Type: Filter Insert
For OE number: 3101000013
Inner Diameter [mm]: 14
Length [mm]: 118
Outer Diameter 1 [mm]: 56
Outer Diameter [mm]: 56

10-GAS1S

Fuel filter



DR DR 6
DR DR ZERO

OE
09SQ9901000
09SQ99010009
110R000009
1684531
659749
67R010168

Filter Type: Filter Insert
For OE number: 1684531
Fuel Type: Liquefied Petroleum Gas (LPG)
Inner Diameter [mm]: 17
Length [mm]: 57
Outer Diameter [mm]: 42
Specification: Conf.vendita 10 pz.
Specification: Sales package 10 pz.
Specification: System: BRC new

10-GAS51S

Fuel filter



DR DR 7.0 SUV

OE
3610100235

Filter Type: Filter Insert
For OE number: 3610100235
Fuel Type: Liquefied Petroleum Gas (LPG)
Inner Diameter [mm]: 17
Length [mm]: 58
Outer Diameter 1 [mm]: 39
Outer Diameter [mm]: 42
Specification: Syst. BRC CONICO-CHI

10-GAS61S

Fuel filter



DR DR 3
DR DR 3.0
DR DR 4.0
DR DR 5.0 SUV
DR DR 6.0 SUV
DR DR F35 SUV

OE
3610100353

Filter Type: In-Line Filter
Fuel Type: Liquefied Petroleum Gas (LPG)
Fuel Type: Natural Gas
Inlet [mm]: 12
Outlet [mm]: 12

FO-W01JM

Oil Filter



DR DR ZERO

OE
047 08 878
047 11 189
091112084
091125559
092.22.335
093167825

Bypass Valve Opening Pressure [bar]: 1,0
Filter Type: Screw-on Filter
For OE number: 5281090AB
Length [mm]: 72,5
Outer Diameter [mm]: 66
Supplementary Article/Supplementary Info 2:
With one anti-return valve
Thread Size: 3/4-16 UNF

Filter

10-W0-001

Oil Filter



DR DR ZERO

OE

092.22.335
1012010-01
15208-4A00A
15208-4A00E
15601-87107
15601-87107-000

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 64
For OE number: 5281090AB
Inner Thread [mm]: 3/4 - 16 UNF
Length [mm]: 72,5
Outer Diameter [mm]: 68

Joints

62-00-036

Joint Kit, drive shaft



DR DR 5

OE

705020009

Braking / Drive Dynamics: For vehicles with ABS
External Teeth, wheel side: 26
Fitting Position: Wheel Side
Internal Teeth, wheel side: 25
Number of Teeth, ABS ring: 48
Overall Length [mm]: 161
Seal Diameter [mm]: 55
Thread Size: M22 X 1,5

62-00-037

Joint Kit, drive shaft



DR DR 5

OE

770010009

Braking / Drive Dynamics: For vehicles with ABS
External Teeth, wheel side: 26
Fitting Position: Wheel Side
Internal Teeth, wheel side: 30
Number of Teeth, ABS ring: 48
Overall Length [mm]: 161
Seal Diameter [mm]: 55
Thread Size: M22 X 1,5

62-00-038

Joint Kit, drive shaft



DR DR 4

OE

2200400U2212-F01

External Teeth, wheel side: 25
Fitting Position: Wheel Side
Internal Teeth, wheel side: 22
Number of Teeth, ABS ring: 48
Overall Length [mm]: 153
Seal Diameter [mm]: 52,5
Thread Size: M22

62-00-040

Joint Kit, drive shaft



DR DR 6

OE

External Teeth, wheel side: 28
Fitting Position: Wheel Side
Internal Teeth, wheel side: 31
Overall Length [mm]: 154,5
Seal Diameter [mm]: 58
Thread Size: M24

Mounting

Mounting

73-00-009

Ball Joint



DR DR 5
DR DR 6

OE
722010034
T11-2909060

Fitted Diameter [mm]: 15
Fitting Position: Lower Front Axle
Outer Thread [mm]: 14X1,5
Overall Height [mm]: 84

72-00-014L

Track Control Arm



DR DR 1
DR DR 2

OE
722010076

Fitting Position: Front Axle Left
Fitting Position: Lower
Paired article numbers: 72-00-014R
Paired article numbers: 72014R
Paired article numbers: BS-014R
Steering Type: Control Arm

72-00-014R

Track Control Arm



DR DR 1
DR DR 2

OE
722010077

Fitting Position: Front Axle Right
Fitting Position: Lower
Paired article numbers: 72-00-014L
Paired article numbers: 72014L
Paired article numbers: BS-014L
Steering Type: Control Arm

72-00-015L

Track Control Arm



DR DR 5

OE
722020021

Fitting Position: Lower
Fitting Position: Rear Axle Left
Paired article numbers: 72-00-015R
Paired article numbers: 72015R
Paired article numbers: BS-015R
Steering Type: Control Arm

72-00-015R

Track Control Arm



DR DR 5

OE
705030008

Fitting Position: Lower
Fitting Position: Rear Axle Right
Paired article numbers: 72-00-015L
Paired article numbers: 72015L
Paired article numbers: BS-015L
Steering Type: Control Arm

Mounting

72-00-017L

Track Control Arm



DR DR 5

OE
722010032

Fitting Position: Left Front
Fitting Position: Lower
Paired article numbers: 72-00-017R
Paired article numbers: 72017R
Paired article numbers: BS-017R
Steering Type: Control Arm

72-00-017R

Track Control Arm



DR DR 5

OE
722010031

Fitting Position: Lower
Fitting Position: Right Front
Paired article numbers: 72-00-017L
Paired article numbers: 72017L
Paired article numbers: BS-017L
Steering Type: Control Arm

72-00-030L

Track Control Arm



DR DR 4.0
DR DR 5.0 SUV
DR DR F35 SUV

OE
202000228AA
3360200048
3360200078

Cone Size [mm]: 15
Fitting Position: Front Axle Left
Outer Thread 1 [mm]: M 14X1,5 mm
Paired article numbers: 72-00-030R
Paired article numbers: 72030R
Paired article numbers: BS-030R
Steering Type: Control Arm

72-00-030R

Track Control Arm



DR DR 4.0
DR DR 5.0 SUV
DR DR F35 SUV

OE
202000229AA
3360200049
3360200079

Cone Size [mm]: 15
Fitting Position: Front Axle Right
Outer Thread 1 [mm]: M 14X1,5 mm
Paired article numbers: 72-00-030L
Paired article numbers: 72030L
Paired article numbers: BS-030L
Steering Type: Control Arm

71-08-803

Track Control Arm



DR DR ZERO

OE
42451-69D00
4245169D00000
4245169D01000
45200-69DV1
45200-78000
45200-78002

Fitted Diameter [mm]: 15
Fitting Position: Front Axle left and right
Inner Diameter [mm]: 10
Overall Height [mm]: 65
Overall Length [mm]: 319

Mounting

44-10005

Wheel Bearing Kit



DR DR 5

OE
720050008

Fitting Position: Front Axle
Inner Diameter [mm]: 42
Outer Diameter [mm]: 80
Width [mm]: 45

44-10006

Wheel Bearing Kit



DR DR 1
DR DR 2

OE
1085569
1112547
1201569
1513043
1582282
1822804

Braking / Drive Dynamics: For vehicles with ABS
Fitting Position: Front Axle
Inner Diameter [mm]: 39
Outer Diameter [mm]: 72
Width [mm]: 37

44-20006

Wheel Hub



DR DR 5

OE
722030016
T11-3301210BA

Fitting Position: Rear Axle
Mounting Bores Distance [mm]: 68
Number of mounting bores: 5
Outer Diameter [mm]: 84
Overall Height [mm]: 119

44-20007

Wheel Hub



DR DR 1
DR DR 2

OE
722020038

Fitting Position: Rear Axle
Inner Diameter [mm]: 28
Mounting Bores Distance [mm]: 70
Number of Bores: 4
Number of Teeth, ABS ring: 43
Outer Diameter [mm]: 78
Overall Height [mm]: 70

44-29045

Wheel Hub



DR DR 5

OE

Fitting Position: Front Axle
Inner Diameter [mm]: 27
Internal Teeth, wheel side: 26
Outer Diameter [mm]: 139
Rim Hole Number: 5

Mounting

44-29046

Wheel Hub



DR DR ZERO

OE

Fitting Position: Front Axle
 Mounting Bores Distance [mm]: 82
 Number of Bores: 4
 Outer Diameter 1 [mm]: 148
 Outer Diameter [mm]: 39
 Overall Height [mm]: 92

MA-DR001

Shock Absorber



DR DR 1
 DR DR 2

OE
 722010063

Fitting Position: Front Axle
 For OE number: 722010063
 Max. Length [mm]: 525
 Min. Length [mm]: 390
 Outer Diameter [mm]: 45
 Piston Rod Diameter [mm]: 20
 Shock Absorber Design: Suspension Strut
 Shock Absorber Mounting Type: Top pin
 Shock Absorber Type: Gas Pressure
 Thread Length [mm]: 30

MA-DR002

Shock Absorber



DR DR 1
 DR DR 2
 DR DR CITY CROSS

OE
 722020031

Fitted Diameter [mm]: 12
 Fitting Position: Rear Axle
 For OE number: 722020031
 Max. Length [mm]: 430
 Min. Length [mm]: 275
 Outer Diameter [mm]: 40
 Shock Absorber Design: Telescopic Shock Absorber
 Shock Absorber Mounting Type: Bottom eye
 Shock Absorber Mounting Type: Top eye
 Shock Absorber Type: Gas Pressure

MA-DR003

Shock Absorber



DR DR 5

OE
 722010023

Fitting Position: Rear Axle
 For OE number: 722010023
 Shock Absorber Design: Telescopic Shock Absorber
 Shock Absorber Mounting Type: Top pin
 Shock Absorber Type: Gas Pressure

MA-DR004

Shock Absorber



DR DR 5

OE
 722010028

Fitting Position: Front Axle Left
 For OE number: 722010028
 Paired article numbers: MA-DR005
 Paired article numbers: MJDR005
 Paired article numbers: MM-DR005
 Shock Absorber Design: Suspension Strut
 Shock Absorber Mounting Type: Top pin
 Shock Absorber Type: Gas Pressure

Mounting

MA-DR005

Shock Absorber



DR DR 5

OE
722010029

Fitting Position: Front Axle Right
For OE number: 722010029
Paired article numbers: MA-DR004
Paired article numbers: MJDR004
Paired article numbers: MM-DR004
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MA-DR006

Shock Absorber



DR DR ZERO

OE
3360100006
GB2023.10
J00-2905010

Fitting Position: Front Axle
Fitting Position: Left
Fitting Position: Right
Input Shaft Diameter [mm]: 18
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MA-DR007

Shock Absorber



DR DR ZERO

OE
3360400004

Fitting Position: Left
Fitting Position: Rear Axle
Fitting Position: Right
For OE number: 3360400004
Inner Diameter [mm]: 12
Max. Length [mm]: 460
Min. Length [mm]: 300
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top eye
Shock Absorber Type: Gas Pressure

MA-DR008

Shock Absorber



DR DR 4
EVO EVO 4

OE
202306
2905210U2212
3360100016

Fitting Position: Front Axle Right
Input Shaft Diameter [mm]: 15
Paired article numbers: MA-DR009
Paired article numbers: MJDR009
Paired article numbers: MM-DR009
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MA-DR009

Shock Absorber



DR DR 4

OE
3360100015

Fitting Position: Front Axle Left
For OE number: 3360100015
Input Shaft Diameter [mm]: 15
Paired article numbers: MA-DR008
Paired article numbers: MJDR008
Paired article numbers: MM-DR008
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

Mounting

MA-DR010

Shock Absorber



DR DR 4
DR DR 4.0

OE
3360400008

Fitting Position: Rear Axle left and right
For OE number: 3360400008
Input Shaft Diameter [mm]: 10
Max. Length [mm]: 725
Min. Length [mm]: 530
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MA-DR011

Shock Absorber



DR DR 3
DR DR 3.0

OE
3360400009

Fitting Position: Left
Fitting Position: Rear Axle
Fitting Position: Right
For OE number: 3360400009
Inner Diameter [mm]: 10
Input Shaft Diameter [mm]: 12
Max. Length [mm]: 830
Min. Length [mm]: 630
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MA-DR012

Shock Absorber



DR DR 6

OE
3360100013
T21-2905020

Fitting Position: Front Axle Right
Input Shaft Diameter [mm]: 15
Input Shaft Diameter [mm]: 22
Paired article numbers: MA-DR013
Paired article numbers: MJDR013
Paired article numbers: MM-DR013
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MA-DR013

Shock Absorber



DR DR 6

OE
3360100012
T21-2905010

Fitting Position: Front Axle Left
Input Shaft Diameter [mm]: 15
Input Shaft Diameter [mm]: 22
Paired article numbers: MA-DR012
Paired article numbers: MJDR012
Paired article numbers: MM-DR012
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MA-DR014

Shock Absorber



DR DR 3
DR DR 3.0

OE
3360100024

Fitting Position: Front Axle Right
For OE number: 3360100024
Input Shaft Diameter [mm]: 22
Paired article numbers: MA-DR015
Paired article numbers: MJDR015
Paired article numbers: MM-DR015
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

Mounting

MA-DR015

Shock Absorber



DR DR 3
DR DR 3.0

OE
3360100023

Fitting Position: Front Axle Left
For OE number: 3360100023
Input Shaft Diameter [mm]: 22
Paired article numbers: MA-DR014
Paired article numbers: MJDR014
Paired article numbers: MM-DR014
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MA-DR016

Shock Absorber



DR DR 6

OE
3360100011

Fitting Position: Left
Fitting Position: Rear Axle
Fitting Position: Right
For OE number: 3360100011
Inner Diameter [mm]: 16
Max. Length [mm]: 735
Min. Length [mm]: 490
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MA-DR017

Shock Absorber



DR DR 1.0 2 volumi /Coda spiovente

OE
3360400073

Fitting Position: Rear Axle Left
For OE number: 3360400073
Length 1 [mm]: 32,8
Length 2 [mm]: 51
Paired article numbers: MA-DR018
Paired article numbers: MJDR018
Paired article numbers: MM-DR018
Piston Rod Diameter [mm]: 17,8
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MA-DR018

Shock Absorber



DR DR 1.0 2 volumi /Coda spiovente

OE
3360400074

Fitting Position: Rear Axle Right
For OE number: 3360400074
Length 1 [mm]: 32,8
Length 2 [mm]: 51
Paired article numbers: MA-DR017
Paired article numbers: MJDR017
Paired article numbers: MM-DR017
Piston Rod Diameter [mm]: 17,8
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

Mounting

MA-DR019

Shock Absorber



DR DR 6.0 SUV
DR DR F35 SUV

OE
3360400054

Fitting Position: Rear Axle
For OE number: 3360400054
Length 1 [mm]: 350
Length 2 [mm]: 63,7
Piston Rod Diameter [mm]: 12,4
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MA-DR020

Shock Absorber



DR DR 4.0
DR DR 5.0 SUV

OE
202000265AA
3360400024
3360400083
J522915010

Fitting Position: Rear Axle
For OE number: 3360400024
Length 1 [mm]: 395
Length 2 [mm]: 685
Piston Rod Diameter [mm]: 12,5
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MA-DR021

Shock Absorber



DR DR 1.0 2 volumi /Coda spiovente

OE
3360100115

Fitting Position: Front Axle Left
For OE number: 3360100115
Length 1 [mm]: 345
Length 2 [mm]: 540
Paired article numbers: MA-DR029
Paired article numbers: MJDR029
Paired article numbers: MM-DR029
Piston Rod Diameter [mm]: 18
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MA-DR022

Shock Absorber



DR DR 4.0
DR DR 5.0 SUV
DR DR 6.0 SUV

OE
202000261AA
202000359AA
3360100048
3360100083

Fitting Position: Front Axle Left
For OE number: 3360100048
Input Shaft Diameter [mm]: 15
Paired article numbers: MA-DR023
Paired article numbers: MJDR023
Paired article numbers: MM-DR023
Piston Rod Diameter [mm]: 22
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

Mounting

MA-DR023

Shock Absorber



DR DR 4.0
DR DR 5
DR DR 5.0 SUV
DR DR 6.0 SUV

OE

202000262AA
202000360AA
202000958AA
3360100049
3360100084
3360100122

Fitting Position: Right Front
For OE number: 3360100049
Input Shaft Diameter [mm]: 15
Paired article numbers: MA-DR022
Paired article numbers: MJDR022
Paired article numbers: MM-DR022
Piston Rod Diameter [mm]: 22
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MA-DR024

Shock Absorber



DR DR 5.0 SUV
DR DR F35 SUV

OE

230326
3360100057
3360100058
3360100066
J68-2905010
T15-2905010

Fitting Position: Left Front
For OE number: 3360100058
Input Shaft Diameter [mm]: 15
Paired article numbers: MA-DR025
Paired article numbers: MJDR025
Paired article numbers: MM-DR025
Piston Rod Diameter [mm]: 22
Shock Absorber Design: Suspension Strut Insert
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MA-DR025

Shock Absorber



DR DR 5.0 SUV
DR DR F35 SUV

OE

202000039AA
3360100058
3360100067
J68-2905020

Fitting Position: Right Front
For OE number: 3360100067
Input Shaft Diameter [mm]: 15
Paired article numbers: MA-DR024
Paired article numbers: MJDR024
Paired article numbers: MM-DR024
Piston Rod Diameter [mm]: 22
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MA-DR026

Shock Absorber



DR DR PK8

OE

3360400056

Fitting Position: Rear Axle
For OE number: 3360400056
Length 1 [mm]: 615
Length 2 [mm]: 390
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top clamp
Shock Absorber Type: Gas Pressure

Mounting

MA-DR029

Shock Absorber



DR DR 1.0 2 volumi /Coda spiovente

OE
3360100116

Fitting Position: Right Front
For OE number: 3360100116
Length 1 [mm]: 345
Length 2 [mm]: 540
Paired article numbers: MA-DR021
Paired article numbers: MJDR021
Paired article numbers: MM-DR021
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

GOM-C07

Control Arm-/Trailing Arm Bush



DR DR ZERO

OE
09319-10030
0931910030
0931910030000
09319M10030
45261 77A10
4526177A00

Fitting Position: Front Axle left and right
Fitting Position: inner
Inner Diameter [mm]: 10
Length [mm]: 52,5
Outer Diameter [mm]: 28,5

106-00-014

Rod/Strut, stabiliser



DR DR 1
DR DR 2

OE
722010075

Bar/Strut: Coupling Rod
Fitting Position: Front Axle
Fitting Position: Left and right
Length [mm]: 60
Specification: Lung perno-perno

106-00-015L

Rod/Strut, stabiliser



DR DR 4

OE

Bar/Strut: Coupling Rod
Fitting Position: Front Axle Left
Specification: Lung perno-perno

106-00-015R

Rod/Strut, stabiliser



DR DR 4

OE

Bar/Strut: Coupling Rod
Fitting Position: Front Axle Right
Specification: Lung perno-perno

Mounting

106-00-016L

Rod/Strut, stabiliser

DR DR 5



OE

Bar/Strut: Coupling Rod
Fitting Position: Left
Fitting Position: Rear Axle
Length [mm]: 102
Specification: Lung perno-perno

106-00-016R

Rod/Strut, stabiliser

DR DR 5



OE

Bar/Strut: Coupling Rod
Fitting Position: Rear Axle
Fitting Position: Right
Length [mm]: 102

106-00-017

Rod/Strut, stabiliser

DR DR 3
DR DR 5
DR DR 6



OE

Bar/Strut: Coupling Rod
Fitting Position: Front Axle Left
Fitting Position: Front Axle Right
Specification: Lung perno-perno

106-02-220

Rod/Strut, stabiliser

DR DR 5



OE

48820-42020
4882002020
4882032010
4882042020
722010037
T11-2906030

Bar/Strut: Coupling Rod
Fitting Position: Front Axle
Outer Thread [mm]: 10 X 1,25
Overall Height [mm]: 50
Overall Length [mm]: 314
Specification: Lung perno-perno

SMA0061

Strut Mount

DR DR 5



OE

48609-42010
48609-42011
48609-42012
4860942010
4860942011
4860942012

Fitting Position: Front Axle

Mounting

111-00-007L

Tie Rod End



DR DR 5

OE
721010025

Fitted Diameter [mm]: 13
Fitting Position: Front Axle Left
Inner Thread [mm]: M 14X1,5
Outer Thread [mm]: M 12X1,5
Overall Height [mm]: 76

111-00-007R

Tie Rod End



DR DR 5

OE
721010026

Fitted Diameter [mm]: 13
Fitting Position: Front Axle Right
Inner Thread [mm]: M 14X1,5
Outer Thread [mm]: M 12X1,5
Overall Height [mm]: 76

111-03-325

Tie Rod End



DR DR ZERO

OE
8AB1-32-280
8AB132280
B09232280
KB092-32-280
KB09232280
KKY01-32-280

Fitted Diameter [mm]: 13
Fitting Position: Front Axle
Inner Thread [mm]: 12 x 1,25
Outer Thread 1 [mm]: 12 x 1,25
Overall Height [mm]: 71
Overall Length [mm]: 92
Thread Length [mm]: 40