

JapKo®



www.japko.it

CATALOGUE

CHERY
SPARE PARTS

CATALOGO

CHERY
RICAMBI

Brake system

60019C

Brake Disc



CHERY TIGGO
CHERY TIGGO 3
CHERY TIGGO 5 Fuoristrada chiuso
CHERY TIGGO FL

OE
T11-3501075
T113501075

Brake Disc Thickness [mm]: 25
Brake Disc Type: Vented
Fitting Position: Front Axle
For OE number: T113501075
Height [mm]: 50
Minimum Thickness [mm]: 23
Number of Bores: 5
Outer Diameter [mm]: 265
Pitch Circle [mm]: 62
Surface: Painted

60027C

Brake Disc



CHERY TIGGO
CHERY TIGGO 3
CHERY TIGGO DR
CHERY TIGGO FL

OE
3370100007
T11-3501075BA

Brake Disc Thickness [mm]: 25
Brake Disc Type: Vented
Fitting Position: Front Axle
For OE number: 3370100007
Height [mm]: 49,5
Inspection Tag: ECE R90 APPROVED
Minimum Thickness [mm]: 23
Number of Bores: 5
Outer Diameter [mm]: 300
Pitch Circle [mm]: 62
Surface: Painted

60040C

Brake Disc



CHERY A1
CHERY QIYUN 1
CHERY QQ6

OE
S21-3501075
S213501075

Brake Disc Thickness [mm]: 17
Brake Disc Type: Vented
Fitting Position: Front Axle
For OE number: S213501075
Height [mm]: 44,3
Minimum Thickness [mm]: 15
Number of Bores: 4
Outer Diameter [mm]: 257
Pitch Circle [mm]: 60
Surface: Painted

60041C

Brake Disc



CHERY A3 2 volumi /Coda spiovente
CHERY A3 Tre volumi
CHERY CHANCE M11

OE
11-3501075
A11-3501075
M11-3501075
M113501075

Brake Disc Thickness [mm]: 25
Brake Disc Type: Vented
Fitting Position: Front Axle
For OE number: M113501075
Height [mm]: 45
Minimum Thickness [mm]: 23
Number of Bores: 5
Outer Diameter [mm]: 283
Pitch Circle [mm]: 65
Surface: Painted

Brake system

60042C

Brake Disc



CHERY A5
CHERY EASTAR
CHERY EASTAR CROSS


OE

A11-3501075
A113501075
B11-3501075

Brake Disc Thickness [mm]: 22
Brake Disc Type: Vented
Fitting Position: Front Axle
For OE number: A113501075
Height [mm]: 46,4
Minimum Thickness [mm]: 20
Number of Bores: 4
Outer Diameter [mm]: 258
Pitch Circle [mm]: 60
Surface: Painted

60043C

Brake Disc



CHERY E5
CHERY FORA/ALIA

OE

A18-3501075
A21-3501075
A213501075

Brake Disc Thickness [mm]: 22
Brake Disc Type: Vented
Fitting Position: Front Axle
For OE number: A213501075
Height [mm]: 42
Minimum Thickness [mm]: 20
Number of Bores: 4
Outer Diameter [mm]: 258
Pitch Circle [mm]: 65
Surface: Painted

60044C

Brake Disc



CHERY COWIN
CHERY QIYUN 2

OE

357615301
A113501075
A116GN3501075
L357615301

Brake Disc Thickness [mm]: 13
Brake Disc Type: Solid
Fitting Position: Front Axle
For OE number: 357615301
Height [mm]: 39
Minimum Thickness [mm]: 11
Number of Bores: 4
Outer Diameter [mm]: 255,7
Pitch Circle [mm]: 65
Surface: Painted

60046C

Brake Disc



CHERY FENGYUN 2 2 volumi /Coda spiovente
CHERY FENGYUN 2 Tre volumi

OE


A133501075

Brake Disc Thickness [mm]: 22
Brake Disc Type: Vented
Fitting Position: Front Axle
For OE number: A133501075
Height [mm]: 42,5
Inspection Tag: ECE R90 APPROVED
Minimum Thickness [mm]: 21,5
Number of Bores: 4
Outer Diameter [mm]: 256
Pitch Circle [mm]: 65
Surface: Painted

Brake system

60079C

Brake Disc




CHERY QQ3

OE
337010027

Brake Disc Thickness [mm]: 12
Brake Disc Type: Solid
Fitting Position: Front Axle
For OE number: 337010027
Height [mm]: 36
Minimum Thickness [mm]: 9,5
Number of Bores: 4
Outer Diameter [mm]: 236
Pitch Circle [mm]: 86
Surface: Painted

61012C

Brake Disc



CHERY A3 2 volumi /Coda spiovente
CHERY A3 Tre volumi

OE
11-3502075
A11-3502075
M11-3502075
M113502075

Brake Disc Thickness [mm]: 10
Brake Disc Type: Solid
Fitting Position: Rear Axle
For OE number: M113502075
Height [mm]: 47
Minimum Thickness [mm]: 8
Number of Bores: 5
Outer Diameter [mm]: 285
Pitch Circle [mm]: 65
Surface: Painted

61013C

Brake Disc



CHERY A5

OE
A21-3502075
A213502075

Brake Disc Thickness [mm]: 10
Brake Disc Type: Solid
Fitting Position: Rear Axle
For OE number: A213502075
Height [mm]: 59
Minimum Thickness [mm]: 8
Number of Bores: 4
Outer Diameter [mm]: 288
Pitch Circle [mm]: 65
Surface: Painted

61014C

Brake Disc



CHERY E5

OE
A213502075BA

Brake Disc Thickness [mm]: 10
Brake Disc Type: Solid
Fitting Position: Rear Axle
For OE number: A213502075BA
Height [mm]: 60,1
Inspection Tag: ECE R90 APPROVED
Minimum Thickness [mm]: 8
Number of Bores: 4
Outer Diameter [mm]: 288
Pitch Circle [mm]: 65
Surface: Painted

55007

Brake Shoe Set



CHERY A1
CHERY QIYUN 1
CHERY QQ6

OE
4800A089
720060023
MR449086
MR449087
MR449088
MR485499

Diameter [mm]: 200
Fitting Position: Rear Axle
Supplementary Article/Supplementary Info:
Without lever
Width [mm]: 32

Brake system

55231

Brake Shoe Set



CHERY QIYUN 3

OE

0449505040
4654020080
4654032020
A213502210

Diameter [mm]: 170
Fitting Position: Rear
Width [mm]: 32

50022

Brake Pad Set, disc brake



CHERY A3 2 volumi /Coda spiovente
CHERY A3 Tre volumi
CHERY OMODA 5
CHERY TIGGO

OE

3370100005
3370100052
A116GN3501080
A133501080
A216GN3501080BA
FS10-3501010013

Brake Type: Disc Brake
Fitting Position: Front Axle
for brake disk diameter [mm]: 300
Height [mm]: 55
Length [mm]: 132
Thickness [mm]: 17

50028

Brake Pad Set, disc brake



CHERY A5
CHERY FORA/ALIA


OE

A21-6GN3501080B
A216GN3501080B

Fitting Position: Front Axle
For OE number: A216GN3501080B
Height [mm]: 55,2
Length [mm]: 130
Thickness [mm]: 14

50029

Brake Pad Set, disc brake



CHERY A1
CHERY JAGGI
CHERY QIYUN 1
CHERY QQ6

OE

S21-6GN3501080
S216GN3501080

Fitting Position: Front Axle
For OE number: S216GN3501080
Length 1 [mm]: 118
Length [mm]: 100
Width [mm]: 49

510025

Brake Pad Set, disc brake



CHERY ARRIZO 5
CHERY ARRIZO 7
CHERY TIGGO 5 Fuoristrada chiuso
CHERY TIGGO 7 Fuoristrada chiuso
CHERY X1 2 volumi /Coda spiovente

OE

011-1004-6532
1014030659
128425334
3370200117
3370200200
3370200303

Fitting Position: Rear Axle
For OE number: 3370200117
Height [mm]: 40,5
Length [mm]: 100,1
Thickness [mm]: 16,7
Vibration: with vibration damper
Wear Warning Contact: With acoustic wear warning

510030

Brake Pad Set, disc brake



CHERY TIGGO 5x
CHERY TIGGO 8 PLUS

OE

204002032AA
204003470AA
3370200123
3500700U3400F031
3504100U7300F031
3504100X1520F101

Fitting Position: Rear Axle
For OE number: 3370200123
Height [mm]: 49,7
Length [mm]: 108,4
Thickness [mm]: 16,5
Vibration: with vibration damper
Wear Warning Contact: With acoustic wear warning

Brake system

51013

Brake Pad Set, disc brake



CHERY E5
CHERY QIYUN 3
CHERY TIGGO
CHERY TIGGO 3

OE

3370200004
720050017
A213502080BA
B213502080
J423502090
M113502090

Fitting Position: Rear Axle
For OE number: B213502080
Height [mm]: 38,4
Length [mm]: 100
Thickness [mm]: 16,4

56009C

Brake Drum



CHERY A1
CHERY QIYUN 1
CHERY QQ6

OE

S213502030

Centering Diameter [mm]: 63,5
Fitting Position: Rear Axle
Inner Br. Drum Diam. [mm]: 203
Inner Brake Drum Height [mm]: 42
Number of Bores: 4
Surface: Painted
Total Br. Drum Height [mm]: 61

56010C

Brake Drum



CHERY FENGYUN 2 2 volumi /Coda spiovente
CHERY FENGYUN 2 Tre volumi
CHERY QQ3

OE

A133502030
S113502030
S113502030AB

Centering Diameter [mm]: 65
Fitting Position: Rear Axle
Inner Br. Drum Diam. [mm]: 200
Inner Brake Drum Height [mm]: 52
Number of Bores: 4
Surface: Painted
Total Br. Drum Height [mm]: 60

Clutch

90502

Releaser



CHERY EASTAR
CHERY EASTAR A6
CHERY EASTAR CROSS

OE

41421-11300
41421-21000
41421-21300
41421-21400
41421-26000
4142111300

Height [mm]: 29
Inner Diameter [mm]: 32,2
Length [mm]: 64,7
Outer Diameter [mm]: 65

80502

Clutch Disc



CHERY EASTAR
CHERY EASTAR A6
CHERY EASTAR CROSS

OE

07411-3400
41100-22010
41100-M2020Z
4110034020
MD703150
MD703151

Centering Diameter [mm]: 22
Diameter [mm]: 215
Hub Profile: 27
Inner Diameter [mm]: 140
Number of Teeth: 20

Clutch

80516

Clutch Disc



CHERY EASTAR
CHERY EASTAR A6
CHERY EASTAR CROSS

OE

MD716747
MD718955
MD721401
MD724829
MD724849
MD728699

Centering Diameter [mm]: 22
Diameter [mm]: 215
Hub Profile: 20
Inner Diameter [mm]: 140
Number of Teeth: 20

92020

Clutch Kit



CHERY TIGGO
CHERY TIGGO 3

OE

4142111300
4142121000
4142121300
4142121400
4142126000
4142136000

Centering Diameter [mm]: 23
Diameter [mm]: 225
Fitted Diameter [mm]: 274
Inner Diameter [mm]: 144
Number of Teeth: 20

92021

Clutch Kit



CHERY A1
CHERY QIYUN 1
CHERY QQ6

OE

0926928006
2326578B00
2326578B00000
25186768
305024A00A
703010027

Centering Diameter [mm]: 22
Diameter [mm]: 195
Fitted Diameter [mm]: 238
Inner Diameter [mm]: 132
Number of Teeth: 20

92025

Clutch Kit



CHERY QIYUN 1
CHERY QQ3
CHERY QQ6

OE

S11.1601020.DA

Centering Diameter [mm]: 19
Diameter [mm]: 180
Fitted Diameter [mm]: 215
Inner Diameter [mm]: 108
Number of Teeth: 18

70502

Clutch Pressure Plate



CHERY EASTAR
CHERY EASTAR A6
CHERY EASTAR CROSS


OE

22100-77E00
2210057B01
2210057B02
2210057B10
2210057B10R
2210060A00

Diameter [mm]: 213
Fitted Diameter [mm]: 265
Inner Diameter [mm]: 138

Cooling System

Cooling System

| | | | |
|--|--|---|--|
| 33006  006 | Radiator Cap CHERY COWIN A2 CHERY QQ3 CHERY V5 MPV / Space wagon | OE 3B0121321 | Pressure [bar]: 1,5 |
| 33W01  W01 | Radiator Cap CHERY EASTAR A6 | OE 1304666 1304853 1647751 1650630 1659288 1E00-15-355 | Pressure [bar]: 1,2 |
| 33W02  W02 | Radiator Cap CHERY EASTAR A6 | OE 1647751 1650630 1659288 1E00-15-355 1E00-15-355A 4395513 | Pressure [bar]: 1,2 |
| 33W03  W03 | Radiator Cap CHERY EASTAR A6 | OE 90409256 94539597 96293957 96312510 96351578 96420303 | Pressure [bar]: 1,2 |
| 2223  | Thermostat, coolant CHERY EASTAR CHERY TIGGO | OE 1222000115 21200-W3310 25510-42000 25510-42100 25510-4A700 2551042010 | Diameter 1 [mm]: 43 Diameter 2 [mm]: 28 Diameter [mm]: 56 Fitting Depth [mm]: 43 Height [mm]: 70 Opening Temperature [°C]: 82 Quality: Tama Specification: D.con guarniz.60mm |
| 38H01  | Thermostat, coolant CHERY EASTAR CHERY TIGGO | OE 25510-42100 2551042541 | Diameter 1 [mm]: 28 Diameter [mm]: 56 Fitting Depth [mm]: 44 Height [mm]: 70 Opening Temperature [°C]: 82 |

Electrics

HJ-040

Wiper Blade



CHERY ARRIZO 3
CHERY TIGGO 8 Fuoristrada chiuso

OE

Length [mm]: 400

HJ-045

Wiper Blade



CHERY ARRIZO 7
CHERY ARRIZO 8
CHERY ARRIZO GX
CHERY OMODA 5
CHERY TIGGO 7 Fuoristrada chiuso
CHERY TIGGO 8 PLUS

OE

Length [mm]: 450

1272337
1272346
4708240200
6000613513
61 61 0 040 534
61610040534

HJ-050

Wiper Blade



CHERY A5
CHERY E5
CHERY ORIENTAL SON
CHERY QIYUN 2
CHERY QIYUN 3
CHERY QQ3

OE

Length [mm]: 500

2 206 402
2 206 429
6423.03
6423.04
76630-SZT-E01
77 11 1 172 583

HJ-060

Wiper Blade



CHERY ARRIZO 3
CHERY ARRIZO 5
CHERY ARRIZO 7
CHERY ARRIZO 8
CHERY ARRIZO GX
CHERY OMODA 5

OE

Length [mm]: 600

11302

Oil Pressure Switch



CHERY EASTAR
CHERY TIGGO
CHERY TIGGO 3

OE

Spanner Size: 24
Switch Pressure [bar]: 0,3
Thread Size: 1/8-28BSP

3 024 539
B366-18-501
B367-18-501A
B367-18-501B

SJF40

Wiper Blade



CHERY ARRIZO 3
CHERY TIGGO 8 Fuoristrada chiuso

OE

Length [in]: 16
Length [mm]: 400
Technical Information Number: Flat

1611348480
1613157180
1613158080
1613158380
1613159180
1618843180

Electrics

SJF45

Wiper Blade



CHERY A5
CHERY ARRIZO 7
CHERY ARRIZO 8
CHERY ARRIZO GX
CHERY E5
CHERY OMODA 5

OE

16 113 485 80
1610112480
1611348580
1611631080
1T1998002A
288901962R

Length [in]: 18
Length [mm]: 450
Technical Information Number: Flat

SJF50

Wiper Blade



CHERY A5
CHERY E5
CHERY ORIENTAL SON
CHERY QIYUN 2
CHERY QIYUN 3
CHERY QQ3

OE

80B955426
80B998002
80C955425

Length [in]: 20
Length [mm]: 500
Technical Information Number: Flat

SJF50-50

Wiper Blade



CHERY QIYUN 2
CHERY QIYUN 3
CHERY QQ6

OE

0390494
0420549
151539
390494
420549
61607122140

Fitting Position: Front
Length 1 [mm]: 500
Length 2 [mm]: 500
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SJF60

Wiper Blade



CHERY ARRIZO 3
CHERY ARRIZO 5
CHERY ARRIZO 7
CHERY ARRIZO 8
CHERY ARRIZO GX
CHERY OMODA 5

OE

2048201845
2048202200
2128201700
2128201800
2128201900
9829426780

Length [in]: 24
Length [mm]: 600
Technical Information Number: Flat

SJF60-40

Wiper Blade



CHERY ARRIZO 3

OE

1609068880
1609069080
1613157180
1613158380
1642332780
288819784R

Fitting Position: Front
Length 1 [mm]: 600
Length 2 [mm]: 400
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SJF60-45

Wiper Blade



CHERY ARRIZO 7
CHERY ARRIZO 8
CHERY ARRIZO GX
CHERY OMODA 5

OE

288901962R
288903994R
288905565R
288905769R
288906926R
288907739R

Fitting Position: Front
Length 1 [mm]: 600
Length 2 [mm]: 450
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

Electrics

SJX40C

Wiper Blade



CHERY ARRIZO 3
CHERY TIGGO 8 Fuoristrada chiuso

OE

Length [mm]: 400

SJX45C

Wiper Blade



CHERY ARRIZO 7
CHERY ARRIZO 8
CHERY ARRIZO GX
CHERY OMODA 5
CHERY TIGGO 7 Fuoristrada chiuso
CHERY TIGGO 8 PLUS

OE

8522205090
GB93673309A
GB93673309S
MGB3967330A
N05367330
N05467330

Length [mm]: 450

SJX48C

Wiper Blade



CHERY ARRIZO 5
CHERY TIGGO 3
CHERY TIGGO 5 Fuoristrada chiuso
CHERY TIGGO 5x

OE

Length [mm]: 480

SJX48S

Wiper Blade



CHERY ARRIZO 5
CHERY TIGGO 3
CHERY TIGGO 5 Fuoristrada chiuso
CHERY TIGGO 5x

OE

8522253010
8971374682

Length [mm]: 480
Styling: with spoiler

SJX50C

Wiper Blade



CHERY A5
CHERY E5
CHERY ORIENTAL SON
CHERY QIYUN 2
CHERY QIYUN 3
CHERY QQ3

OE

0443590
28890-1FC1A
28890-1FG0A
3424490
61 61 0 443 590
61 61 3 424 490

Length [mm]: 500

SJX50S

Wiper Blade



CHERY A5
CHERY E5
CHERY ORIENTAL SON
CHERY QIYUN 2
CHERY QIYUN 3
CHERY QQ3

OE

0443590
28890-1FC1A
28890-1FG0A
3424490
61 61 0 443 590
61 61 3 424 490

Length [mm]: 500
Styling: with spoiler

Electrics

SJX53C

Wiper Blade



CHERY A5
CHERY ORIENTAL SON
CHERY QQ3

OE

Length [mm]: 530

SJX58C

Wiper Blade



CHERY TIGGO 8 PLUS
CHERY TIGGO 8 PRO

OE

Length [mm]: 580

SJX60C

Wiper Blade



CHERY ARRIZO 3
CHERY ARRIZO 5
CHERY ARRIZO 7
CHERY ARRIZO 8
CHERY ARRIZO GX
CHERY OMODA 5

OE

Length [mm]: 600

263709C004
263709C006
263709C008
288907C900
288909C000
288909C004

SJX60S

Wiper Blade



CHERY ARRIZO 3
CHERY ARRIZO 5
CHERY ARRIZO 7
CHERY TIGGO 3
CHERY TIGGO 5 Fuoristrada chiuso
CHERY TIGGO 5x

OE

Length [mm]: 600
Styling: with spoiler

Engine Timing Control

45015

Tensioner, timing belt



CHERY A1
CHERY A5
CHERY TIGGO

OE

473H-1007060
701070013

Diameter [mm]: 67
Height [mm]: 28

Engine Timing Control

| | | | |
|--|---|--|--|
| 45513  | Tensioner, timing belt CHERY EASTAR CHERY TIGGO CHERY TIGGO 3 | OE 24810-33020 24810-33021 24810-33024 2481033021 2481033024 2481038001 | Diameter [mm]: 60 Height [mm]: 32 |
| 45514  | Tensioner, timing belt CHERY EASTAR CHERY TIGGO CHERY TIGGO 3 | OE 22357-33120 23357-33120 23357-33130 MD115976 SMD115976 | Diameter [mm]: 55 Height [mm]: 19,5 |
| 45519  | Tensioner, timing belt CHERY EASTAR CHERY TIGGO CHERY TIGGO 3 | OE MD182537 MD334548 MD369999 SMD182537 | Diameter [mm]: 60 Height [mm]: 33 |
| 45548  | Vibration Damper, timing belt CHERY TIGGO | OE MD185539 MD308587 | Diameter [mm]: 21,5 Height [mm]: 99 |
| 45H22  | Tensioner, timing belt CHERY EASTAR CHERY TIGGO 3 | OE 23357-33350 23357-38001 2335733350 2335738001 MD 185544 MD 192068 | Diameter [mm]: 55 Height [mm]: 18 |
| 40530  | Timing Belt CHERY TIGGO | OE MD182293 MD197141 MD336149 MD338288 MZ690646 XD182293 | Belts: With rounded tooth profile Driven Units: Driven unit: camshaft Number of Teeth: 123 Width [mm]: 29 |

Engine Timing Control

| | | | |
|---|--|--|--|
| 40532  | Timing Belt CHERY EASTAR CHERY TIGGO CHERY TIGGO 3 | OE 1145A046 23356-33130 23356-33140 23356-38000 2335633110 2335633120 | Belts: With rounded tooth profile Driven Units: Driven unit: balance shaft Number of Teeth: 65 Width [mm]: 12,7 |
| 40539  | Timing Belt CHERY EASTAR CHERY TIGGO 3 | OE MB329639 MD329639 MZ690652 XD329639 | Belts: With rounded tooth profile Driven Units: Driven unit: camshaft Number of Teeth: 122 Width [mm]: 29 |
| 40591  | Timing Belt CHERY EASTAR CHERY TIGGO 3 | OE MD182294 MD197144 MD323455 MD339052 MZ690647 SMD182294 | Belts: With rounded tooth profile Driven Units: Driven unit: camshaft Number of Teeth: 124 Width [mm]: 29 |
| KJT230  | Timing Belt Kit CHERY KARRY L6 MPV / Space wagon | OE 1350362040 1350520010 1350520020 1350562010 1350562020 1350562031 | Number of Teeth 1: 191 Width 1 [mm]: 36 |
| KJT530  | Timing Belt Kit CHERY TIGGO | OE 2235733120 2335633110 2335633120 2335633130 2335633140 2335633150 | Number of Teeth 1: 123 Number of Teeth 2: 65 Width 1 [mm]: 29 Width 2 [mm]: 13 |
| KJT539  | Timing Belt Kit CHERY EASTAR CHERY TIGGO 3 | OE 2235733120 2335633110 2335633120 2335633130 2335633140 2335633150 | Number of Teeth 1: 65 Number of Teeth 2: 122 Width 1 [mm]: 13 Width 2 [mm]: 29 |

Filter

20023

Air Filter



CHERY A5
CHERY TIGGO
CHERY TIGGO 3
CHERY TIGGO DR


OE

211109111
702050044
A21-1109111
A211109111

Filter Type: Filter Insert
For OE number: A211109111
Height [mm]: 45
Length [mm]: 246
Width [mm]: 222

20039

Air Filter



CHERY QQ3
CHERY QQ6

OE

S111109111

Filter Type: Filter Insert
For OE number: S111109111
Height [mm]: 39
Length [mm]: 196,2
Width [mm]: 188,2

20044

Air Filter



CHERY A1

OE

S12-1109111
S121109111

Filter Type: Filter Insert
For OE number: S121109111
Height [mm]: 42
Length [mm]: 215
Width [mm]: 195

20045

Air Filter



CHERY A3 2 volumi /Coda spiovente
CHERY A3 Tre volumi
CHERY CHANCE M11

OE

M11-1109111
M11-1109111BC
M111109111

Filter Type: Filter Insert
For OE number: M111109111
Height [mm]: 50
Length 1 [mm]: 207
Length [mm]: 257
Width 1 [mm]: 130
Width [mm]: 170

20055

Air Filter



CHERY S-18
CHERY X1 2 volumi /Coda spiovente

OE

3340100006
702050051
S18D1109111

Filter Type: Filter Insert
For OE number: S18D1109111
Height [mm]: 36
Length [mm]: 248
Width [mm]: 175

FA-0932JM

Air Filter



CHERY COWIN

OE

1444 P6
1444 Q4
1L0 129 620
1L0 129 620 A
1L0129601C
1L0129601D

Filter Type: Filter Insert
For OE number: 1L0129620
Height [mm]: 57
Length [mm]: 276
Width [mm]: 185

Filter

20332

Air Filter



CHERY EASTAR
CHERY EASTAR CROSS
CHERY TIGGO


OE

96 328 718
96328718

Filter Type: Filter Insert
For OE number: 96328718
Height [mm]: 45
Length [mm]: 275
Width [mm]: 247

20824

Air Filter



CHERY CHANCE M11


OE

13780-65J00
13780-65J00-000
1378065J00000

Filter Type: Filter Insert
For OE number: 1378065J00000
Height [mm]: 50
Length 1 [mm]: 174
Length [mm]: 229
Width 1 [mm]: 120
Width [mm]: 178

20904

Air Filter



CHERY TIGGO 3


OE

05015610AA
05015610AB
05015610AC
5015610AA
5015610AC
K05015610AA

Filter Type: Filter Insert
For OE number: K05015610AC
Height [mm]: 37
Length [mm]: 272
Width [mm]: 245

21CY00

Filter, interior air



CHERY A5
CHERY CHANCE M11


OE

M11-8107915
M118107915

Filter Type: Pollen Filter
For OE number: M118107915
Height [mm]: 23
Length [mm]: 220
Width [mm]: 200

21CY01

Filter, interior air



CHERY EASTAR
CHERY EASTAR A6
CHERY EASTAR CROSS

OE

B11-8107915
B118107915

Filter Type: Pollen Filter
For OE number: B118107915
Height [mm]: 30
Length [mm]: 288
Width [mm]: 178

21CY02

Filter, interior air



CHERY QIYUN 1
CHERY QIYUN 2
CHERY QIYUN 3

OE

191 091 700
191 819 638
191091700

Filter Type: Pollen Filter
For OE number: 191091700
Height [mm]: 75
Length [mm]: 190
Width [mm]: 185

Filter

| | | | |
|--|---|--|---|
| 21DR0  | Filter, interior air CHERY A3 2 volumi /Coda spiovente CHERY A3 Tre volumi CHERY TIGGO CHERY TIGGO 3 CHERY TIGGO DR | OE 735050006 T11-8107910 T118107910 | Filter Type: Pollen Filter For OE number: 735050006 Height 1 [mm]: 21 Height [mm]: 45 Length [mm]: 200 Width 1 [mm]: 225 Width [mm]: 256 |
| 21DR05  | Filter, interior air CHERY TIGGO 7 CHERY TIGGO 7 Fuoristrada chiuso | OE 301001573AA 301001778AA 3310100025 BNF2H123AB1 FX11810712001AA FX11810712002AA | Filter Type: Pollen Filter For OE number: 3310100025 Height [mm]: 35 Length [mm]: 247 Width [mm]: 188 |
| 21DR07  | Filter, interior air CHERY TIGGO 7 CHERY TIGGO 7 Fuoristrada chiuso | OE 3310100189 CY5000055 | Filter Type: Activated Carbon Filter For OE number: 3310100189 Length [mm]: 247 Thickness [mm]: 35 Width [mm]: 188 |
| 20H22  | Air Filter CHERY TIGGO 7 Fuoristrada chiuso | OE 28113-4H000 281134H000 3340100028 F01-1109111 F01-1109111YZ | Filter Type: Filter Insert For OE number: 281134H000 Height [mm]: 48 Length [mm]: 261 Width [mm]: 186 |
| 30018  | Fuel filter CHERY A5 CHERY TIGGO CHERY TIGGO 3 | OE 3320200023 702060046 T111117110 | Filter Type: In-Line Filter For OE number: 3320200023 Height [mm]: 143 Inlet [mm]: 8 Outer Diameter [mm]: 56 Outlet [mm]: 8 |
| 30020  | Fuel filter CHERY A3 2 volumi /Coda spiovente CHERY A3 Tre volumi CHERY QIYUN 3 CHERY QQ6 | OE OJ1201511A 1J0 201 511 A 1J0201511A 3D0201511 3D0201511A 702060143 | Diameter 1/ Diameter 2 [mm]: IN / OUT:8 Filter Type: In-Line Filter For OE number: 702060143 Length [mm]: 172 Outer Diameter [mm]: 77 |

Filter

30192

Fuel filter



CHERY COWIN

OE

0004442559
0024772701
0024772801
0060800097
119113206100
119113206101

Diameter 1/ Diameter 2 [mm]: IN/OUT:8
Filter Type: In-Line Filter
For OE number: 60523432
Length [mm]: 162,6
Outer Diameter [mm]: 80

10015

Oil Filter



CHERY A3 2 volumi /Coda spiovente
CHERY A3 Tre volumi
CHERY A5
CHERY CHANCE M11
CHERY EASTAR
CHERY EASTAR A6

OE

481H-1012010
481H1012010
710020003

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 86
For OE number: 710020003
Inner Thread [mm]: M 20 X 1,5
Length [mm]: 103
Outer Diameter [mm]: 90

FO-022JM

Oil Filter



CHERY EASTAR CROSS
CHERY TIGGO

OE

0055230822
0650134
10149617-00
12285896-00
1535505
1699522

Bypass Valve Opening Pressure [bar]: 0,7
Filter Type: Screw-on Filter
For OE number: 71736161
Gasket inner diameter: 54
Gasket outer diameter: 62
Height [mm]: 85
Outer Diameter [mm]: 65
Supplementary Article/Supplementary Info 2:
With one anti-return valve
Thread Size: M 20 X 1,5

10022

Oil Filter



CHERY EASTAR CROSS
CHERY TIGGO

OE

0.009.4794.1
0.010.2687.0
0.010.3989.1
000 180 28 10
00308662667
0055230822

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 61
For OE number: 570418159905
Inner Thread [mm]: M 20X1,5
Length [mm]: 85
Outer Diameter [mm]: 65

10215

Oil Filter



CHERY A5
CHERY COWIN
CHERY FENGYUN 2 2 volumi /Coda spiovente
CHERY FENGYUN 2 Tre volumi
CHERY FULWIN
CHERY FULWIN 2 volumi /Coda spiovente

OE

1449 182
1449182
6M346731AA
WE01-14302
WLY4-14-302 TT
WLY4-14302

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 70
For OE number: 1449182
Inner Thread [mm]: 3/4 x 16
Length [mm]: 102
Outer Diameter [mm]: 73,5

Filter

FO-279JM

Oil Filter



CHERY A1
CHERY CHANCE M11
CHERY COWIN
CHERY OMODA 5
CHERY QQ6

OE
00K05281090AB
0122-0645
0306483
03549957
04152-03002
04152-64010

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 71,4
For OE number: 90915YZZJ4
Inner Thread [mm]: 3/4 x 16
Length [mm]: 87,2
Outer Diameter [mm]: 76,5

10279

Oil Filter



CHERY A1
CHERY CHANCE M11
CHERY COWIN
CHERY OMODA 5
CHERY QQ6

OE
00K05281090AB
0122-0645
0306483
03549957
04152-03002
04152-64010

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 71,4
For OE number: 90915YZZJ4
Inner Thread [mm]: 3/4 x 16
Length [mm]: 87,2
Outer Diameter [mm]: 76,5

10316

Oil Filter



CHERY EASTAR
CHERY EASTAR A6
CHERY EASTAR CROSS
CHERY TIGGO
CHERY TIGGO 3

OE
0001802810
26300-02750
26300-02751
26300-02752
2630002752
3101000082

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 63
For OE number: 2630002752
Inner Thread [mm]: M20 x 1,5
Length [mm]: 86,6
Outer Diameter [mm]: 68

10502

Oil Filter



CHERY TIGGO FL

OE
26300-35500
26300-35501
26300-35502
26300-35503
26300-35504
26300-35505

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 63
For OE number: MD322508
Inner Thread [mm]: M20 x 1,5
Length [mm]: 81
Outer Diameter [mm]: 90

10898

Oil Filter



CHERY QQ6

OE
02/630225
02/630225A
140 516 190
140 516 250
140 516 990
144 7560

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 62,6
For OE number: 71742115
Inner Thread [mm]: 3/4 - 16 UNF
Length [mm]: 87
Outer Diameter [mm]: 68

FO-W01JM

Oil Filter



CHERY QQ3

OE
047 08 878
047 11 189
091112084
091125559
092.22.335
093167825

Bypass Valve Opening Pressure [bar]: 1,0
Filter Type: Screw-on Filter
For OE number: 5281090AB
Length [mm]: 72,5
Outer Diameter [mm]: 66
Supplementary Article/Supplementary Info 2:
With one anti-return valve
Thread Size: 3/4-16 UNF

Filter

10W01

Oil Filter



CHERY QQ3

OE
092.22.335
1012010-01
15208-4A00A
15208-4A00E
15601-87107
15601-87107-000

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 64
For OE number: 5281090AB
Inner Thread [mm]: 3/4 - 16 UNF
Length [mm]: 72,5
Outer Diameter [mm]: 68

Joints

62032

Joint Kit, drive shaft



CHERY QQ6

OE
XLB3AF2203030C

External Teeth, wheel side: 23
Fitting Position: Front Axle
Internal Teeth, wheel side: 21
Number of Teeth, ABS ring: 43
Seal Diameter [mm]: 51
Specification: Groove type: INNER

62033

Joint Kit, drive shaft



CHERY TIGGO

OE

External Teeth, wheel side: 26
Fitting Position: Front Axle
Internal Teeth, wheel side: 30
Number of Teeth, ABS ring: 48
Seal Diameter [mm]: 63
Specification: Groove type: INNER

62W13

Joint Kit, drive shaft



CHERY EASTAR

OE
96639350

External Teeth, wheel side: 28
Fitting Position: Wheel Side
Internal Teeth, wheel side: 34
Length 1 [mm]: 99
Outer Thread [mm]: M 24 x 1,5
Overall Length [mm]: 165
Seal Diameter [mm]: 55,5
Specification: Groove type: Outer

62W27

Joint Kit, drive shaft



CHERY EASTAR

OE
96328841
96328842
96481004

External Teeth, wheel side: 28
Internal Teeth, wheel side: 32
Length [mm]: 160
Seal Diameter [mm]: 55,5
Specification: Groove Type : Outer

Mounting

Mounting

MJ00849

Shock Absorber



CHERY A1

OE

4G0413031AA
4G0413031AB
4G0413031AD
4G0413031AE
4G0413031K
4G0413031N

Fitting Position: Front Axle
For OE number: 4G0413031AE
Shock Absorber Design: Suspension Strut Insert
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ00850

Shock Absorber



CHERY A1

OE

4G0413031AF
4G0413031C
4G8413031H
4G8413031J

Fitting Position: Front Axle
For OE number: 4G0413031AF
Shock Absorber Design: Suspension Strut Insert
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJDR020

Shock Absorber



CHERY TIGGO 5x

OE

202000265AA
3360400024
3360400083
J522915010

Fitting Position: Rear Axle
For OE number: 3360400024
Length 1 [mm]: 395
Length 2 [mm]: 685
Piston Rod Diameter [mm]: 12,5
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MJDR022

Shock Absorber



CHERY TIGGO 5x

OE

202000261AA
202000359AA
3360100048
3360100083

Fitting Position: Front Axle Left
For OE number: 3360100048
Input Shaft Diameter [mm]: 15
Paired article numbers: MA-DR023
Paired article numbers: MJDR023
Paired article numbers: MM-DR023
Piston Rod Diameter [mm]: 22
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

Mounting

MJDR023

Shock Absorber

CHERY TIGGO 5x



OE

202000262AA
202000360AA
202000958AA
3360100049
3360100084
3360100122

Fitting Position: Right Front
For OE number: 3360100049
Input Shaft Diameter [mm]: 15
Paired article numbers: MA-DR022
Paired article numbers: MJDR022
Paired article numbers: MM-DR022
Piston Rod Diameter [mm]: 22
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

1060018

Rod/Strut, stabiliser

CHERY E3



OE

1607323480
1634883780
1646621980
508745
508759
508766

Bar/Strut: Push Rod
Fitting Position: Front Axle left and right
Length [mm]: 335
Material: Steel
Thread Size: M10X1,5