

ashika[®]

NEWS JUNE 2025



www.ashika.eu

CATALOGUE
FOR CARS AND COMMERCIAL
VEHICLES

CATALOGO
PER AUTOMOBILI E VEICOLI
COMMERCIALI

Brake system

50-00-00112

Brake Pad Set, disc brake

IVECO EuroCargo



OE

1906043
1906146
1906297
410609X425
5001014704
5001825339

Brake System: GIRLING
Fitting Position: Front Axle
For OE number: 1906146
Height [mm]: 78,5
Length [mm]: 175,3
Number of Wear Indicators: 2
Thickness [mm]: 22
Warning Contact Length [mm]: 500
Wear Warning Contact: Incl. wear warning contact
WVA Number: 29033

50-00-0984

Brake Pad Set, disc brake

AUDI A3 Limousine (8YS)
AUDI A3 Sportback (8YA)
VW CADDY CALIFORNIA V Camper (SBB, SBJ)
VW CADDY V Cassone/Limousine spaziosa (SBA, SBH)
VW CADDY V MPV / Space wagon (SBB, SBJ)



OE

5R3698151
5WA698151G
5WA698151L
5WA698151N

Brake System: ATE
Height [mm]: 66,9
Thickness [mm]: 16,9
Width [mm]: 155,3
WVA Number: 26677
WVA Number: 26678

Clutch

95-0W-W13

Master Cylinder, clutch

CHEVROLET CAPTIVA (C100, C140)
OPEL ANTARA



OE

24251413
4418123

Bore [mm]: 20
Mounting Bores Distance [mm]: 68
Number of Bores: 1

92-05-5023

Clutch Kit

MITSUBISHI CARISMA Tre volumi (DA_)
MITSUBISHI SPACE STAR (DG_A)



OE

Centering Diameter [mm]: 21,1
Diameter [mm]: 180
Number of Parts [parts]: 3
Number of Teeth: 21

92-09-940

Clutch Kit

CHRYSLER PT CRUISER (PT_)



OE

04668725AC
04668725AD
04668725AE
K04668725AD
K04668725AE

Diameter [mm]: 240
Fitted Diameter [mm]: 28,9
Number of Teeth: 26

Clutch

92-0H-H72

Clutch Kit



HYUNDAI H350 Autobus
HYUNDAI H350 Furgonato
HYUNDAI H350 Pianale piatto/Telaio

OE
4110059800
QD41430-T32040

Centering Diameter [mm]: 25
Diameter [mm]: 274
Number of Teeth: 23

98-FI-FI01M

Clutch Kit



ALFA ROMEO MITO (955)
FIAT 500 (312)
FIAT 500 C (312)
FIAT 500L
FIAT PANDA (519, 312, 319)
FIAT PANDA VAN (312, 519)

OE
55247850
55248702
55256145
55266573
71796017

Clutch: Conversion from dual-mass flywheel to single-mass flywheel
Eject Force [N]: 4200
Hub Profile: 17,4 x 14,8
Inner Diameter 1 [mm]: 137
Outer Diameter [mm]: 200
Supplementary Article/Supplementary Info 2: With clutch plate
Supplementary Article/Supplementary Info 2: with flywheel
Supplementary Article/Supplementary Info 2: With lock screw set
Supplementary Article/Supplementary Info 2: With releaser
Supplementary Article/Supplementary Info: With clutch pressure plate

Cooling System

38-00-0132

Thermostat, coolant



BMW X5 (E53)

OE
17101439115
17107559966

Opening Temperature [°C]: 82

38-00-0330

Thermostat, coolant



FORD GALAXY (WA6)
FORD MONDEO IV (BA7)
FORD MONDEO IV Tre volumi (BA7)
FORD MONDEO IV Turnier (BA7)
FORD S-MAX (WA6)

OE
5086515
AG9G8575CA

Opening Temperature [°C]: 95
Supplementary Article/Supplementary Info: with seal

38-00-0416

Thermostat, coolant



OPEL ASCONA C (81_, 86_, 87_, 88_)
OPEL CALIBRA A (85_)
OPEL FRONTERA A Sport (5_SUD2)
OPEL FRONTERA B (6B_)
OPEL KADETT E (39_, 49_)
OPEL KADETT E 2 volumi /Coda spiovente (33_,

OE
01338 049
01338 054
090232012
090264080
1338 049
1338 054

Number of seals: 1
Opening Temperature [°C]: 92
Supplementary Article/Supplementary Info 2: With thermostat
Supplementary Article/Supplementary Info 2: Without sensor
Supplementary Article/Supplementary Info: With gaskets/seals

Cooling System

38-00-0921

Thermostat, coolant



SEAT CORDOBA (6L2)
SEAT IBIZA IV (6L1)
SEAT IBIZA V (6J5, 6P5)
SEAT IBIZA V SPORTCOUPE (6J1, 6P1)
SEAT IBIZA V ST (6J8, 6P8)
SKODA FABIA

OE
032121111CG

Housing Type: with housing
Opening Temperature [°C]: 83
Supplementary Article/Supplementary Info 2:
with sensor
Switch Point [°C]: 83

Electrics

151-0K-K65

ABS Sensor



HYUNDAI XG (XG)
HYUNDAI XG Tre volumi

OE
95680-39501

Braking / Drive Dynamics: For vehicles with
ABS
Fitting Position: Rear Axle Left
Paired article numbers: 151-0K-K64
Paired article numbers: 151K64
Paired article numbers: ABS-K64
Rated Voltage [V]: 12

SA-F25RF

Wiper Blade



CITROEN C5 II Break (RE_)
CITROEN C5 III Break (TD_)
MINI MINI COUNTRYMAN (F60)
RENAULT CLIO Grandtour IV
RENAULT CLIO IV
RENAULT CLIO IV Furgonato

OE
6423 34

Fitting Position: Rear
Length [mm]: 250
Technical Information Number: Flat Retrofit

SA-F27RF

Wiper Blade



OE

Fitting Position: Rear
Length [mm]: 275
Technical Information Number: Flat Retrofit

SA-F30RF

Wiper Blade



ALPINA XD3 (F25)
AUDI A1 CITY CARVER (GBH)
AUDI A1 Sportback (8XA, 8XK)
AUDI A1 Sportback (GBA)
AUDI A3 (8V1)
AUDI A3 Sportback (8VA)

OE

Fitting Position: Rear
Length [mm]: 300
Technical Information Number: Flat Retrofit

Electrics

SA-F32RF

Wiper Blade



AUDI A3 Sportback (8PA)
AUDI A4 Avant (8E5, B6)
AUDI A4 Avant (8ED, B7)
SEAT IBIZA SPORTCOUPE Cassone / coda spiovente (6J1)
SEAT IBIZA V SPORTCOUPE (6J1, 6P1)

OE
8E9 955 425 C

Fitting Position: Rear
Length [mm]: 325
Technical Information Number: Flat Retrofit

SA-F35RF

Wiper Blade



SKODA FABIA (6Y2)
SKODA FABIA Combi (6Y5)
SKODA FABIA Praktik
SKODA FABIA Tre volumi (6Y3)

OE
6Y0 955 425

Fitting Position: Rear
Length [mm]: 375
Technical Information Number: Flat Retrofit

SA-F37RF

Wiper Blade



OE

Fitting Position: Rear
Length [mm]: 375
Technical Information Number: Flat Retrofit

SA-F40RF

Wiper Blade



SKODA FABIA Combi
SKODA OCTAVIA (1Z3)
SKODA OCTAVIA Combi (1Z5)
VW CADDY III Furgonato (2KA, 2KH, 2CA, 2CH)
VW CADDY III Station wagon (2KB, 2KJ, 2CB, 2CJ)

OE
1Z5 955 425
7E0 955 425
7E0955425

Fitting Position: Rear
Length [mm]: 400
Technical Information Number: Flat Retrofit

UP-026TR

Feed Module (AdBlue)



MAN TGL
MAN TGL II
MAN TGS II
MAN TGX

OE
81154036117
81154036118
81154036134
81154036138
81154036139
81154036146

Specification: MAN TGS /TGX 2013-

Engine

Engine

122-04-412

Belt Pulley, crankshaft



HONDA HR-V
HONDA JAZZ IV (GK)

OE
13810-5R0-003

Number of grooves: 6
Outer Diameter [mm]: 150,5

Filter

FA-0268JM

Air Filter




FIAT DUCATO Autobus (250)
FIAT DUCATO Furgonato (250)
FIAT DUCATO Pianale piatto/Telaio (250)

OE
0052180232

Filter Type: Filter Insert
For OE number: 0052180232
Height [mm]: 180
Length 1 [mm]: 205
Length 2 [mm]: 115
Width 1 [mm]: 175
Width 2 [mm]: 80

FA-128JM

Air Filter



NISSAN CUBE (Z12)
NISSAN EVALIA
NISSAN JUKE (F15)
NISSAN JUKE Van (F15)
NISSAN MICRA III (K12)
NISSAN NOTE (E11)

OE
16 54 690 40R
16546-00QAR
16546-BC40A
16546-BN701
16546-BN70A
16546BC40A

Filter Type: Filter Insert
For OE number: 16546BC40A
Height [mm]: 58
Length [mm]: 237,4
Width [mm]: 140,4

FA-135JM

Air Filter



NISSAN QASHQAI / QASHQAI +2 (J10, JJ10)
NISSAN QASHQAI / QASHQAI +2 I VAN (J10, JJ10E)
NISSAN X-TRAIL (T31)
NISSAN X-TRAIL VAN (T31)
RENAULT KOLEOS (HY_)

OE
16 54 661 31R
16 54 6JD 20B
16546- JD20A
16546-JD20B
16546-JG70A
16546JD20B

Filter Type: Filter Insert
For OE number: 16546JD20B
Height [mm]: 60
Length [mm]: 237
Width 1 [mm]: 137
Width [mm]: 162

20-01-165

Air Filter



DACIA JOGGER
MITSUBISHI ASX (VSX_, VSE_)
MITSUBISHI COLT VII 2 volumi /Coda spiovente (VB_)
NISSAN JUKE (F16_)
RENAULT CAPTUR II

OE
16 54 689 57R
16546-00Q4M
MQ 000140
MQ000140

Filter Type: Filter Insert
For OE number: MQ000140
Height [mm]: 38
Length [mm]: 225
Width [mm]: 100

Filter

21-DR-DR04

Filter, interior air



DR DR 3

OE
3310100030
A13-8107915

Filter Type: Pollen Filter
For OE number: 3310100030
Height [mm]: 11
Length [mm]: 184
Width [mm]: 125

FC-142JM

Fuel filter



NISSAN QASHQAI
NISSAN QASHQAI / QASHQAI +2 (J10, JJ10)
NISSAN X-TRAIL (T32)
RENAULT KADJAR
RENAULT KOLEOS II

OE
16 40 04E A1B
16 40 061 84R
16400-4EA1B
16400-4EA1D
16400-4EA2B
16400-4EA2D

Filter Type: In-Line Filter
For OE number: 164004EA1B
Height [mm]: 160
Inlet [mm]: 10
Outer Diameter [mm]: 98
Outlet [mm]: 10

FC-321JM

Fuel filter



FORD B-MAX (JK)
FORD B-MAX Van
FORD C-MAX II
FORD C-MAX II Van
FORD ECOSPORT
FORD FIESTA Van

OE
1 677 518
1 677 518 SK1
1 780 195
1 881 228
1 881 228 SK1
1 882 099

Filter Type: In-Line Filter
Fitted Diameter [mm]: 25
For OE number: 1780195
Length [mm]: 105
Outer Diameter [mm]: 95

Joints

AC-0108

Propshaft, axle drive



NISSAN CABSTAR Pick-up

OE
37300F3600

Fitting Position: Rear
Length [mm]: 1063

AC-0123

Propshaft, axle drive



FORD USA EXPEDITION
FORD USA F-150
FORD USA F-150 Crew Cab Pickup
FORD USA F-150 Extended Cab Pickup
FORD USA F-150 Standard Cab Pickup

OE
7L1Z4A376A
7L1Z4A376B
AL3Z-4A376-C
AL3Z4A376D

Length [mm]: 816

Joints

AC-0124

Propshaft, axle drive



FORD USA F-150 Standard Cab Pickup

OE

BL3Z4R602H
DL3Z4R602AH
DL3Z4R602B
DL3Z4R602Q

Length [mm]: 2329

AC-0125

Propshaft, axle drive



CHEVROLET CAMARO

OE

92194140

Length [mm]: 1315

AC-0126

Propshaft, axle drive



JEEP COMMANDER (XK)
JEEP GRAND CHEROKEE III (WH, WK)

OE

52105726AC
52105726AD
52105726AE
52105726AF

Length [mm]: 1116

AC-0127

Propshaft, axle drive



DODGE RAM Pick-up
RAM 2500 Crew Cab Pickup (DJ)

OE

52105934AA
52105934AB
52105934AC
52105934AD
52105934AE
52105934AF

Length [mm]: 809

62-00-0106

Joint Kit, drive shaft



BMW X3 (E83)

OE

31603450565
31603450566
31607524045
31607524046
31607529201
31607529202

External Teeth, wheel side: 30
Fitting Position: Front Axle left and right
Internal Teeth, wheel side: 33
Length [mm]: 137
Seal Diameter [mm]: 64,8
Thread Size: M27X1,5
Transmission Type: trasmissione automat

Joins

62-00-0256

Joint Kit, drive shaft



CITROEN JUMPER Autobus
CITROEN JUMPER Furgonato
CITROEN JUMPER Pianale piatto/Telaio
FIAT DUCATO Autobus (250)
FIAT DUCATO Furgonato (250)
FIAT DUCATO Pianale piatto/Telaio (250)

OE
1349789080
46308399
46308497
71771311

External Teeth, diff.side: 41
Fitting Position: Front Axle Left
Fitting Position: Transmission End
Int. teeth, diff.side, conn.to transm.: 27
Length [mm]: 172
Seal Diameter [mm]: 43
Transmission Type: cambio manuale a 5 m

62-00-0321

Joint Kit, drive shaft



VOLVO S80 II (AS)

OE
30614441

Fitting Position: Front Axle
Fitting Position: Rear Axle
Length [mm]: 21
Number of splines on input shaft: 20
Outer Diameter [mm]: 86

62-00-0415

Joint Kit, drive shaft



OPEL CORSA D
OPEL CORSA D Van

OE
1603408
93190190

External Teeth, diff.side: 25
Int. teeth, diff.side, conn.to transm.: 23
Length [mm]: 174,5
Seal Diameter [mm]: 34,9

62-00-0621

Joint Kit, drive shaft



MERCEDES-BENZ CITAN Combi (415)
MERCEDES-BENZ CITAN Furgonato (415)
MERCEDES-BENZ CITAN Mixto (415)
RENAULT KANGOO / GRAND KANGOO (KW0/1_)
RENAULT KANGOO BE BOP (KW0/1_)
RENAULT KANGOO Express (FW0/1_)

OE
8200687739
8200687740
8201235167
8201235754

External Teeth, wheel side: 27
Fitting Position: Front Axle left and right
Fitting Position: Wheel Side
Internal Teeth, wheel side: 22
Length [mm]: 146
Seal Diameter [mm]: 56,7
Technical Information Number: Groove Type
Inner
Thread Size: M22X1,5

62-00-0944

Joint Kit, drive shaft



AUDI 80 (81, 85, B2)
PORSCHE 924
PORSCHE 944
VW POLO (6R, 6C)
VW TRANSPORTER II Autobus
VW TRANSPORTER II Furgonato

OE
211501331B
211598101
212501331
251498103A
251501331
251598101

Bore [mm]: 8,2
Int. teeth, diff.side, conn.to transm.: 33
Length [mm]: 32
Machined: Without groove in internal component
Number of Bores: 6
Pitch Circle [mm]: 86
Specification: con viti/bulloni

Joins

62-00-0946

Joint Kit, drive shaft



AUDI A3 (8P1)
AUDI A3 (8V1)
AUDI A3 Cabriolet (8P7)
AUDI A3 Cabriolet (8V7)
AUDI A3 Limousine (8VS)
AUDI A3 Sportback (8PA)

OE

1J0407363E
1J0498103L
1J0498103LX
1K0407271NM
1K0498103E
1K0498103EV

Bore [mm]: 10,1
Fitting Position: Front Axle
Fitting Position: Transmission End
Int. teeth, diff.side, conn.to transm.: 34
Length [mm]: 86
Pitch Circle [mm]: 100
Technical Information Number: AAR,original design

62-00-0947

Joint Kit, drive shaft



AUDI Q7 (4L)
PORSCHE CAYENNE
PORSCHE CAYENNE (955)
VW AMAROK (2H_, S1B)
VW AMAROK Pianale piatto/Telaio (S1B)
VW TOUAREG (7LA, 7L6, 7L7)

OE

16870648
19495343219
2H0407271DV
2H0498103
7L0407331A
7L0498103

Fitting Position: Front Axle
Fitting Position: Transmission End
Int.teeth, diff.side, conn.to conn.shaft: 28
Length [mm]: 34
Machined: Without groove in internal component
Number of Bores: 6
Pitch Circle [mm]: 96

62-09-923

Joint Kit, drive shaft



JEEP CHEROKEE (KJ)

OE

5066022AA
5066023AA
52111778AB
52111780AB
52111781AB

External Teeth, diff.side: 39
Fitting Position: Front Axle
Fitting Position: Wheel Side
Int. teeth, diff.side, conn.to transm.: 27
Length [mm]: 451
Seal Diameter [mm]: 30
Seal Diameter [mm]: 60

Mounting

72-01-192R

Track Control Arm



NISSAN LEAF (ZE1)

OE

545004DA0A

Bar/Strut: Push Rod
Cone Size [mm]: 18
Fitting Position: Front Axle Right
Material: Sheet Steel
Paired article numbers: 72-01-192L
Paired article numbers: 72192L
Paired article numbers: BS-192L
Steering Type: Control Arm

72-0H-H92L

Track Control Arm



HYUNDAI i30 (PDE)
HYUNDAI i30 FASTBACK (PDE)
HYUNDAI i30 Hatchback Van (PDE)
HYUNDAI i30 Station wagon
KIA CEED (CD)
KIA CEED Combi Van (CD)

OE

54500-G4AA0

Fitting Position: Front Axle Left
Steering Type: Control Arm
Thread Size: MM12X1,25R

Mounting

72-0H-H92R

Track Control Arm



HYUNDAI i30 (PDE)
HYUNDAI i30 FASTBACK (PDE)
HYUNDAI i30 Hatchback Van (PDE)
HYUNDAI i30 Station wagon
KIA CEED (CD)
KIA CEED Combi Van (CD)

OE
54501-G4AA0

Fitting Position: Front Axle Right
Steering Type: Control Arm
Thread Size: MM12X1,25R

72-0K-K53L

Track Control Arm



KIA SORENTO III

OE
54500C5150
54500C6000

Bar/Strut: Push Rod
Cone Size [mm]: 17,9
Fitting Position: Front Axle Left
Material: Sheet Steel
Paired article numbers: 72-0K-K53R
Paired article numbers: 72K53R
Paired article numbers: BS-K53R
Steering Type: Control Arm

72-0K-K53R

Track Control Arm



KIA SORENTO III

OE
54501C5150
54501C6000

Bar/Strut: Push Rod
Cone Size [mm]: 17,9
Fitting Position: Front Axle Right
Material: Sheet Steel
Paired article numbers: 72-0K-K53L
Paired article numbers: 72K53L
Paired article numbers: BS-K53L
Steering Type: Control Arm

MA-01129

Shock Absorber



RENAULT TWINGO III
SMART FORFOUR 2 volumi /Coda spiovente (453)
SMART FORTWO Cabriolet (453)
SMART FORTWO Coupé (453)

OE
453 326 03 00
453 326 04 00
453 326 05 00
562103074R

Fitting Position: Rear Axle
For OE number: 562103074R
Shock Absorber Design: Absorber does not carry a spring
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MA-01290

Shock Absorber



ALFA ROMEO STELVIO (949_)

OE
50548513
50551259
50559657

Fitting Position: Rear Axle
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Monotube
Shock Absorber Type: Gas Pressure

Mounting

MA-01292

Shock Absorber



AUDI A6 (C8, 4A2)
AUDI A6 Allroad (4AH, C8)
AUDI A6 Avant (C8, 4A5)
AUDI Q5
AUDI Q5 Sportback (FYT)
AUDI Q5 Van (FYB, FYG)

OE

4K0413031AL
4K0413031AM
80A413031AA
80A413031AB
80A413031AD
80A413031AE

Fitting Position: Front Axle
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MA-20104

Shock Absorber



CITROEN BERLINGO (K9)
CITROEN BERLINGO Furgonato (B9)
CITROEN BERLINGO Furgonato (K9)
OPEL COMBO Cassone / Furgonato / Promiscuo (X19)
OPEL COMBO MPV / Space wagon (X19)

OE

1611448580
1611448680
1612181380
1612181480
3550079
3550389

Fitting Position: Front Axle
For OE number: 9820363980
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MA-33121

Shock Absorber



ABARTH 124 Spider (348_)
FIAT 124 Spider (348_)
MAZDA MX-5 IV (ND)
MAZDA MX-5 RF (ND)

OE

N270-34-700A
N27034700A
N293-34-700A
NA2E-34-700A
NA8W-34-700B
NC3J-34-700

Fitting Position: Front Axle
For OE number: N27034700A
Shock Absorber Design: Spring-bearing Damper
Shock Absorber Mounting Type: Bottom Fork
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MA-AS376

Boot, air suspension



LINCOLN NAVIGATOR

OE

3U2Z5580LA
F75Z5A891BA

Drive Type: All-wheel Drive
Fitting Position: Rear
Shock Absorber Mounting Type: Bottom Yoke
Shock Absorber Mounting Type: Top pin
Spring Type: for pneumatic suspension vehicles

MA-AS469

Pneumatic Suspension



MERCEDES-BENZ CLASSE E All-Terrain (S213)

OE

213 320 23 01
213 320 87 00
A213 320 23 01
A213 320 87 00

Fitting Position: Front Axle Left
Paired article numbers: MA-AS470
Paired article numbers: MJAS470
Paired article numbers: MM-AS470
Shock Absorber Mounting Type: Bottom Fork
Shock Absorber Type: Gas Pressure

Mounting

MA-AS470

Pneumatic Suspension



MERCEDES-BENZ CLASSE E All-Terrain (S213)

OE

213 320 24 01
213 320 88 00
A213 320 24 01
A213 320 88 00

Fitting Position: Front Axle Right
Paired article numbers: MA-AS469
Paired article numbers: MJAS469
Paired article numbers: MM-AS469
Shock Absorber Mounting Type: Bottom Fork
Shock Absorber Type: Gas Pressure

GOM-2869

Engine Mounting



TOYOTA YARIS (SCP9_, NSP9_, KSP9_, NCP9_, ZSP9_)

OE

123720N010
123720N030

Fitting Position: Transmission End