

**JapKo**<sup>®</sup>

# NEWS 11/2025



[www.japko.it](http://www.japko.it)

**CATALOGUE**  
FOR CARS AND  
COMMERCIAL VEHICLES

**CATALOGO**  
PER AUTOMOBILI E VEICOLI  
COMMERCIALI

## Brake system

**1312123L**

**Cable, parking brake**

FIAT UNO (146A/E)



**OE**

5951339  
7551507  
7661241  
7754362

Fitting Position: Left  
Fitting Position: Rear  
Length 2 [mm]: 305  
Length [mm]: 520  
Paired article numbers: 131-00-02134  
Paired article numbers: 13102134  
Paired article numbers: BC-02134

**1310445**

**Cable, parking brake**

OPEL VECTRA B (36\_)  
OPEL VECTRA B 2 volumi /Coda spiovente (38\_)  
OPEL VECTRA B Station wagon (31\_)



**OE**

522412  
522524  
90468900

Fitting Position: Rear  
Length [mm]: 1455

**1310659R**

**Cable, parking brake**

PEUGEOT 205 Furgonato  
PEUGEOT 205 I (741A/C)  
PEUGEOT 205 I Cabriolet (741B, 20D)  
PEUGEOT 205 II (20A/C)



**OE**

474556  
474564

Fitting Position: Right  
Length [mm]: 1390  
Paired article numbers: 131-00-0649L  
Paired article numbers: 1310649L  
Paired article numbers: BC-0649L

**1310743L**

**Cable, parking brake**

RENAULT KANGOO (KC0/1\_)  
RENAULT KANGOO Express (FC0/1\_)



**OE**

8200040064  
8200040065

Fitting Position: Left  
Length 1/ Length 2 [mm]: 1525/1235

**131468L**

**Cable, parking brake**

ROVER 200 (RF)



**OE**

GVC902380  
GVC902386  
SPB000350  
SPB101200  
SPB101201

Brake System: For vehicles with drum brakes on the rear axle  
Fitting Position: Left

**131468R**

**Cable, parking brake**

ROVER 200 (RF)



**OE**

GVC902381  
GVC902387  
SPB000340  
SPB101170  
SPB101171

Brake System: For vehicles with drum brakes on the rear axle  
Fitting Position: Right  
Length 1/ Length 2 [mm]: 1700/1490

## Brake system

**1315012**

**Cable, parking brake**



HYUNDAI GALLOPER II (JK-01)  
 MITSUBISHI PAJERO I (L04\_G, L14\_G)  
 MITSUBISHI PAJERO I Canvas Top (L04\_G)

**OE**

Fitting Position: Right Rear  
 Length 1/ Length 2 [mm]: 1200/1000  
 Paired article numbers: 131-05-5013  
 Paired article numbers: 1315013  
 Paired article numbers: BC-5013

**1315013**

**Cable, parking brake**



HYUNDAI GALLOPER II (JK-01)  
 MITSUBISHI PAJERO I (L04\_G, L14\_G)  
 MITSUBISHI PAJERO I Canvas Top (L04\_G)

**OE**

Fitting Position: Left Rear  
 Length 1/ Length 2 [mm]: 1200/1000  
 Paired article numbers: 131-05-5012  
 Paired article numbers: 1315012  
 Paired article numbers: BC-5012

**BPW-315**

**Warning Contact, brake pad wear**



FORD TOURNEO CUSTOM Autobus  
 FORD TRANSIT Autobus  
 FORD TRANSIT CUSTOM Autobus  
 FORD TRANSIT CUSTOM Furgonato  
 FORD TRANSIT Furgonato  
 FORD TRANSIT Pianale piatto/Telaio

**OE**

1763902  
 1781726  
 1843310  
 2019275  
 2511685  
 BK212N248AA

Brake Type: Disc Brake  
 Fitting Position: Rear Axle  
 For OE number: 2019275  
 Length [mm]: 315

**BPW-317**

**Warning Contact, brake pad wear**



VW PASSAT (3B3)  
 VW PASSAT Variant (3B6)

**OE**

3B7615121

Brake Type: Disc Brake  
 For OE number: 3B7615121  
 Length [mm]: 245

**BPW-318**

**Warning Contact, brake pad wear**



BMW 3 Compact (E36)  
 BMW Z3 (E36)  
 BMW Z3 Coupé (E36)

**OE**

1182533  
 34351182533

Brake Type: Disc Brake  
 For OE number: 1182533  
 Length [mm]: 840

**BPW-319**

**Warning Contact, brake pad wear**



MERCEDES-BENZ CLASSE M (W163)

**OE**

1635401417  
 A1635401417

Brake Type: Disc Brake  
 For OE number: A1635401417  
 Length [mm]: 310

## Brake system

### BPW-320

#### Warning Contact, brake pad wear

MERCEDES-BENZ CLASSE M (W163)



#### OE

1635401317  
A1635401317

Brake Type: Disc Brake  
Fitting Position: Front Axle  
For OE number: 1635401317  
Length [mm]: 95

### BPW-321

#### Warning Contact, brake pad wear

AUDI Q7 (4L)  
AUDI Q7 Van (4LB)  
PORSCHE CAYENNE (955)



#### OE

7L5907637B  
95561236570  
95561236571  
95561236572

Brake Type: Disc Brake  
For OE number: 7L5907637B  
Length [mm]: 245

### BPW-322

#### Warning Contact, brake pad wear

AUDI Q7 (4L)  
AUDI Q7 Van (4LB)



#### OE

4L0615437

Brake Type: Disc Brake  
For OE number: 4L0615437  
Length [mm]: 365

### BPW-323

#### Warning Contact, brake pad wear

AUDI Q7 (4L)  
AUDI Q7 Van (4LB)



#### OE

4L0615437A

Brake Type: Disc Brake  
For OE number: 4L0615437A  
Length [mm]: 275

### BPW-324

#### Warning Contact, brake pad wear

PORSCHE 911 (997)  
PORSCHE 911 Cabriolet (997)  
PORSCHE BOXSTER (987)  
PORSCHE CAYMAN (987)



#### OE

99761275700  
99761275701

Brake Type: Disc Brake  
For OE number: 99761275700  
Length [mm]: 365

### BPW-325

#### Warning Contact, brake pad wear

MG MG ZT  
MG MG ZT- T  
ROVER 75 (RJ)  
ROVER 75 Tourer (RJ)



#### OE

SOM100030

Brake Type: Disc Brake  
For OE number: SOM100030  
Length [mm]: 1130

## Brake system

### BPW-327

#### Warning Contact, brake pad wear



PORSCHE BOXSTER (987)  
 PORSCHE BOXSTER Spyder (987)  
 PORSCHE CAYMAN (987)

**OE**  
 98761267601

Brake Type: Disc Brake  
 For OE number: 98761267601  
 Length [mm]: 510

### BPW-329

#### Warning Contact, brake pad wear



PORSCHE 911 (996)  
 PORSCHE 911 (997)  
 PORSCHE 911 Cabriolet (996)  
 PORSCHE 911 Cabriolet (997)  
 PORSCHE 911 Targa (996)  
 PORSCHE 911 Targa (997)

**OE**  
 99661234700  
 99761267700

Brake Type: Disc Brake  
 For OE number: 99661234700  
 Length [mm]: 557

### BPW-330

#### Warning Contact, brake pad wear



BMW 3 (E21)  
 BMW 3 (E30)  
 BMW 5 (E12)  
 BMW 5 (E28)  
 BMW 6 (E24)  
 BMW 7 (E23)

**OE**  
 34351179821

Brake Type: Disc Brake  
 For OE number: 34351179821  
 Length [mm]: 164

### BPW-331

#### Warning Contact, brake pad wear



BMW 7 (F01, F02, F03, F04)

**OE**  
 34356775850  
 6775850

Brake Type: Disc Brake  
 For OE number: 6775850  
 Length [mm]: 1055

### BPW-332

#### Warning Contact, brake pad wear



PORSCHE 911 (997)  
 PORSCHE BOXSTER (987)  
 PORSCHE BOXSTER Spyder (987)  
 PORSCHE CAYMAN (987)

**OE**  
 997 612 756 00

Brake Type: Disc Brake  
 Fitting Position: Front Axle Left  
 Length [mm]: 349,6  
 Paired article numbers: BPW-333

### BPW-333

#### Warning Contact, brake pad wear



PORSCHE 911 (997)  
 PORSCHE BOXSTER (987)  
 PORSCHE BOXSTER Spyder (987)  
 PORSCHE CAYMAN (987)

**OE**  
 997 612 759 00

Brake Type: Disc Brake  
 Fitting Position: Front Axle Right  
 Length [mm]: 369,6  
 Paired article numbers: BPW-332

## Brake system

### CAL613LJM

#### Brake Caliper

NISSAN PATROL GR I (Y60, GR)



**OE**  
44011-05J00

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: NISSAN  
Diameter [mm]: 51  
Paired article numbers: CAL613RJM

### CAL613RJM

#### Brake Caliper

NISSAN PATROL GR I (Y60, GR)




**OE**  
44001-05J00

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: NISSAN  
Diameter [mm]: 51  
Paired article numbers: CAL613LJM

### CAL615LJM

#### Brake Caliper

JEEP GRAND CHEROKEE II (WJ, WG)




**OE**  
05093181AA  
5093181AA  
K05093181AA

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 26  
Brake System: AKEBONO  
Diameter [mm]: 48  
Paired article numbers: CAL615RJM

### CAL615RJM

#### Brake Caliper

JEEP GRAND CHEROKEE II (WJ, WG)



**OE**  
05093180AA  
5093180AA  
K05093180AA

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 26  
Brake System: AKEBONO  
Diameter [mm]: 48  
Paired article numbers: CAL615LJM

### 600164C

#### Brake Disc



BMW 3 (G20)  
BMW 3 Touring (G21)  
BMW 5 (G30)  
BMW 5 Touring (G31)  
BMW 5 Touring Van (G31)  
BMW X3 (G01, F97)

**OE**  
34116860907  
43512WAA01

Bore [mm]: 67  
Brake Disc Thickness [mm]: 24  
Brake Disc Type: Vented  
Centering Diameter [mm]: 67  
For OE number: 34116860907  
Height [mm]: 66  
Minimum Thickness [mm]: 22,4  
Number of Holes: 5  
Number of mounting bores: 1  
Outer Diameter [mm]: 330  
Surface: Painted

## Brake system

### 600166C

#### Brake Disc



MG MG 3

**OE**  
10094756

Brake Disc Thickness [mm]: 22  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 64  
Fitting Position: Front Axle  
Minimum Thickness [mm]: 19  
Number of mounting bores: 1  
Outer Diameter [mm]: 257  
Pitch Circle [mm]: 100  
Rim Hole Number: 4  
Surface: Painted  
Thickness [mm]: 38

### 600167C

#### Brake Disc



FIAT TIPO (356)  
FIAT TIPO 2 volumi /Coda spiovente (356\_)  
FIAT TIPO Station wagon (356\_)

**OE**  
52017292  
52017293  
52067393  
52067394

Brake Disc Thickness [mm]: 26  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 59  
For OE number: 52067394  
Height [mm]: 43,4  
Hole Arrangement / Number: 05/10  
Inner Diameter [mm]: 127  
Minimum Thickness [mm]: 24,2  
Outer Diameter [mm]: 281  
Pitch Circle [mm]: 98  
Supplementary Article/Supplementary Info 2:  
Without wheel bearing  
Supplementary Article/Supplementary Info 2:  
Without wheel hub  
Supplementary Article/Supplementary Info 2:  
Without wheel studs  
Surface: Painted  
Wheel Bolt Bore [mm]: 13,2

### 600168C

#### Brake Disc



LYNK & CO 01  
POLESTAR POLESTAR 2 (P)  
VOLVO C40  
VOLVO EC40 (539)  
VOLVO EX40 (536)  
VOLVO S60 III (224)

**OE**  
31400568  
31471752  
32300811  
32301268  
8888671652

Brake Disc Thickness [mm]: 30  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 63,5  
For OE number: 31471752  
Height [mm]: 48  
Hole Arrangement / Number: 05/06  
Inner Diameter [mm]: 141  
Minimum Thickness [mm]: 27,5  
Outer Diameter [mm]: 345  
Pitch Circle [mm]: 108  
Supplementary Article/Supplementary Info 2:  
Without wheel bearing  
Supplementary Article/Supplementary Info 2:  
Without wheel hub  
Supplementary Article/Supplementary Info 2:  
Without wheel studs  
Surface: Painted  
Wheel Bolt Bore [mm]: 15,8

## Brake system

### 600169C

#### Brake Disc



MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback  
ROVER 200 (RF)  
ROVER 200 Coupe (XW)  
ROVER 25 (RF)

#### OE

GBD90841  
SDB100500

Brake Disc Thickness [mm]: 13  
Brake Disc Type: Solid  
Centering Diameter [mm]: 64,2  
For OE number: GBD90841  
Height [mm]: 44,5  
Hole Arrangement / Number: 04/08  
Minimum Thickness [mm]: 11  
Outer Diameter [mm]: 261  
Pitch Circle [mm]: 100  
Supplementary Article/Supplementary Info 2:  
Without wheel hub  
Supplementary Article/Supplementary Info 2:  
Without wheel studs  
Surface: Painted

### 600170C

#### Brake Disc



MERCEDES-BENZ eVITO Tourer (W447)  
MERCEDES-BENZ MARCO POLO Camper (W447)  
MERCEDES-BENZ VITO Furgonato (W447)  
MERCEDES-BENZ VITO Mixto (W447)  
MERCEDES-BENZ VITO Tourer (W447)


#### OE

4474210312  
447421031207  
A4474210312  
A447421031207

Brake Disc Thickness [mm]: 28  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 67  
For OE number: A4474210312  
Height [mm]: 51,9  
Hole Arrangement / Number: 05/06  
Minimum Thickness [mm]: 25  
Outer Diameter [mm]: 300  
Pitch Circle [mm]: 112  
Supplementary Article/Supplementary Info 2:  
Without wheel hub  
Supplementary Article/Supplementary Info 2:  
Without wheel studs  
Surface: Painted

### 600171C

#### Brake Disc



RENAULT AVANTIME (DE0\_)  
RENAULT ESPACE III (JE0\_)

#### OE

7701206673  
8200020851  
8671012049

Brake Disc Thickness [mm]: 28  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 61  
For OE number: 8200020851  
Height [mm]: 44  
Hole Arrangement / Number: 05/07  
Minimum Thickness [mm]: 26  
Outer Diameter [mm]: 305  
Pitch Circle [mm]: 108  
Supplementary Article/Supplementary Info 2:  
Without wheel hub  
Supplementary Article/Supplementary Info 2:  
Without wheel studs  
Surface: Painted

### 600172C

#### Brake Disc



MG MG 5 Station wagon  
MG MG ZS Fuoristrada chiuso

#### OE


10282168  
11193996

Brake Disc Thickness [mm]: 25  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 65  
Fitting Position: Front Axle  
Minimum Thickness [mm]: 23  
Number of mounting bores: 1  
Outer Diameter [mm]: 300  
Pitch Circle [mm]: 112  
Rim Hole Number: 5  
Surface: Coated  
Thickness [mm]: 47

## Brake system

**600173C**

**Brake Disc**



MAXUS (SAIC MOTOR) DELIVER 9 Furgonato  
MAXUS (SAIC MOTOR) DELIVER 9 Pianale  
piatto/Telaio  
MAXUS (SAIC MOTOR) eDELIVER 3 Furgonato

**OE**  
C00074527

Brake Disc Thickness [mm]: 31  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 72  
Fitting Position: Front Axle  
Height [mm]: 64,7  
Hole Arrangement / Number: 08/08  
Inner Diameter [mm]: 136,7  
Minimum Thickness [mm]: 29  
Outer Diameter [mm]: 308  
Pitch Circle [mm]: 102  
Supplementary Article/Supplementary Info 2:  
Without wheel bearing  
Supplementary Article/Supplementary Info 2:  
Without wheel hub  
Supplementary Article/Supplementary Info 2:  
Without wheel studs  
Surface: Painted  
Wheel Bolt Bore [mm]: 14,8

**600175C**

**Brake Disc**




BYD DOLPHIN

**OE**  
1342346700  
EM2E3501011

Brake Disc Thickness [mm]: 25  
Brake Disc Type: Vented  
Centering Diameter [mm]: 55  
Fitting Position: Front Axle  
Height [mm]: 41  
Minimum Thickness [mm]: 23  
Number of Bores: 4  
Number of mounting bores: 2  
Outer Diameter [mm]: 255  
Pitch Circle [mm]: 100  
Surface: Painted

**600177C**

**Brake Disc**



MG MG ZS Fuoristrada chiuso

**OE**  
10266048

Brake Disc Thickness [mm]: 22  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 64,1  
Height [mm]: 43,5  
Hole Arrangement / Number: 05/12  
Inner Diameter [mm]: 144,2  
Minimum Thickness [mm]: 20  
Outer Diameter [mm]: 280  
Pitch Circle [mm]: 100  
Supplementary Article/Supplementary Info 2:  
Without wheel bearing  
Supplementary Article/Supplementary Info 2:  
Without wheel hub  
Supplementary Article/Supplementary Info 2:  
Without wheel studs  
Surface: Coated  
Wheel Bolt Bore [mm]: 14,6

## Brake system

**600184C**

**Brake Disc**




MG MG HS

**OE**  
10174827

Brake Disc Thickness [mm]: 25  
 Brake Disc Type: Internally Vented  
 Centering Diameter [mm]: 65  
 Fitting Position: Front  
 Height [mm]: 46,6  
 Inner Diameter [mm]: 139  
 Minimum Thickness [mm]: 23  
 Number of Bores: 5  
 Number of mounting bores: 1  
 Outer Diameter [mm]: 312  
 Pitch Circle [mm]: 112  
 Supplementary Article/Supplementary Info 2:  
 Without wheel bearing  
 Supplementary Article/Supplementary Info 2:  
 Without wheel hub  
 Supplementary Article/Supplementary Info 2:  
 Without wheel studs  
 Surface: Coated  
 Wheel Bolt Bore [mm]: 15

**600579C**

**Brake Disc**



MERCEDES-BENZ CLASSE C (W205)  
 MERCEDES-BENZ CLASSE C Cabriolet (A205)  
 MERCEDES-BENZ CLASSE C Coupé (C205)  
 MERCEDES-BENZ CLASSE C T-Model (S205)  
 MERCEDES-BENZ CLASSE E (W213)  
 MERCEDES-BENZ CLASSE E Cabriolet (A238)

**OE**  
0004212512

Brake Disc Thickness [mm]: 28  
 Brake Disc Type: Internally Vented  
 Centering Diameter [mm]: 69  
 Fitting Position: Front Axle  
 For OE number: 0004212512  
 Height [mm]: 62,5  
 Minimum Thickness [mm]: 25,4  
 Number of Holes: 5  
 Outer Diameter [mm]: 305  
 Tightening Torque [Nm]: 150

**610153C**

**Brake Disc**



LYNK & CO 01  
 VOLVO XC40

**OE**  
 31471477  
 31471477 SK1  
 32300123  
 8889061592

Brake Disc Thickness [mm]: 12  
 Brake Disc Type: Solid  
 Centering Diameter [mm]: 63,5  
 Fitting Position: Rear Axle  
 For OE number: 31471477  
 Height [mm]: 37  
 Hole Arrangement / Number: 05/06  
 Inner Diameter [mm]: 141  
 Minimum Thickness [mm]: 9  
 Outer Diameter [mm]: 302  
 Pitch Circle [mm]: 108  
 Supplementary Article/Supplementary Info 2:  
 Without wheel bearing  
 Supplementary Article/Supplementary Info 2:  
 Without wheel hub  
 Supplementary Article/Supplementary Info 2:  
 Without wheel studs  
 Surface: Painted  
 Wheel Bolt Bore [mm]: 15,8

## Brake system

### 610154C

#### Brake Disc



AUDI A6 Allroad (4FH, C6)  
AUDI A6 Avant (4F5, C6)

**OE**  
4F0615601B

Brake Disc Thickness [mm]: 22  
Brake Disc Type: Externally Vented  
Centering Diameter [mm]: 68  
For OE number: 4F0615601B  
Height [mm]: 42,5  
Hole Arrangement / Number: 05/06  
Minimum Thickness [mm]: 20  
Outer Diameter [mm]: 330  
Pitch Circle [mm]: 112  
Supplementary Article/Supplementary Info 2:  
Without wheel hub  
Supplementary Article/Supplementary Info 2:  
Without wheel studs  
Surface: Painted

### 610155C

#### Brake Disc



MERCEDES-BENZ CLASSE S (W140)

**OE**  
1404230612  
A1404230612

Brake Disc Thickness [mm]: 12  
Brake Disc Type: Solid  
Centering Diameter [mm]: 67  
For OE number: A1404230612  
Height [mm]: 59,7  
Hole Arrangement / Number: 05/07  
Minimum Thickness [mm]: 9,8  
Outer Diameter [mm]: 290  
Pitch Circle [mm]: 112  
Supplementary Article/Supplementary Info 2:  
Without wheel hub  
Supplementary Article/Supplementary Info 2:  
Without wheel studs  
Surface: Painted

### 610156C

#### Brake Disc




MAXUS (SAIC MOTOR) eDELIVER 3 Furgonato  
MAXUS (SAIC MOTOR) eDELIVER 3 Pianale  
piatto/Telaio  
MAXUS (SAIC MOTOR) EUNIQ 5 Van  
MAXUS (SAIC MOTOR) EUNIQ 6

**OE**  
C00081697

Brake Disc Thickness [mm]: 26  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 65  
Fitting Position: Front Axle  
Minimum Thickness [mm]: 24  
Number of Bores: 5  
Number of mounting bores: 1  
Outer Diameter [mm]: 282  
Pitch Circle [mm]: 114  
Thickness [mm]: 49

### 610157C

#### Brake Disc



MG MG HS

**OE**  
10491104

Brake Disc Thickness [mm]: 12  
Brake Disc Type: Solid  
Centering Diameter [mm]: 65  
Fitting Position: Rear Axle  
Minimum Thickness [mm]: 10  
Number of Bores: 5  
Outer Diameter [mm]: 304  
Pitch Circle [mm]: 112  
Thickness [mm]: 37

## Brake system

**610158C**

**Brake Disc**




MAXUS (SAIC MOTOR) DELIVER 9 Furgonato  
MAXUS (SAIC MOTOR) DELIVER 9 Pianale  
piatto/Telaio

**OE**  
C00076503

Brake Disc Thickness [mm]: 16,5  
Brake Disc Type: Solid  
Centering Diameter [mm]: 110  
Fitting Position: Rear Axle  
Height [mm]: 78,2  
Hole Arrangement / Number: 06/06  
Inner Diameter [mm]: 190,3  
Minimum Thickness [mm]: 14,5  
Outer Diameter [mm]: 308  
Pitch Circle [mm]: 134  
Supplementary Article/Supplementary Info 2:  
Without wheel bearing  
Supplementary Article/Supplementary Info 2:  
Without wheel hub  
Supplementary Article/Supplementary Info 2:  
Without wheel studs  
Surface: Painted  
Wheel Bolt Bore [mm]: 11,2

**610161C**

**Brake Disc**



MG MG 5 Station wagon

**OE**  
10347628

Brake Disc Thickness [mm]: 19  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 65  
Fitting Position: Rear Axle  
Minimum Thickness [mm]: 17  
Number of mounting bores: 1  
Outer Diameter [mm]: 265  
Pitch Circle [mm]: 112  
Rim Hole Number: 5  
Surface: Coated  
Thickness [mm]: 62

**610535**

**Brake Disc**



MERCEDES-BENZ CLASSE E (W213)  
MERCEDES-BENZ CLASSE E All-Terrain (S213)  
MERCEDES-BENZ CLASSE E Cabriolet (A238)  
MERCEDES-BENZ CLASSE E Coupè (C238)  
MERCEDES-BENZ CLASSE E T-Model (S213)  
MERCEDES-BENZ CLS (C257)

**OE**  
0004231712  
4231712  
A0004231712

Brake Disc Thickness [mm]: 26  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 69  
Fitting Position: Rear Axle  
For OE number: 4231712  
Height [mm]: 49  
Minimum Thickness [mm]: 23,4  
Outer Diameter [mm]: 360  
Surface: Painted

## Brake system

**610621C**

**Brake Disc**



CITROEN C3 AIRCROSS II  
CITROEN C3 AIRCROSS II VAN (2C\_, 2R\_)  
CITROEN C3 II  
CITROEN C3 III (SX)  
CITROEN C3 III Van (SX\_, SY\_)  
CITROEN C4 CACTUS

**OE**

1623835180  
39181957

Axle Stub Diameter [mm]: 30  
Brake Disc Thickness [mm]: 9  
Brake Disc Type: Solid  
Centering Diameter [mm]: 56  
Height [mm]: 69,2  
Inner Diameter [mm]: 142,5  
Minimum Thickness [mm]: 7  
Number of Bores: 4  
Outer Diameter [mm]: 244  
Pitch Circle [mm]: 108  
Supplementary Article/Supplementary Info 2:  
With integrated sensor ring  
Supplementary Article/Supplementary Info 2:  
With wheel bearing  
Surface: Painted  
Wheel Bolt Bore [mm]: 12

**55059**

**Brake Shoe Set**



PEUGEOT 309 I (10C, 10A)  
PEUGEOT 309 II (3C, 3A)  
RENAULT 11 (B/C37\_)  
RENAULT 9 (L42\_)  
RENAULT SUPER 5 (B/C40\_)  
RENAULT SUPER 5 Furgonato (S40\_)

**OE**

4241 57  
77 01 202 967  
77 01 349 649  
7701349649

Adjustment: With automatic adjustment  
Brake System: Bendix  
For OE number: 7701349649  
Inner Br. Drum Diam. [mm]: 180  
Width [mm]: 42

**55060**

**Brake Shoe Set**



FORD FIESTA Furgonato (FVD)  
FORD FIESTA Furgonato (WFVT)  
FORD FIESTA I (GFBT)  
FORD FIESTA II (FBD)

**OE**

1619136  
1648631  
5016220  
5020562  
5021305  
6177228

Adjustment: With automatic adjustment  
For OE number: 5021305  
Inner Br. Drum Diam. [mm]: 178  
Width [mm]: 32

**55061**

**Brake Shoe Set**



MERCEDES-BENZ SPRINTER 2-t Autobus (901, 902)  
MERCEDES-BENZ SPRINTER 2-t Furgonato (901, 902)  
MERCEDES-BENZ SPRINTER 2-t Pianale piatto/Telaio (901, 902)

**OE**


002 420 58 20  
003 420 14 20  
2D0 609 525  
2D0 609 538  
2D0 698 525  
2D0 698 525 B

For OE number: 2D0698525  
Inner Br. Drum Diam. [mm]: 160  
Width [mm]: 40

## Brake system

**500157**

**Brake Pad Set, disc brake**




BMW 2 Coupé (F22)  
 BMW 3 (F30, F35, F80)  
 BMW 3 GRAN TURISMO (F34)  
 BMW 3 Touring (F31)  
 BMW 3 Touring Van (F31)  
 BMW 4 Cabriolet (F33, F83)

**OE**  
 2284765  
 2284969  
 2464196  
 2468432  
 34112284765  
 34112284969

Brake System: Brembo  
 Fitting Position: Front Axle  
 For OE number: 34116857968  
 Height [mm]: 91,2  
 Supplementary Article/Supplementary Info:  
 With counterweights  
 Thickness [mm]: 17,9  
 Wear Warning Contact: Prepared for wear indicator  
 Width [mm]: 114,8  
 WVA Number: 25028

**500158**

**Brake Pad Set, disc brake**



FIAT PUNTO (188)

**OE**  
 71752982  
 71770963  
 77362170  
 9948408  
 9948410

Brake System: Teves  
 Fitting Position: Front Axle  
 For OE number: 71752982  
 Height [mm]: 52,1  
 Thickness [mm]: 17,9  
 Wear Warning Contact: Not prepared for wear indicator  
 Width [mm]: 151,5  
 WVA Number: 21930  
 WVA Number: 21931

**500159**

**Brake Pad Set, disc brake**



BMW 3 (E30)  
 BMW 3 Cabriolet (E30)  
 BMW 3 Touring (E30)  
 BMW 5 (E28)  
 BMW 6 (E24)  
 BMW 7 (E23)

**OE**  
 34 11 1 154 398  
 34 11 1 159 273  
 34 21 1 153 196  
 34 21 1 153 913  
 34 21 1 154 398  
 34 21 1 154 399

Brake System: Teves  
 Fitting Position: Front Axle  
 For OE number: 34211159912  
 Height [mm]: 37,6  
 Thickness [mm]: 17  
 Wear Warning Contact: Prepared for wear indicator  
 Width [mm]: 125,4  
 WVA Number: 20675  
 WVA Number: 20756

**500160**

**Brake Pad Set, disc brake**








MG MG TF  
 MG MGF (RD)  
 ROVER 100 / METRO (XP)  
 ROVER 100 Cabriolet (XP)

**OE**  
 GBP90318  
 GBP90320  
 GBP90320AF  
 GBP90337  
 GBP90337AF  
 GBP90345AF

Brake System: Lucas  
 Fitting Position: Front Axle  
 For OE number: SEM100020  
 Height [mm]: 60,2  
 Supplementary Article/Supplementary Info 2:  
 with brake caliper screws  
 Thickness [mm]: 17  
 Wear Warning Contact: Not prepared for wear indicator  
 Width [mm]: 114,9  
 WVA Number: 21518

## Brake system

<b>500161</b> 	<b>Brake Pad Set, disc brake</b> VW CALIFORNIA T6 Camper (SGC, SGG, SHC) VW MULTIVAN VI (SGF, SGM, SGN) VW TRANSPORTER VI Autobus (SGB, SGG, SGJ) VW TRANSPORTER VI Furgonato (SGA, SGH) VW TRANSPORTER VI Pianale piatto(SFD, SFE, SFL, SFZ)	<b>OE</b> 7LA698151A 7LA698151C 7LA698151E	Brake System: CBI Directional: Fitting Position: Front Axle For OE number: 7LA698151C Height [mm]: 79,1 Supplementary Article/Supplementary Info 2: with brake caliper screws Thickness [mm]: 19 Wear Warning Contact: Incl. wear warning contact Width [mm]: 170,7 WVA Number: 26270
<b>500162</b> 	<b>Brake Pad Set, disc brake</b> AUDI A3 Limousine (8VS) AUDI A3 Limousine (8YS) AUDI A3 Sportback (8VA) AUDI A3 Sportback (8YA) AUDI Q3 (8U) AUDI TT (FV3)	<b>OE</b> 68353597AB 8S0698151F 8U0698151F 8U0698151G 8U0698151H 8U0698151J	Brake System: Brembo Fitting Position: Front Axle For OE number: 8S0698151F Height [mm]: 73,9 Number of pads: 8 Number of Wear Indicators: 1 Thickness [mm]: 16,7 Warning Contact Length [mm]: 305 Wear Warning Contact: Incl. wear warning contact Width [mm]: 97,2 WVA Number: 22491 WVA Number: 23751
<b>500163</b> 	<b>Brake Pad Set, disc brake</b> DR DR 4.0 DR DR 5.0 SUV DR DR 7.0 SUV DR DR F35 SUV OMODA C5 SPORTEQUIPE SPORTEQUIPE 7	<b>OE</b> 3370100084 T153501080 T153501081 T156GN3501080	Fitting Position: Front Axle Height [mm]: 63 Thickness [mm]: 17,5 Vibration: with vibration damper Wear Warning Contact: Incl. wear warning contact Width [mm]: 148
<b>500262</b> 	<b>Brake Pad Set, disc brake</b> LANCIA DELTA I (831AB0) SAAB 600 SEAT FURA (025A)	<b>OE</b> 71770976 82357469 94435009 A00906DOM SE0141165081C SE141165081C	Brake System: Lucas For OE number: 82357469 Height [mm]: 61,5 Thickness [mm]: 16,5 Wear Warning Contact: Not prepared for wear indicator Width [mm]: 99,2 WVA Number: 20708
<b>500282</b> 	<b>Brake Pad Set, disc brake</b>	<b>OE</b>	Brake System: BRE Fitting Position: Front Axle Height [mm]: 67,7 Thickness [mm]: 19,35 Wear Warning Contact: With integrated wear sensor Width [mm]: 184,3

## Brake system

**500290**

**Brake Pad Set, disc brake**



AUTOBIANCHI Y10  
FIAT PANDA (141A\_)  
FIAT PANDA Van (141\_)  
LANCIA DELTA I (831AB0)  
LANCIA PRISMA (831AB0)  
LANCIA Y10 (156)


**OE**

3980051  
58888150  
5892312  
791235  
791236  
791349

Brake System: TRW  
Fitting Position: Front Axle  
For OE number: 82374569  
Height [mm]: 61,5  
Length [mm]: 99  
Number of Wear Indicators: 2  
Thickness [mm]: 16,4  
Warning Contact Length [mm]: 100  
Wear Warning Contact: Incl. wear warning contact  
WVA Number: 20708  
WVA Number: 20946

**500380**

**Brake Pad Set, disc brake**



VOLVO 740 (744)  
VOLVO 740 Kombi (745)  
VOLVO 760 (704, 764)  
VOLVO 760 Kombi (704, 765)  
VOLVO 780  
VOLVO 940 (944)

**OE**

2701751  
270195  
2701951  
2711740  
271184  
2711844

Brake System: Lucas  
Fitting Position: Front Axle  
For OE number: 2701751  
Height [mm]: 65,1  
Supplementary Article/Supplementary Info 2:  
with brake caliper screws  
Thickness [mm]: 17,4  
Wear Warning Contact: Not prepared for wear indicator  
Width [mm]: 125  
WVA Number: 21266

**500745**

**Brake Pad Set, disc brake**



MITSUBISHI ASX (VSX\_, VSE\_)  
RENAULT CAPTUR II  
RENAULT ESPACE V  
RENAULT GRAND SCÉNIC IV  
RENAULT MEGANE IV  
RENAULT MEGANE IV Grandtour (K9A/M\_)

**OE**

410606808R  
7711946208  
MQ005728

Brake System: Sumitomo  
Fitting Position: Front Axle  
For OE number: 410606808R  
Height [mm]: 58,7  
Thickness [mm]: 18,5  
Wear Warning Contact: Incl. wear warning contact  
Width [mm]: 142,1  
WVA Number: 22803

**510031**

**Brake Pad Set, disc brake**



MAXUS (SAIC MOTOR) DELIVER 9 Furgonato

**OE**

C00212546

Fitting Position: Rear Axle  
Length [mm]: 154  
Supplementary Article/Supplementary Info 2:  
With anti-squeak plate  
Thickness/Strength 1 [mm]: 17  
Wear Warning Contact: With acoustic wear warning  
Width [mm]: 61

**510032**

**Brake Pad Set, disc brake**



TESLA MODEL 3 (5YJ3)  
TESLA MODEL Y (5YJY)

**OE**

800824600A  
800824600B  
800824600C  
800824600D  
800824700A  
800824700B

Brake System: Brembo  
Height [mm]: 60,6  
Thickness [mm]: 16,5  
Wear Warning Contact: With acoustic wear warning  
Width [mm]: 112,7  
WVA Number: 26372  
WVA Number: 26373

## Brake system

**510033**

**Brake Pad Set, disc brake**



MG MARVEL R  
MG MG 5 Station wagon

**OE**  
10413013

Fitting Position: Rear Axle  
Inspection Tag: ECE R90 Approved  
Length [mm]: 117  
Supplementary Article/Supplementary Info 2:  
With anti-squeak plate  
Thickness/Strength 1 [mm]: 16  
Wear Warning Contact: Not prepared for wear indicator  
Width [mm]: 47

**510038**

**Brake Pad Set, disc brake**



MAXUS (SAIC MOTOR) DELIVER 9 Furgonato  
MAXUS (SAIC MOTOR) DELIVER 9 Pianale  
piatto/Telaio  
MAXUS (SAIC MOTOR) eDELIVER 9 Furgonato  
MAXUS (SAIC MOTOR) eDELIVER 9 Pianale  
piatto/Telaio

**OE**  
C00212550  
C00377853

Fitting Position: Rear Axle  
Length [mm]: 132  
Thickness [mm]: 16  
Wear Warning Contact: With acoustic wear warning  
Width [mm]: 54  
WVA Number: 26230  
WVA Number: 26231  
WVA Number: 26232

**510040**

**Brake Pad Set, disc brake**




MG MG ZS Fuoristrada chiuso

**OE**  
10489774

Fitting Position: Rear Axle  
Length [mm]: 117,3  
Thickness [mm]: 15  
Wear Warning Contact: With acoustic wear warning  
Width [mm]: 48,8

**510543**

**Brake Pad Set, disc brake**



MERCEDES-BENZ CLASSE S (W222, V222, X222)  
MERCEDES-BENZ CLASSE S Cabriolet (A217)  
MERCEDES-BENZ CLASSE S Coupé (C217)

**OE**  
0064205720  
0064209220  
0074202820  
0084200820  
0084202220  
A0064205720

Brake System: TRW  
Fitting Position: Rear Axle  
For OE number: 0064205720  
Height 1 [mm]: 65  
Height 2 [mm]: 54,7  
Supplementary Article/Supplementary Info 2:  
with brake caliper screws  
Thickness [mm]: 18,8  
Wear Warning Contact: Prepared for wear indicator  
Width [mm]: 116,4  
WVA Number: 25071  
WVA Number: 25072

**510625**

**Brake Pad Set, disc brake**



PEUGEOT 308 Cassone / coda spiovente (LB\_)  
PEUGEOT 308 II  
PEUGEOT 308 SW II  
PEUGEOT 308 SW II Cassone / Furgonato /  
Promiscuo (LC\_)


**OE**  
1611331480  
1619791480  
1647875880

Brake System: Teves  
Fitting Position: Rear Axle  
For OE number: 1611331480  
Height 1 [mm]: 42,4  
Height 2 [mm]: 46,2  
Thickness [mm]: 15,9  
Wear Warning Contact: Not prepared for wear indicator  
Width [mm]: 123,2  
WVA Number: 25968  
WVA Number: 25969

## Brake system

**510627**

**Brake Pad Set, disc brake**



MERCEDES-BENZ CLASSE E (W213)  
 MERCEDES-BENZ CLASSE E All-Terrain (S213)  
 MERCEDES-BENZ CLASSE E Cabriolet (A238)  
 MERCEDES-BENZ CLASSE E Coupè (C238)  
 MERCEDES-BENZ CLASSE E T-Model (S213)  
 MERCEDES-BENZ CLS (C257)

**OE**

0004203004  
 0004206400  
 0004206500  
 0004208800  
 0004209900  
 A0004203004

Brake System: TRW  
 Fitting Position: Rear Axle  
 For OE number: 0004203004  
 Height 1 [mm]: 70  
 Height 2 [mm]: 79  
 Supplementary Article/Supplementary Info 2:  
 with brake caliper screws  
 Thickness [mm]: 17,4  
 Wear Warning Contact: Prepared for wear  
 indicator  
 Width [mm]: 129  
 WVA Number: 22602  
 WVA Number: 22603

**51916**

**Brake Pad Set, disc brake**



JEEP WRANGLER IV (JL)

**OE**

68385238AA  
 68385238AC  
 K68385238AA

Fitting Position: Rear Axle  
 For OE number: K68385238AA  
 Height [mm]: 48  
 Thickness [mm]: 19  
 Wear Warning Contact: With acoustic wear  
 warning  
 Width [mm]: 132,2  
 WVA Number: 26136  
 WVA Number: 26137

## Clutch

**16702112**

**Cable, manual transmission**



FIAT 500 (312)  
 FIAT 500 C (312)

**OE**

46337219  
 55197839  
 55202310  
 55210266  
 55222342  
 55244447

Length 1 [mm]: 1250  
 Length 2 [mm]: 1140

**1672155**

**Cable, manual transmission**



FIAT DOBLO (119)  
 FIAT DOBLO Cargo (223)

**OE**

46780788  
 46806267  
 46806268  
 46807039

Length 1 [mm]: 1100  
 Length 2 [mm]: 1130

**1672157**

**Cable, manual transmission**



CITROEN JUMPY  
 CITROEN JUMPY Furgonato  
 FIAT SCUDO Furgonato (270\_)  
 FIAT SCUDO Pianale piatto/Telaio (270\_)  
 PEUGEOT EXPERT Furgonato (VF3A\_, VF3U\_,  
 VF3X\_)

**OE**

1400284780  
 1400286380  
 1401174680  
 1401176480  
 2444EL  
 2444GR

Length 1 [mm]: 1020  
 Length 2 [mm]: 1022

## Clutch

**1670300**

**Cable, manual transmission**



FORD FIESTA V (JH\_, JD\_)  
FORD FUSION (JU\_)

**OE**  
1489301  
2S6R7E395AG

Length 1 [mm]: 1550  
Length 2 [mm]: 1700

**90017**

**Releaser**



DR DR PK8

**OE**  
3130100025  
QBS0028

Additionally required articles (article numbers): DF-013  
Additionally required articles (article numbers): SF-00001  
Hole Spacing [mm]: 60  
Hole Spacing [mm]: 65  
Hole Spacing [mm]: 74  
Inner Diameter [mm]: 29,4  
Outer Diameter [mm]: 66

**900200**

**Releaser**



FIAT DUCATO Autobus (250)  
FIAT DUCATO Furgonato (250)  
FIAT DUCATO Pianale piatto/Telaio (250)

**OE**  
1400313180  
1440199580  
55199563  
55228666  
55230696  
55238035

Bore [mm]: 59  
Material: Plastic  
Number of mounting bores: 2

**90S06**

**Releaser**



SSANGYONG ACTYON SPORTS I (QJ)  
SSANGYONG REXTON W  
SSANGYONG RODIUS II

**OE**  
3036032000

Inner Diameter [mm]: 31,5  
Outer Diameter [mm]: 64  
Overall Height [mm]: 59,5

**85019**

**Slave Cylinder, clutch**



MAHINDRA KUV100

**OE**  
0802CAA05021N

For OE number: 0802CAA05021N

## Clutch

**85026**

**Clutch Actuator**



HYUNDAI ELANTRA Tre volumi (AD)  
 HYUNDAI KONA (OS)  
 HYUNDAI TUCSON  
 HYUNDAI TUCSON Cassone/SUV (TLE)  
 KIA CEED (CD)  
 KIA CEED Hatchback Van (CD)

**OE**  
 41470-2D011

For OE number: 41470-2D011

**85027**

**Clutch Actuator**



CITROEN C2 (JM\_)  
 CITROEN C3 I (FC\_)  
 CITROEN C3 II  
 CITROEN C3 Pluriel (HB\_)  
 CITROEN DS3  
 CITROEN NEMO Furgonato (AA\_)

**OE**  
 2182 C7  
 96 825 622 80

For OE number: 2182 C7

**85028**

**Clutch Actuator**




HYUNDAI ACCENT IV Tre volumi (RB)  
 HYUNDAI i30 (GD)  
 HYUNDAI i30 (PDE)  
 HYUNDAI i30 Coupé  
 HYUNDAI i30 CW (GD)  
 HYUNDAI i30 FASTBACK (PDE)

**OE**  
 41470-2D300  
 414702D300

For OE number: 414702D300

**85029**

**Clutch Actuator**



HYUNDAI TUCSON  
 HYUNDAI TUCSON Cassone/SUV (TLE)

**OE**  
 41470-2D211

For OE number: 41470-2D211

**85030**

**Clutch Actuator**



HYUNDAI IONIQ  
 HYUNDAI KONA (OS)  
 HYUNDAI KONA Cassone/SUV (OS)  
 KIA CEED Combi Van (CD)  
 KIA CEED Sportswagon (CD)  
 KIA NIRO

**OE**  
 414702B010

For OE number: 414702B010

**85031**

**Clutch Actuator**



HYUNDAI ELANTRA Tre volumi (AD)  
 HYUNDAI i30 (PDE)  
 HYUNDAI i30 FASTBACK (PDE)  
 HYUNDAI i30 Hatchback Van (PDE)  
 HYUNDAI i30 Kombi Van (PDE)  
 HYUNDAI i30 Station wagon

**OE**  
 41470-2D210

For OE number: 41470-2D210

## Clutch

**85032**

**Clutch Actuator**



KIA CEED (CD)  
KIA CEED Combi Van (CD)  
KIA CEED Hatchback Van (CD)  
KIA CEED Sportswagon (CD)  
KIA PROCEED (CD)  
KIA PROCEED Combi Van (CD)

**OE**  
41470-2D400

For OE number: 41470-2D400

**80012**

**Clutch Disc**



DR DR 6

**OE**  
3130100011

Additionally required articles (article numbers): CF-016  
Additionally required articles (article numbers): SF-00002  
Centering Diameter [mm]: 22  
Diameter [mm]: 228  
For OE number: 3130100011  
Inner Diameter [mm]: 130  
Number of Teeth: 20

**80013**

**Clutch Disc**



DR DR PK8

**OE**  
3130100029

Additionally required articles (article numbers): CF-017  
Additionally required articles (article numbers): SF-00001  
Centering Diameter [mm]: 25  
Diameter [mm]: 250  
For OE number: 3130100029  
Number of Teeth: 23

**80014**

**Clutch Disc**



DR DR 3  
DR DR 3.0

**OE**  
3130100014

Additionally required articles (article numbers): CF-015  
Additionally required articles (article numbers): SF-00003  
Centering Diameter [mm]: 20  
Diameter [mm]: 211  
For OE number: 3130100014  
Number of Teeth: 20

**1540904**

**Clutch Cable**








VW TRANSPORTER IV Autobus (70XB, 70XC, 7DB, 7DW)  
VW TRANSPORTER IV Furgonato (70XA)  
VW TRANSPORTER IV Pianale piatto/Telaio (70XD)

**OE**  
701721335  
701721335B  
7D1721335

Length [mm]: 1251

## Clutch

<b>920209</b> 	<b>Clutch Kit</b> FIAT BRAVA (182) FIAT DOBLO (119) FIAT DOBLO Cargo (223) FIAT PALIO Weekend (178DX) FIAT PUNTO (188) FIAT PUNTO Van (188AX)	<b>OE</b> 71715700 71719405 71722698 71722726 71722979 71729530	Control Design: Pressure switch control Eject Force [N]: 4500 Number of Teeth: 20 Outer Diameter [mm]: 200 Supplementary Article/Supplementary Info 2: With clutch plate Supplementary Article/Supplementary Info 2: With releaser Supplementary Article/Supplementary Info: With clutch pressure plate
<b>920217</b> 	<b>Clutch Kit</b> FIAT TIPO (356) FIAT TIPO 2 volumi /Coda spiovente (356_) FIAT TIPO Station wagon (356_)	<b>OE</b> 46341428 55267004	Control Design: Pressure switch control Eject Force [N]: 7100 Outer Diameter 1 [mm]: 240 Outer Diameter [mm]: 242 Supplementary Article/Supplementary Info 2: With clutch plate Supplementary Article/Supplementary Info: With clutch pressure plate
<b>9202218</b> 	<b>Clutch Kit</b> ALFA ROMEO MITO (955) FIAT 500L FIAT GRANDE PUNTO (199) FIAT PUNTO (199) FIAT PUNTO EVO (199) FIAT PUNTO EVO Van	<b>OE</b> 55231679 55236438	Control Design: Pressure switch control Eject Force [N]: 5400 Hub Profile: 23 x 20 Number of Teeth: 20 Outer Diameter [mm]: 218 Supplementary Article/Supplementary Info 2: Special tools for mounting not necessary Supplementary Article/Supplementary Info 2: With clutch plate Supplementary Article/Supplementary Info: With clutch pressure plate Supplementary Article/Supplementary Info: Without central slave cylinder
<b>92048</b> 	<b>Clutch Kit</b> TATA (TELCO) TELCOLINE (40_FD)	<b>OE</b> 269925200114 269925400111 272425600110	Diameter [mm]: 228 Number of Teeth: 23
<b>92049</b> 	<b>Clutch Kit</b> CHRYSLER SEBRING (JS) CHRYSLER SEBRING Cabriolet (JS) DODGE AVENGER DODGE CALIBER DODGE JOURNEY JEEP COMPASS (MK49)	<b>OE</b> 05106018AB 05106019AB 05273431AB	Diameter [mm]: 240 Engine Version: For engines with dual-mass flywheel Number of Parts [parts]: 4 Number of Teeth: 23

## Clutch

920500

### Clutch Kit



MERCEDES-BENZ CLASSE A (W169)  
MERCEDES-BENZ CLASSE B (W245)

#### OE

0192501701  
0232500001  
192501701  
212501601  
232500001  
A0192501701

Bore [mm]: 36  
Hub Profile: 29 x 26  
Material: Aluminium  
Number of mounting holes at central slave cylinder: 2  
Number of Teeth: 26  
Outer Diameter 1 [mm]: 225  
Outer Diameter [mm]: 228  
Supplementary Article/Supplementary Info 2:  
With clutch plate  
Supplementary Article/Supplementary Info 2:  
Without sensor  
Supplementary Article/Supplementary Info:  
With central slave cylinder  
Supplementary Article/Supplementary Info:  
With clutch pressure plate

920902

### Clutch Kit



AUDI A1 (8X1, 8XF)  
AUDI A1 Sportback (8XA, 8XK)  
AUDI A3 (8P1)  
AUDI A3 (8V1)  
AUDI A3 Cabriolet (8P7)  
AUDI A3 Cabriolet (8V7)

#### OE

03L141015P  
03L141015PX  
04B141015  
04E141015H  
04E141015K  
3L141015P

Control Design: Pressure switch control  
Eject Force [N]: 6400  
Engine Version: For engines without dual-mass flywheel  
Hub Profile: 22,2 x 20,3  
Number of Teeth: 28  
Outer Diameter [mm]: 228  
Supplementary Article/Supplementary Info 2:  
With clutch plate  
Supplementary Article/Supplementary Info 2:  
Without releaser  
Supplementary Article/Supplementary Info:  
With clutch pressure plate

920903

### Clutch Kit



AUDI A1 (8X1, 8XF)  
AUDI A3 (8L1)  
AUDI TT (8N3)  
AUDI TT Roadster (8N9)  
SEAT CORDOBA (6L2)  
SEAT IBIZA IV (6L1)

#### OE

028141025PX  
02A141165G  
02A141165M  
038141025D  
038141033C  
38141025D

Control Design: Pressure switch control  
Eject Force [N]: 5250  
For flywheel manufacturer: SACHS  
Hub Profile: 22,2 x 20,3  
Number of Teeth: 28  
Outer Diameter [mm]: 228  
Supplementary Article/Supplementary Info 2:  
Special tools for mounting not necessary  
Supplementary Article/Supplementary Info 2:  
With clutch plate  
Supplementary Article/Supplementary Info 2:  
With releaser  
Supplementary Article/Supplementary Info:  
With clutch pressure plate

921200

### Clutch Kit



CHEVROLET CRUZE (J300)  
CHEVROLET CRUZE 2 volumi /Coda spiovente (J305)  
CHEVROLET CRUZE Station Wagon (J308)  
CHEVROLET ORLANDO (J309)  
CHEVROLET TRAX

#### OE

16 29 110  
1629110  
25184623  
25185062  
25192482  
55582938

Multi-piece: Two-piece  
Number of Teeth: 24  
Outer Diameter [mm]: 230  
Supplementary Article/Supplementary Info 2:  
Without releaser

## Clutch

**92945**

**Clutch Kit**



ISUZU N (5th Generation)

**OE**

1098200780  
8970388312  
8970388323  
8971735950  
8972292390  
8972292410

Diameter [mm]: 325  
Number of Teeth: 10

**92H75**

**Clutch Kit**



HYUNDAI GETZ (TB)

**OE**

4110028800  
4130028800  
4142128020  
4142139000

Centering Diameter [mm]: 22,5  
Diameter [mm]: 225  
Number of Teeth: 20

**92S22**

**Clutch Kit**



SSANGYONG REXTON W  
SSANGYONG RODIUS II

**OE**

3001021500

Centering Diameter [mm]: 28  
Diameter [mm]: 250  
Number of Teeth: 25

**980101M**

**Clutch Kit**



BMW 1 (E87)  
BMW 3 (E46)  
BMW 3 (E90)  
BMW 3 Cabriolet (E46)  
BMW 3 Compact (E46)  
BMW 3 Coupe (E46)

**OE**


21 20 7 549 441  
21 20 7 565 745  
21 20 7 573 047  
21 21 7 519 484  
21207549441  
21207565745

Clutch: Conversion from dual-mass flywheel to single-mass flywheel  
Eject Force [N]: 7550  
Number of mounting bores: 7  
Number of Teeth: 22  
Supplementary Article/Supplementary Info 2: Special tools for mounting not necessary  
Supplementary Article/Supplementary Info 2: With clutch plate  
Supplementary Article/Supplementary Info 2: with flywheel  
Supplementary Article/Supplementary Info 2: With releaser  
Supplementary Article/Supplementary Info 2: With screw set  
Supplementary Article/Supplementary Info 2: Without lock screw set  
Supplementary Article/Supplementary Info: With clutch pressure plate

## Clutch

**980300M**

**Clutch Kit**



FORD C-MAX (DM2)  
 FORD FOCUS C-MAX  
 FORD FOCUS II (DA\_)  
 FORD FOCUS II Station wagon (DA\_)  
 FORD FOCUS II Tre volumi (DA\_)  
 MAZDA 3


**OE**

1229400  
 1232512  
 1312353  
 1542007  
 1669556  
 1692745

Clutch: Conversion from dual-mass flywheel to single-mass flywheel  
 Eject Force [N]: 5350  
 Number of Teeth: 23  
 Supplementary Article/Supplementary Info 2: With clutch plate  
 Supplementary Article/Supplementary Info 2: with flywheel  
 Supplementary Article/Supplementary Info 2: With screw set  
 Supplementary Article/Supplementary Info: With central slave cylinder  
 Supplementary Article/Supplementary Info: With clutch pressure plate

**980400M**

**Clutch Kit**



OPEL COMBO Cassone / Furgonato / Promiscuo  
 OPEL COMBO Tour  
 OPEL CORSA C (F08, F68)  
 OPEL CORSA C Furgonato (F08, W5L)  
 OPEL CORSA D  
 OPEL CORSA D Van

**OE**

55565842  
 55568171  
 616218  
 616364

Clutch: Conversion from dual-mass flywheel to single-mass flywheel  
 Eject Force [N]: 4200  
 Number of Teeth: 14  
 Outer Diameter [mm]: 220  
 Supplementary Article/Supplementary Info 2: With clutch plate  
 Supplementary Article/Supplementary Info 2: with flywheel  
 Supplementary Article/Supplementary Info: With central slave cylinder  
 Supplementary Article/Supplementary Info: With clutch pressure plate  
 Tightening Torque [Nm]: 44

## Cooling System

**350130**

**Water Pump**



SKODA FELICIA I (6U1)  
 SKODA FELICIA I Fun (797)  
 SKODA FELICIA I Station wagon (6U5)  
 SKODA FELICIA II (6U1)  
 SKODA FELICIA II Station wagon (6U5)

**OE**

007 070 251  
 047 121 011B

Operating Mode: Mechanical  
 Supplementary Article/Supplementary Info: with seal  
 Water Pump Pulley [mm]: 81  
 Water Pump Type: For v-ribbed belt use

**350236**

**Water Pump**









FIAT BRAVA (182)  
 FIAT BRAVO I (182)  
 FIAT MAREA (185)  
 FIAT MAREA Weekend (185)  
 LANCIA Y (840A)

**OE**

7762924

Operating Mode: Mechanical  
 Supplementary Article/Supplementary Info 2: With water pump seal  
 Water Pump Pulley [mm]: 60,5  
 Water Pump Type: For toothed belt drive

## Cooling System

<b>350237</b> 	<b>Water Pump</b> FIAT BRAVA (182) FIAT BRAVO I (182) FIAT MAREA (185) FIAT MAREA Weekend (185) LANCIA Y (840A)	<b>OE</b> 46515971	Operating Mode: Mechanical Supplementary Article/Supplementary Info 2: With water pump seal Water Pump Pulley [mm]: 60,5 Water Pump Type: For toothed belt drive
<b>350238</b> 	<b>Water Pump</b> FIAT COUPE (FA/175) FIAT TEMPRA (159) FIAT TEMPRA S.W. (159) FIAT TIPO (160) LANCIA DEDRA (835) LANCIA DEDRA SW (835)	<b>OE</b> 71719678 71737967 7701137 7783006	Operating Mode: Mechanical Supplementary Article/Supplementary Info: with seal Water Pump Type: For v-ribbed belt use
<b>350310</b> 	<b>Water Pump</b> FORD MONDEO I (GBP) FORD MONDEO I Station wagon (BNP) FORD MONDEO I Tre volumi (GBP) FORD MONDEO II (BAP) FORD MONDEO II Station wagon (BNP) FORD MONDEO II Tre volumi (BFP)	<b>OE</b> 1318354 1517754 5028472 93FX8591A1B 93FX8591AA EPW79	Operating Mode: Mechanical Supplementary Article/Supplementary Info: with seal Water Pump Pulley [mm]: 50 Water Pump Type: For toothed belt drive
<b>350312</b> 	<b>Water Pump</b> FORD ESCORT '81 Express (AVA) FORD ESCORT '86 Express (AVF) FORD ESCORT III (GAA) FORD ESCORT III Station wagon (AWA) FORD ESCORT IV (GAF, AWF, ABFT) FORD ESCORT IV Station wagon (AWF, AVF)	<b>OE</b> 5005197 5024603 6039328 6050034 60509034 6050907	Operating Mode: Mechanical
<b>350313</b> 	<b>Water Pump</b> FORD ESCORT '91 Express (AVL) FORD ESCORT V (GAL) FORD ESCORT V Station wagon (GAL, AVL) FORD ESCORT VI Tre volumi (GAL) FORD ESCORT VII (GAL, AAL, ABL) FORD ESCORT VII Station wagon (GAL, ANL)	<b>OE</b> 1518096 6683522 92BX8591AA EPW60 ME92BX8591A2B	Operating Mode: Mechanical Supplementary Article/Supplementary Info: with seal Water Pump Type: For v-ribbed belt use
<b>350316</b> 	<b>Water Pump</b> VOLVO 240 (P242, P244) VOLVO 240 Kombi (P245) VOLVO 740 (744) VOLVO 740 Kombi (745) VOLVO 760 (704, 764) VOLVO 760 Kombi (704, 765)	<b>OE</b> 1326342 270559 271275 271830 271975 2719755	Operating Mode: Mechanical Supplementary Article/Supplementary Info: with seal Water Pump Type: For v-ribbed belt use

## Cooling System

<b>350707</b>  	<b>Water Pump</b>  RENAULT CLIO I (B/C57_, 5/357_) RENAULT RAPID Furgonato (F40_, G40_) RENAULT TWINGO I (C06_)	<b>OE</b> 77 01 467 153	Operating Mode: Mechanical Supplementary Article/Supplementary Info 2: Without cover Supplementary Article/Supplementary Info: with seal Water Pump Type: For v-ribbed belt use
---	---	----------------------------	--

<b>350718K</b>  	<b>Water Pump</b>  DACIA JOGGER NISSAN JUKE (F16_) RENAULT ARKANA I RENAULT CAPTUR II RENAULT CLIO V (BF_) RENAULT EXPRESS Cassone/Limousine	<b>OE</b> 21 01 006 38R 21 01 042 21R 21 01 048 80R 21 01 094 04R 21010-00Q4A 21010-00Q4L	Operating Mode: Mechanical Supplementary Article/Supplementary Info: with seal Water Pump Pulley [mm]: 55
--	---	---	--

<b>350955</b>  	<b>Water Pump</b>  FIAT 131 FIAT 131 Familiare/Panorama FIAT 132 FIAT ARGENTA (132A) SEAT 132	<b>OE</b> 000 476 478 0000004764782 0004755003 2995625 2995629 472 003 1	Operating Mode: Mechanical
--	---	--	----------------------------

<b>RD1093006</b>  	<b>Intake Manifold Module</b>  FIAT 500X FIAT TIPO (356) FIAT TIPO 2 volumi /Coda spiovente (356_) FIAT TIPO Station wagon (356_) JEEP RENEGADE Fuoristrada chiuso (BU)	<b>OE</b> 46348885 46350125 73504596 77368534	Cooling fins material: Aluminium Cooling Type: Water-cooled Core Depth [mm]: 60 Core Length [mm]: 81 Core Width [mm]: 252 Radiator type: Brazed cooling fins Water Tank Material (radiator): Aluminium
--	---	---	--

<b>VAR001JM</b>  	<b>Water Tank, radiator</b>  FIAT 500 (312) FIAT PANDA (169)	<b>OE</b> 46836856	contains article number: 33-00-042 contains article number: 33042 contains article number: KH-042 Supplementary Article/Supplementary Info 2: With sealing plug
---	---	-----------------------	---

<b>VAR002JM</b>  	<b>Water Tank, radiator</b>  FIAT IDEA FIAT PUNTO (188) FIAT PUNTO Van (188AX) LANCIA MUSA (350)	<b>OE</b> 46754205 51739653	contains article number: 33-00-026 contains article number: 33026 contains article number: KH-026 Fitting Position: Front Axle Fitting Position: Upper Material: Plastic Supplementary Article/Supplementary Info 2: With sealing plug
---	---	-----------------------------------	---

## Cooling System

### VAR003JM

#### Water Tank, radiator



ALFA ROMEO MITO (955)  
FIAT GRANDE PUNTO (199)  
FIAT PUNTO (199)

**OE**  
50515057  
55700508

contains article number: 33-00-042  
contains article number: 33042  
contains article number: KH-042  
Fitting Position: Front Axle  
Fitting Position: Upper  
Material: Plastic  
Supplementary Article/Supplementary Info 2:  
With sealing plug

### VAR004JM

#### Water Tank, radiator



FIAT 500 (312)  
FIAT PANDA (519, 312, 319)  
LANCIA YPSILON (312, 846)

**OE**  
51880401

contains article number: 33-00-042  
contains article number: 33042  
contains article number: KH-042  
Fitting Position: Front Axle  
Fitting Position: Upper  
Material: Plastic  
Supplementary Article/Supplementary Info 2:  
With sealing plug

### VAR005JM

#### Water Tank, radiator



FIAT PANDA (519, 312, 319)  
FIAT PANDA VAN (312, 519)  
LANCIA YPSILON (312, 846)

**OE**  
51837896

contains article number: 33-00-042  
contains article number: 33042  
contains article number: KH-042  
Fitting Position: Front Axle  
Fitting Position: Upper  
Material: Plastic  
Supplementary Article/Supplementary Info 2:  
With sealing plug

### 380349

#### Thermostat, coolant



FORD B-MAX (JK)  
FORD B-MAX Van  
FORD C-MAX II  
FORD C-MAX II Van  
FORD ECOSPORT  
FORD FIESTA VI

**OE**  
1765657  
1812482  
1829180  
1872633  
CM5G61J20AA  
CM5G9K478FA

Housing Type: Without housing  
Opening Temperature [°C]: 92  
Supplementary Article/Supplementary Info:  
with seal

### 380975

#### Thermostat, coolant




VW CRAFTER Autobus (SY\_)  
VW CRAFTER Furgonato  
VW CRAFTER Pianale piatto/Telaio  
VW MULTIVAN VI (SGF, SGM, SGN)  
VW TRANSPORTER VI Autobus (SGB, SGG, SGJ)  
VW TRANSPORTER VI Furgonato (SGA, SGH)

**OE**  
04L 121 026 L  
04L 121 111 F

Opening Temperature [°C]: 92

### 380976

#### Thermostat, coolant



VW CRAFTER Autobus (SY\_)  
VW CRAFTER Furgonato  
VW CRAFTER Pianale piatto/Telaio

**OE**  
04L121026P

Opening Temperature [°C]: 92

## Electrics

### BO-0117JM

#### Coil, ignition



SEAT LEON (1M1)  
VW BORA (1J2)  
VW BORA Station wagon (1J6)  
VW GOLF IV (1J1)  
VW GOLF IV Variant (1J5)  
VW NEW BEETLE (9C1, 1C1)

**OE**  
021905106B

Connector Shape: Oval  
For OE number: 021 905 106 B  
Ignition Coil: 2 Spark  
Ignition Coil: Coupling Type Saw Tooth  
Number of Poles: 5  
Number of ports: 6  
Required quantity: 1  
Voltage [V]: 12

### BO-0119JM

#### Coil, ignition



BMW 1 (E81)  
BMW 1 (E87)  
BMW 1 (F20)  
BMW 1 (F21)  
BMW 1 Cabriolet (E88)  
BMW 1 Coupé (E82)

**OE**  
12137841558

For OE number: 12137841558

### BO-0121JM

#### Coil, ignition



RENAULT 21 Tre volumi (L48\_)  
RENAULT ESPACE III (JE0\_)  
RENAULT LAGUNA I (B56\_, 556\_)  
RENAULT LAGUNA I Grandtour (K56\_)

**OE**  
7700854307

For OE number: 7700854307  
Ignition Coil: Coupling Type SAE  
Number of Inlets / Outlets: 2  
Number of Poles: 3

### BO-0124JM

#### Coil, ignition



FIAT CROMA (194)  
OPEL ASTRA G 2 volumi /Coda spiovente (F48\_, F08\_)  
OPEL ASTRA G Cabriolet (F67)  
OPEL ASTRA G Coupe (F07\_)  
OPEL ASTRA G Station wagon (F35\_)

**OE**  
71739285

For OE number: 71739285  
Ignition Coil: Coupling Type SAE  
Number of Inlets / Outlets: 4  
Number of Poles: 9

### BO-0125JM

#### Coil, ignition



SAAB 9-3 (YS3D)  
SAAB 9-3 Cabriolet (YS3D)  
SAAB 9-5 (YS3E)  
SAAB 9-5 Station wagon (YS3E)  
SAAB 900 II  
SAAB 900 II Cabriolet

**OE**  
55559955

For OE number: 55 559 955  
Number of ports: 10

### BO-0127JM

#### Coil, ignition



SEAT IBIZA IV (6L1)  
SKODA FABIA  
SKODA FABIA (6Y2)  
SKODA FABIA Combi  
SKODA FABIA Combi (6Y5)  
SKODA FABIA Praktik

**OE**  
03D905105A

For OE number: 03D 905 105 A  
Ignition Coil: Coupling Type SAE  
Number of Inlets / Outlets: 1  
Number of Poles: 4

## Electrics

### BO-0128JM

#### Coil, ignition



FIAT 500 (312)  
FIAT 500 C (312)  
FIAT PANDA (519, 312, 319)  
LANCIA YPSILON (312, 846)

**OE**  
55267998

For OE number: 55267998  
Ignition Coil: Coupling Type SAE  
Ignition Coil: Incl. spark plug connector  
Number of Poles: 3  
Voltage [V]: 12

### BO-0129JM

#### Coil, ignition



DACIA LOGAN II  
DACIA LOGAN MCV II  
DACIA SANDERO II  
FIAT 500 (312)  
FIAT 500 C (312)  
FIAT PANDA (519, 312, 319)

**OE**  
224330437R

For OE number: 224330437R  
Ignition Coil: Flush-Fitting Pencil Ignition Coils  
Mounting Type: Bolted  
Number of Poles: 3  
Voltage [V]: 12

### 78013

#### Coil, ignition



TOYOTA CARINA II (\_T17\_)  
TOYOTA CARINA II Station Wagon (\_T17\_)  
TOYOTA CARINA II Tre volumi (\_T17\_)  
TOYOTA CELICA Cabriolet (AT18\_, ST18\_)  
TOYOTA CELICA Coupé (AT18\_, ST18\_)

**OE**  
9091902170

For OE number: 90919-02170  
Ignition Coil: Distributer Coil  
Number of pins: 2  
Voltage [V]: 12

### BO-0130JM

#### Coil, ignition



DACIA DOKKER  
DACIA DOKKER Express  
DACIA DUSTER  
DACIA JOGGER  
DACIA LODGY  
NISSAN JUKE (F16\_)

**OE**  
2244800Q0J

For OE number: 2244800Q0J  
Number of Poles: 4  
Port Type: SAE  
Required quantity: 3  
Voltage [V]: 12

### 78014

#### Coil, ignition



MITSUBISHI GALANT Tre volumi (DJ\_, ED\_, EF\_)  
MITSUBISHI GRANDIS (NA\_W)  
MITSUBISHI OUTLANDER I (CU\_W)

**OE**  
MR994643

For OE number: MR994643  
Number of Poles: 3  
Port Type: SAE  
Required quantity: 4  
Voltage [V]: 12

### 78015

#### Coil, ignition



LADA 110  
LADA 111  
LADA 112  
LADA GRANTA (2190)  
LADA KALINA 2 volumi /Coda spiovente (2192)  
LADA KALINA Station wagon (2194)

**OE**  
21123705010

For OE number: 2112-3705010  
Ignition Coil: Coupling Type SAE  
Number of Inlets / Outlets: 1  
Number of Poles: 3

## Electrics

### BO-0239JM

#### Coil, ignition



ALFA ROMEO TONALE (965\_)  
FIAT 500X  
FIAT TIPO 2 volumi /Coda spiovente (356\_)  
FIAT TIPO Station wagon (356\_)  
JEEP COMPASS (MP)  
JEEP RENEGADE Fuoristrada chiuso (BU)

**OE**  
55282087

Connector Shape: Without pressure differential switch  
For OE number: 55282087  
Ignition Coil: Flush-Fitting Pencil Ignition Coils  
Port Type: SAE

### BO-0326JM

#### Coil, ignition



FORD B-MAX (JK)  
FORD B-MAX Van  
FORD C-MAX (DM2)  
FORD C-MAX II  
FORD ECOSPORT  
FORD FIESTA IV (JA\_, JB\_)

**OE**  
1350562

For OE number: 1350562

### BO-0327JM

#### Coil, ignition



FORD COUGAR (EC\_)  
FORD ESCORT CLASSIC (AAL, ABL)  
FORD ESCORT CLASSIC Turnier (ANL)  
FORD ESCORT VII (GAL, AAL, ABL)  
FORD ESCORT VII Cabriolet (ALL)  
FORD ESCORT VII Station wagon (GAL, ANL)

**OE**  
12714  
1319929  
1517813  
17SG12029AC  
1S7G 1202 9AC  
1S7G120-29AB

Ignition Coil: Block Ignition Coil  
Number of pins: 3  
Voltage [V]: 12

### BO-0329JM

#### Coil, ignition



JAGUAR S-TYPE (CCX)  
JAGUAR X-TYPE (CF1)  
JAGUAR X-TYPE Estate  
JAGUAR XF (\_J05\_, CC9)  
JAGUAR XJ (X350, X358)

**OE**  
6R83-12A366-BA  
C2S11480  
C2S42673  
C2S7928  
XR822478

For OE number: C2S42673

### BO-0520JM

#### Coil, ignition



MERCEDES-BENZ CLA Coupé (C117)  
MERCEDES-BENZ CLA Shooting Brake (X117)  
MERCEDES-BENZ CLASSE A (W176)  
MERCEDES-BENZ CLASSE B (W246, W242)  
MERCEDES-BENZ CLASSE C (W204)  
MERCEDES-BENZ CLASSE C (W205)

**OE**  
2749060600  
2749061400  
A274 9060 600  
A2749061400

Connector Shape: Angular  
Ignition Coil: Flush-Fitting Pencil Ignition Coils  
Port Type: SAE

### BO-0619JM

#### Coil, ignition



LAND ROVER FREELANDER (LN)  
LAND ROVER FREELANDER Soft Top  
MG MG TF  
MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback

**OE**  
1388-77  
2450 71  
DMB 202  
GCL 201  
NEC 100630  
NEC 100631

Number of ports: 2

## Electrics

### BO-0635JM

#### Coil, ignition



CITROEN C2 (JM\_)  
 CITROEN C3 I (FC\_)  
 CITROEN C3 II  
 CITROEN C3 Pluriel (HB\_)  
 CITROEN NEMO Furgonato (AA\_)  
 CITROEN NEMO Station wagon

#### OE

12796  
 597090  
 597097  
 9467511580  
 9654347080  
 CP298

Connector Shape: Angular  
 Ignition Coil: Ignition Coil Strips  
 Port Type: SAE  
 Required Number\_2: 1

### BO-0712JM

#### Coil, ignition



DACIA LOGAN (LS\_)  
 DACIA LOGAN II  
 DACIA LOGAN MCV II  
 DACIA SANDERO  
 DACIA SANDERO II  
 RENAULT CLIO Grandtour (KR0/1\_)

#### OE

12775  
 138713  
 8200360911  
 CP032  
 CU1194  
 IIS267

Connector Shape: Angular  
 Port Type: SAE

### 152001

#### Sensor, camshaft position



TATA (TELCO) ARIA  
 TATA (TELCO) SAFARI (42\_FD)  
 TATA (TELCO) XENON Pick-up

#### OE

278915400104

Specification: 3 PIN

## Engine

### 1500943

#### EGR Valve



AUDI A4 (8K2, B8)  
 AUDI A4 Allroad (8KH, B8)  
 AUDI A4 Avant (8K5, B8)  
 AUDI A5 (8T3)  
 AUDI A5 Cabriolet (8F7)  
 AUDI A5 Sportback (8TA)

#### OE

059 131 503 AC  
 059 131 503 AL  
 059 131 503 AN  
 059 131 515 BE  
 059 131 515 BL  
 059 131 515 BQ

For OE number: 059 131 515 FS

### 150222

#### EGR Valve



ASTON MARTIN CYGNET  
 DAIHATSU CHARADE  
 SUBARU TREZIA  
 TOYOTA AURIS (NRE15\_, ZZE15\_, ADE15\_, ZRE15\_, NDE15\_)  
 TOYOTA AURIS (NZE18\_, ZRE18\_)

#### OE

25620-47020  
 2562047020

Number of Poles: 6

## Engine

**15700003**

**Oil Pump**



CITROEN BERLINGO (B9)  
CITROEN BERLINGO Furgonato (B9)  
CITROEN BERLINGO Furgonato (K9)  
CITROEN BERLINGO Pianale piatto/Telaio (B9)  
CITROEN C3 AIRCROSS II  
CITROEN C3 II

**OE**  
1614411380

For OE number: 1614411380  
Supplementary Article/Supplementary Info 2:  
With seal  
Supplementary Article/Supplementary Info 2:  
With shaft oil seal  
Supplementary Article/Supplementary Info:  
with electrical oil pressure valve

**15700056**

**Oil Pump**



JAGUAR E-PACE (X540)  
JAGUAR F-PACE (X761)  
JAGUAR F-TYPE Cabriolet  
JAGUAR F-TYPE Coupé  
JAGUAR XE (X760)  
JAGUAR XF (X260)

**OE**  
G4D36L079JA  
JDE38552  
JDE39264  
JDE40053  
LR087668  
LR110501

Operating Mode: Electric  
Supplementary Article/Supplementary Info:  
with electrical oil pressure valve

**JNS042S**

**Cylinder Head**



MERCEDES-BENZ CLASSE X (470)  
MERCEDES-BENZ CLASSE X Pianale  
piatto/Telaio (470)  
NISSAN NAVARA Pick-up (D23)  
NISSAN NV400 Autobus  
NISSAN NV400 Furgonato

**OE**  
1104100Q2L  
1104100Q3E  
110414467R  
110415059R  
110415770R  
110416605R

Supplementary Article/Supplementary Info 2:  
Without camshaft(s)  
Supplementary Article/Supplementary Info 2:  
Without valve springs  
Supplementary Article/Supplementary Info 2:  
Without valves  
Supplementary Article/Supplementary Info:  
Without gaskets/seals

## Engine Timing Control

**6PK1153**

**V-Ribbed Belts**



BMW 1 (F20)  
BMW 1 (F21)  
BMW 2 Cabriolet (F23)  
BMW 2 Coupé (F22)  
BMW 2 Coupé (G42)  
BMW 3 (F30, F35, F80)

**OE**  
0019938896  
028260849J  
028260849N  
036145933AC  
037260849  
037260849A

Length [mm]: 1153  
Number of Ribs: 6  
Parameter: 6PK1153

**6PK976**

**V-Ribbed Belts**



ALFA ROMEO 155 (167)  
ALFA ROMEO GTV (916C\_)  
ALFA ROMEO SPIDER (916S\_)  
ALFA ROMEO SZ  
CITROEN BERLINGO (B9)  
CITROEN BERLINGO Furgonato (B9)

**OE**  
037903137C  
037903137F  
037903137G  
11287798112  
1229549  
1539584

Length [mm]: 976  
Number of Ribs: 6  
Parameter: 6PK976

## Engine Timing Control

### KJK1006

#### Timing Chain Kit



BMW 1 (F20)  
BMW 1 (F21)  
MINI MINI (F55)  
MINI MINI (F56)  
MINI MINI Cabriolet (F57)  
MINI MINI CLUBMAN (F54)

#### OE

11317617475  
11318518182  
13528490225  
13528518190

Fitting Position: Upper  
For OE number: 13528518190  
Supplementary Article/Supplementary Info 2:  
With gear

### KJK1007

#### Timing Chain Kit



MERCEDES-BENZ CLA (C118)  
MERCEDES-BENZ CLA Shooting Brake (X118)  
MERCEDES-BENZ CLASSE B (W247)  
MERCEDES-BENZ CLASSE C (W205)  
MERCEDES-BENZ CLASSE C Cabriolet (A205)  
MERCEDES-BENZ CLASSE C Coupé (C205)


#### OE

000 993 41 02  
000 993 41 02 S4  
000 993 89 02  
000 993 89 02 S4  
000 993 93 00  
000 993 93 00 S4

Chain Type: Open chain  
Chain Type: Simplex  
Number of Chain Links: 102  
Number of Chain Links: 62

### KJK1009

#### Timing Chain Kit



OPEL KARL

#### OE

12656083  
636609

Chain Type: Low-noise chain  
Chain Type: Simplex  
Fitting Position: Upper  
Number of Chain Links: 85  
Supplementary Article/Supplementary Info 2:  
With gear  
Supplementary Article/Supplementary Info:  
With gaskets/seals  
Valve Control: For engines with variable valve timing

### KJK1011

#### Timing Chain Kit



DAEWOO MUSSO (FJ)  
MERCEDES-BENZ CLASSE C (W202)  
MERCEDES-BENZ CLASSE C (W203)  
MERCEDES-BENZ CLASSE C Coupe (CL203)  
MERCEDES-BENZ CLASSE C Station wagon (S202)

#### OE

A0039971794  
A1110500411  
A1110501116  
A1110501416  
A1110521016  
A1209970346

Chain Type: Duplex  
Chain Type: Open chain  
Number of Chain Links: 126  
Number of Parts [parts]: 9

### KJK1013

#### Timing Chain Kit



HYUNDAI i30 (FD)  
HYUNDAI i30 Coupé  
HYUNDAI i30 CW (GD)  
HYUNDAI i40 (VF)  
HYUNDAI i40 CW (VF)  
HYUNDAI ix35 (LM, EL, ELH)

#### OE

214212B020  
24321-2B620  
24370-2B610  
24410-2B610  
24410-2B700  
24420-2B610

Chain Type: Simplex  
Number of Chain Links: 62  
Supplementary Article/Supplementary Info 2:  
With gear

## Engine Timing Control

### KJK1016

#### Timing Chain Kit



DACIA DOKKER  
 DACIA DUSTER  
 DACIA LODGY  
 RENAULT FLUENCE (L30\_)  
 RENAULT LOGAN II  
 RENAULT MEGANE IV

#### OE

13024CJ00B  
 130701HCOA  
 130C13954R

Chain Type: Silent Chain  
 Number of Chain Links: 152  
 Supplementary Article/Supplementary Info 2:  
 With gear

### KJK1018

#### Timing Chain Kit



BMW 1 (F20)  
 BMW 1 (F21)  
 BMW 1 (F40)  
 BMW 2 Active Tourer (F45)  
 BMW 2 Cabriolet (F23)  
 BMW 2 Coupé (F22)

#### OE

11 31 8 648 729  
 13 52 8 648 731

Chain Type: Roller chain  
 Chain Type: Simplex  
 Fitting Position: Lower  
 Fitting Position: Upper  
 Number of Chain Links: 118  
 Number of Chain Links: 84  
 Supplementary Article/Supplementary Info 2:  
 With gear  
 Supplementary Article/Supplementary Info:  
 With gaskets/seals

### KJK1020

#### Timing Chain Kit



HYUNDAI ACCENT IV Tre volumi (RB)  
 HYUNDAI ACCENT Tre volumi (HC)  
 HYUNDAI i20 (GB)  
 HYUNDAI i20 ACTIVE (GB)  
 HYUNDAI i20 Coupe  
 HYUNDAI i20 III (BC3, BI3)

#### OE

23121-03010  
 24321-03101  
 24350-03001  
 24370-03000  
 24410-03000  
 24420-03100

Chain Type: Low-noise chain  
 Chain Type: Simplex  
 Fitting Position: Upper  
 Number of Chain Links: 162  
 Supplementary Article/Supplementary Info 2:  
 With gear  
 Supplementary Article/Supplementary Info:  
 With gaskets/seals  
 Valve Control: For engines with variable valve timing

### KJK1021

#### Timing Chain Kit



AUDI A4 (8K2, B8)  
 AUDI A4 Avant (8K5, B8)  
 AUDI A5 (8T3)  
 AUDI A5 Cabriolet (8F7)  
 AUDI A5 Sportback (8TA)  
 AUDI A6 (4G2, C7, 4GC)


#### OE

059 109 229 AA  
 059 109 229 AA S3

Chain Type: Closed chain  
 Chain Type: Simplex  
 For OE number: 059 109 229 AA S3  
 Number of Chain Links: 136  
 Number of Chain Links: 206

### KJK1022

#### Timing Chain Kit



HYUNDAI ACCENT II (LC)  
 HYUNDAI ACCENT II Tre volumi (LC)  
 HYUNDAI ACCENT III (MC)  
 HYUNDAI ACCENT III Tre volumi (MC)  
 HYUNDAI ACCENT IV Tre volumi (RB)  
 HYUNDAI ELANTRA Tre volumi (AD)

#### OE

24335-2A000  
 24351-2A000  
 24351-2A001  
 24361-2A000  
 24361-2A001  
 24387-2A300

Chain Type: Roller chain  
 Chain Type: Simplex  
 Fitting Position: Lower  
 Fitting Position: Upper  
 For OE number: 24335 2A000  
 For OE number: 24387 2A300  
 Number of Chain Links: 76  
 Number of Chain Links: 84  
 Supplementary Article/Supplementary Info 2:  
 With gear  
 Supplementary Article/Supplementary Info:  
 With gaskets/seals

## Engine Timing Control

### KJK1023

#### Timing Chain Kit



MERCEDES-BENZ CLASSE A (W169)  
MERCEDES-BENZ CLASSE B (W245)

#### OE

A0009931176S1  
A2660500211S1  
A2669970194

Chain Type: Roller chain  
Chain Type: Simplex  
Fitting Position: Upper  
Number of Chain Links: 126  
Supplementary Article/Supplementary Info 2:  
Without gear  
Supplementary Article/Supplementary Info:  
With gaskets/seals

### KJK1024

#### Timing Chain Kit



BMW 1 (E81)  
BMW 1 (E87)  
BMW 1 (F20)  
BMW 1 (F21)  
BMW 1 Cabriolet (E88)  
BMW 1 Coupé (E82)

#### OE

11317797897  
11317797902  
11318506652  
11318570649  
11318572503  
11417797896

Chain Type: Roller chain  
Chain Type: Simplex  
Fitting Position: Lower  
Fitting Position: Upper  
Number of Chain Links: 48  
Number of Chain Links: 70  
Number of Chain Links: 86  
Supplementary Article/Supplementary Info 2:  
With gear  
Supplementary Article/Supplementary Info:  
With gaskets/seals

### KJK1025

#### Timing Chain Kit



TOYOTA AURIS (NRE15\_, ZZE15\_, ADE15\_,  
ZRE15\_, NDE15\_)  
TOYOTA AVENSIS (T25\_)  
TOYOTA AVENSIS (\_T22\_)  
TOYOTA AVENSIS Liftback (\_T22\_)  
TOYOTA AVENSIS Station wagon (T25)

#### OE

13506-0D020  
13506-22030

Chain Type: Roller chain  
Chain Type: Simplex  
Fitting Position: Upper  
Number of Chain Links: 130  
Supplementary Article/Supplementary Info 2:  
With gear  
Supplementary Article/Supplementary Info:  
With gaskets/seals  
Valve Control: For engines with variable valve  
timing

### KJK1026

#### Timing Chain Kit



SEAT IBIZA IV (6L1)  
SEAT IBIZA V (6J5, 6P5)  
SEAT IBIZA V SPORTCOUPE (6J1, 6P1)  
SEAT IBIZA V ST (6J8, 6P8)  
SKODA FABIA  
SKODA FABIA Combi

#### OE

03C109158AS2  
03E115225S3

Chain Type: Closed chain

### KJK1027

#### Timing Chain Kit



CITROEN C4 Coupé (LA\_)  
CITROEN C4 Grand Picasso I (UA\_)  
CITROEN C4 Grand Picasso II  
CITROEN C4 I (LC\_)  
CITROEN C4 II (B7)  
CITROEN C4 Picasso I (UD\_)

#### OE

0816.H9  
11317516088  
11317534784  
11318618317  
V861831780

Chain Type: Roller chain  
Chain Type: Simplex  
Fitting Position: Upper  
Number of Chain Links: 144  
Supplementary Article/Supplementary Info 2:  
With gear  
Supplementary Article/Supplementary Info:  
With gaskets/seals  
Valve Control: For engines with variable valve  
timing

## Engine Timing Control

### KJK1028

#### Timing Chain Kit




FORD FIESTA V (JH\_, JD\_)  
 FORD FIESTA Van  
 FORD KA (RB\_)  
 FORD KA Van (RB)  
 FORD STREET KA (RL2)

**OE**  
 1089822  
 XS6E6268AA

Chain Type: Roller chain  
 Chain Type: Simplex  
 Fitting Position: Upper  
 Number of Chain Links: 114  
 Supplementary Article/Supplementary Info 2:  
 With gear  
 Supplementary Article/Supplementary Info:  
 With gaskets/seals

### KJK1029

#### Timing Chain Kit



OPEL AGILA (A) (H00)  
 OPEL ASTRA CLASSIC (L48)  
 OPEL ASTRA CLASSIC Station wagon  
 OPEL ASTRA G 2 volumi /Coda spiovente (F48\_, F08\_)  
 OPEL ASTRA G Station wagon (F35\_)

**OE**  
 55562234  
 66 06 022  
 93191271

Chain Type: Roller chain  
 Chain Type: Simplex  
 Fitting Position: Upper  
 For OE number: Tensioner 55352909  
 Number of Chain Links: 130  
 Supplementary Article/Supplementary Info 2:  
 With gear  
 Supplementary Article/Supplementary Info:  
 With gaskets/seals

## Filter

### FA-0133JM

#### Air Filter



ALPINA XD3 (G01)  
 ALPINA XD4 (G02)  
 BMW 5 (G30)  
 BMW 5 Touring (G31)  
 BMW 5 Touring Van (G31)  
 BMW 6 Gran Turismo (G32)

**OE**  
 13 71 8 577 170  
 13 71 8 691 835  
 13718577170  
 8577170

Filter Type: Filter Insert  
 For OE number: 13 71 8 577 170  
 Height [mm]: 67  
 Length [mm]: 273  
 Width [mm]: 219

### FA-0136JM

#### Air Filter



MG MG HS

**OE**  
 10296746  
 10349552

Filter Type: Filter Insert  
 For OE number: 10349552  
 Height [mm]: 51  
 Length [mm]: 262  
 Width [mm]: 201

### FA-0137JM

#### Air Filter



MG MG GS  
 MG MG HS

**OE**  
 10177398  
 30059199

Filter Type: Filter Insert  
 For OE number: 30059199  
 Height [mm]: 58  
 Length [mm]: 256  
 Width [mm]: 191

## Filter

### FA-0148JM

#### Air Filter



HAVAL H2

**OE**  
1109110XSZ08A

Filter Type: Filter Insert  
Height [mm]: 45  
Length [mm]: 259  
Width [mm]: 227

### FA-0957JM

#### Air Filter




AUDI A4 (8W2, B9)  
AUDI A4 Allroad (8WH, B9)  
AUDI A4 Avant (8W5, B9)  
AUDI A5  
AUDI A5 Cabriolet  
AUDI A5 Sportback (F5A)

**OE**  
8W0 133 843 C  
8W0133843C

Filter Type: Filter Insert  
For OE number: 8W0 133 843 C  
Height [mm]: 142  
Inner Diameter [mm]: 104  
Outer Diameter [mm]: 170

### FA-2020JM

#### Air Filter



CITROEN BERLINGO (B9)  
CITROEN BERLINGO Furgonato (B9)  
CITROEN BERLINGO Furgonato (K9)  
CITROEN BERLINGO Pianale piatto/Telaio (B9)  
CITROEN C-ELYSEE  
CITROEN C3 AIRCROSS II

**OE**  
3639671  
98 023 486 80  
9802348680  
SU001-A3798

Filter Type: Filter Insert  
For OE number: 9802348680  
Height [mm]: 48  
Length [mm]: 238  
Width [mm]: 205

### FA-927JM

#### Air Filter



FIAT 500X  
JEEP COMPASS (MP)  
JEEP RENEGADE Fuoristrada chiuso  
JEEP RENEGADE Fuoristrada chiuso (BU)  
JEEP RENEGADE VAN (BU, B1)

**OE**  
00K68247339AA  
51977574  
68247339AA  
K68247339AA

Filter Type: Filter Insert  
For OE number: 51977574  
Height [mm]: 60  
Length [mm]: 210  
Width [mm]: 188

### FAA-042JM

#### Filter, interior air



FORD B-MAX (JK)  
FORD B-MAX Van  
FORD ECOSPORT  
FORD FIESTA Tre volumi  
FORD FIESTA Van  
FORD FIESTA VI

**OE**  
1541 456  
1541456  
1594 615  
2092 404  
8V51-18D543-AA  
8V5119N619AA

Filter Type: Pollen Filter  
For OE number: 1541 456  
Height [mm]: 22  
Length [mm]: 240  
Width [mm]: 190

### FAA-043JM

#### Filter, interior air



FORD C-MAX (DM2)  
FORD FOCUS C-MAX  
FORD GALAXY (WA6)  
FORD GALAXY MK II VAN (WA6)  
FORD KUGA I  
FORD KUGA I VAN


**OE**  
1253 220  
1253200  
1253220  
1315 687  
1315686  
1452 344

Filter Type: Activated Carbon Filter  
For OE number: 1253 220  
Height [mm]: 35  
Length [mm]: 240  
Width [mm]: 209

## Filter

### FAA-045JM

#### Filter, interior air



AUDI A2 (8Z0)  
 MERCEDES-BENZ CLASSE G (W461)  
 MERCEDES-BENZ CLASSE G (W463)  
 MERCEDES-BENZ CLASSE G Cabrio (W463)  
 PUCH G-MODELL (W 463)  
 SEAT CORDOBA (6L2)

**OE**  
 6Q0820367  
 6Q0820367B

Filter Type: Pollen Filter  
 For OE number: 6Q0820367  
 Height [mm]: 31  
 Length [mm]: 252  
 Width [mm]: 216

### FAA-047JM

#### Filter, interior air




AUDI A4 (8W2, B9)  
 AUDI A4 Allroad (8WH, B9)  
 AUDI A4 Avant (8W5, B9)  
 AUDI A5  
 AUDI A5 Cabriolet  
 AUDI A5 Sportback (F5A)

**OE**  
 4M0 819 439  
 4M0819439  
 8W0 819 439

Filter Type: Pollen Filter  
 For OE number: 4M0 819 439  
 Height [mm]: 31  
 Length [mm]: 311  
 Width [mm]: 220

### FAA-049JM

#### Filter, interior air



CITROEN C3 AIRCROSS II  
 CITROEN C3 AIRCROSS II VAN (2C\_, 2R\_)  
 OPEL CROSSLAND X  
 OPEL CROSSLAND X Van

**OE**  
 98 151 065 80  
 9815106580

Filter Type: Pollen Filter  
 For OE number: 98 151 065 80  
 Height [mm]: 32  
 Length [mm]: 288  
 Width [mm]: 179

### FAA-050JM

#### Filter, interior air




AUDI A1 Allstreet (GBH)  
 AUDI A1 CITY CARVER (GBH)  
 AUDI A1 Sportback (GBA)  
 SEAT ARONA (KJ7)  
 SEAT IBIZA V (KJ1)  
 SKODA FABIA IV (PJ3)

**OE**  
 2Q0 819 644  
 2Q0819644

Filter Type: Pollen Filter  
 For OE number: 2Q0 819 644  
 Height [mm]: 32  
 Length [mm]: 252  
 Width [mm]: 222

### FAA-052JM

#### Filter, interior air



ALPINA B3 (G20)  
 ALPINA B3 Touring (G21)  
 ALPINA B4 Gran Coupe (G26)  
 ALPINA D3 (G20)  
 ALPINA D3 Touring (G21)  
 ALPINA D4 Gran Coupe (G26)

**OE**  
 64 11 5 A2A D31  
 64 11 5 A50 995  
 64 11 9 382 886  
 64115A2AD31  
 64119382885  
 87139-WAA01

Filter Type: Activated Carbon Filter  
 For OE number: 64 11 5 A2A D31  
 Height [mm]: 30  
 Length [mm]: 212  
 Width [mm]: 300

### FAA-053JM

#### Filter, interior air



SEAT Mii (KF1\_)  
 SKODA CITIGO  
 SKODA E-CITIGO (NE1)  
 VW LOAD UP  
 VW UP


**OE**  
 1S0 820 360  
 1S0 820 367  
 1S0820360

Filter Type: Pollen Filter  
 For OE number: 1S0 820 360  
 Height [mm]: 35  
 Length [mm]: 254  
 Width [mm]: 182

## Filter

### FAA-059JM

#### Filter, interior air




FORD TOURNEO CUSTOM Autobus  
 FORD TOURNEO CUSTOM V710 Autobus (NXN)  
 FORD TRANSIT Autobus  
 FORD TRANSIT CUSTOM Autobus  
 FORD TRANSIT CUSTOM Furgonato  
 FORD TRANSIT CUSTOM V710 Furgonato (NRN)

**OE**  
 1839 688  
 1839688  
 BK2119G244AA

Filter Type: Activated Carbon Filter  
 For OE number: 1839 688  
 Height [mm]: 30  
 Length [mm]: 284  
 Width [mm]: 232

### FAA-061JM

#### Filter, interior air



MERCEDES-BENZ AMG GT (X290)  
 MERCEDES-BENZ CLASSE C (W205)  
 MERCEDES-BENZ CLASSE C (W206)  
 MERCEDES-BENZ CLASSE C All-Terrain (S206)  
 MERCEDES-BENZ CLASSE C Cabriolet (A205)  
 MERCEDES-BENZ CLASSE C Coupé (C204)

**OE**  
 1678350400  
 1678353600  
 205 835 00 47  
 205 835 01 47  
 2058350047  
 206 835 01 00

Filter Type: Activated Carbon Filter  
 For OE number: 205 835 00 47  
 Height [mm]: 40  
 Length [mm]: 259  
 Width [mm]: 247

### FAA-068JM

#### Filter, interior air




VOLVO C40  
 VOLVO XC40

**OE**  
 31497284

Filter Type: Pollen Filter  
 For OE number: 31497284  
 Height [mm]: 30  
 Length [mm]: 289  
 Width [mm]: 244

### FAA-069JM

#### Filter, interior air




AUDI Q4 Sportback (F4N)  
 AUDI Q4 SUV (F4B)  
 CUPRA BORN (K11)  
 SKODA ENYAQ iV Coupe (5AC)  
 SKODA ENYAQ iV SUV (5AC, 5AZ)  
 VW ID. Buzz Autobus (EBB)

**OE**  
 1EA 819 669  
 1EA819669

Filter Type: Activated Carbon Filter  
 Filter Type: Charcoal filter with polyphenol  
 Filter Type: with antibacterial action  
 For OE number: 1EA 819 669  
 Height [mm]: 30  
 Length [mm]: 360  
 Width [mm]: 174

### FAA-071JM

#### Filter, interior air




JAGUAR E-PACE (X540)  
 LAND ROVER DISCOVERY SPORT (LC)  
 LAND ROVER DISCOVERY SPORT VAN (L550)  
 LAND ROVER RANGE ROVER EVOQUE (L551)

**OE**  
 02 J9 C289 27  
 02 T2 R568 39  
 J9C28927  
 K8D2-19N619-AA  
 K8D219N619AA  
 LR115835

Filter Type: Activated Carbon Filter  
 For OE number: K8D2-19N619-AA  
 Height [mm]: 43  
 Length [mm]: 272  
 Width [mm]: 194

### FAA-073JM

#### Filter, interior air



MAXUS (SAIC MOTOR) eDELIVER 3 Furgonato


**OE**  
 C00194008

Filter Type: Pollen Filter  
 For OE number: C00194008  
 Height [mm]: 28  
 Length [mm]: 195  
 Width [mm]: 176

## Filter

### FAA-074JM

Filter, interior air



MAXUS (SAIC MOTOR) DELIVER 9 Furgonato  
MAXUS (SAIC MOTOR) eDELIVER 9 Furgonato

**OE**  
C00074198

Filter Type: Activated Carbon Filter  
For OE number: C00074198  
Height [mm]: 20  
Length [mm]: 248  
Width [mm]: 203

### FAA-077JM

Filter, interior air



MG MG ZS Fuoristrada chiuso

**OE**  
10365251  
10365455  
10967775  
30143909

Filter Type: Pollen Filter  
For OE number: 30143909  
Height [mm]: 35  
Length [mm]: 194  
Width [mm]: 192

### FAA-078JM

Filter, interior air



MG MG 3

**OE**  
10193400  
10289138  
30005704

Filter Type: Pollen Filter  
For OE number: 10193400  
Height [mm]: 23  
Length [mm]: 194  
Width [mm]: 190

### FAA-083JM

Filter, interior air




TESLA MODEL 3 (5YJ3)  
TESLA MODEL Y (5YJY)

**OE**  
1107681-00-A  
1107681-00-C  
110768100B  
181337110A

Filter Type: Activated Carbon Filter  
Fitting Position: Interior  
Height [mm]: 31  
Length [mm]: 242  
Width [mm]: 142

### FAA-084JM

Filter, interior air




TESLA MODEL S

**OE**  
100747900A  
1035125-00-A  
103512500A  
1072736-00-A  
1072736-00-B  
K1035125-00-A

Filter Type: Activated Carbon Filter  
For OE number: 103512500A  
Height [mm]: 30  
Length [mm]: 244  
Width [mm]: 157

### FAA-088JM

Filter, interior air



BYD TANG


**OE**  
12447996-00  
1244799600  
SA-8121211

Filter Type: Activated Carbon Filter  
Height [mm]: 40  
Length [mm]: 199  
Width [mm]: 190

## Filter

### FAA-089JM

Filter, interior air



BYD ATTO 2  
BYD DOLPHIN  
BYD YUAN PLUS


#### OE

13080691-00  
1308069100  
13124610-00  
EM2E-8121211E

Filter Type: Activated Carbon Filter  
Height [mm]: 30  
Length [mm]: 210  
Width [mm]: 200

### FAA-090JM

Filter, interior air



BYD SEAL  
BYD SEAL U


#### OE

12975843-00  
1297584300  
13033891-00  
SA2E-8121211E-E1

Filter Type: Activated Carbon Filter  
Height [mm]: 35  
Length [mm]: 206  
Width [mm]: 203

### FAA-091JM

Filter, interior air



BYD SEAL U  
CADILLAC ATS  
CADILLAC ATS Coupé  
CADILLAC CT6  
CADILLAC XT5  
CHEVROLET CAMARO


#### OE

013356914  
013356916  
013508023  
12815314-00  
1281531400  
12977774-00

Filter Type: Activated Carbon Filter  
Height [mm]: 31  
Length [mm]: 240  
Width [mm]: 204

### FAA-092JM

Filter, interior air



ALFA ROMEO TONALE (965\_)  
FIAT 500L  
FIAT 500X  
JEEP COMPASS (MP)  
JEEP RENEGADE Fuoristrada chiuso  
JEEP RENEGADE Fuoristrada chiuso (BU)

#### OE

0000077366480  
51918017  
52063810  
52136850  
6000633303  
6002093141

Filter Type: Activated Carbon Filter  
Height [mm]: 30  
Length [mm]: 220  
Width [mm]: 159

### FAA-094JM

Filter, interior air



BYD SEAL  
ORA ES11

#### OE

8104400XKY28A  
8104400XKY28B  
8104400XKZ96A

Filter Type: Activated Carbon Filter  
Height [mm]: 30  
Length [mm]: 245,5  
Width [mm]: 214

### FAA-096JM

Filter, interior air



AIWAYS U5  
AIWAYS U6

#### OE


861931111  
891931111A

Filter Type: Activated Carbon Filter  
Height [mm]: 34  
Length [mm]: 247  
Width [mm]: 200

## Filter

### 21DR08

Filter, interior air




DR DR PK8  
ELARIS DY0  
ELARIS FINN  
ELARIS LEO  
EVO CROSS 4 Pick-up

**OE**  
3310300084  
8104102P306AA

Filter Type: Pollen Filter  
Length [mm]: 213  
Thickness [mm]: 30  
Width [mm]: 198

### 21DR09

Filter, interior air



EVO EVO 4

**OE**  
3310300022

Filter Type: Pollen Filter  
For OE number: 3310300022  
Length [mm]: 225  
Thickness [mm]: 18  
Width [mm]: 202

### FC-016JM

Fuel filter



AUDI A1 (8X1, 8XF)  
SEAT CORDOBA (6L2)  
SEAT IBIZA IV (6L1)  
SEAT IBIZA SPORTCOUPE Cassone / coda spiovente (6J1)  
SEAT IBIZA V (6J5, 6P5)

**OE**  
5Z0127401  
6K0127401G  
6K0127401H  
6Q0 127 400 F  
6Q0 127 401 F  
6Q0127400F

Filter Type: In-Line Filter  
For OE number: 6Q0 127 400 F  
Height [mm]: 109  
Inlet [mm]: 8  
Outer Diameter [mm]: 80  
Outlet [mm]: 8

### FC-017JM

Fuel filter



AUDI A4 (8K2, B8)  
AUDI A4 (8W2, B9)  
AUDI A4 Allroad (8KH, B8)  
AUDI A4 Allroad (8WH, B9)  
AUDI A4 Avant (8K5, B8)  
AUDI A4 Avant (8W5, B9)

**OE**  
13321702632  
13321702633  
13321702635  
13321740549  
13321740985  
13321740986

Filter Type: In-Line Filter  
For OE number: 80A 127 399 B  
Height [mm]: 248  
Inlet [mm]: 9  
Outer Diameter [mm]: 55  
Outlet [mm]: 11

### FC-018JM

Fuel filter



ALPINA D3 (E90)  
ALPINA D3 Coupé (E92)  
ALPINA D3 Station wagon (E91)  
BMW 3 (E90)  
BMW 3 Cabriolet (E93)  
BMW 3 Coupé (E92)

**OE**  
13 32 7 788 700  
13 32 7 793 672  
13327788700  
13327811227  
13327811401  
13327822498

Filter Type: In-Line Filter  
For OE number: 13 32 7 788 700  
Height [mm]: 251  
Outer Diameter [mm]: 55  
Outlet [mm]: 8

### FC-019JM

Fuel filter



AUDI A1 (8X1, 8XF)  
AUDI A1 Sportback (8XA, 8XK)  
SEAT IBIZA SPORTCOUPE Cassone / coda spiovente (6J1)  
SEAT IBIZA V (6J5, 6P5)  
SEAT IBIZA V SPORTCOUPE (6J1, 6P1)

**OE**  
6C0 127 400  
6C0127400  
6R0 127 400 C

Filter Type: In-Line Filter  
For OE number: 6C0 127 400  
Height [mm]: 109  
Inlet [mm]: 8  
Outer Diameter [mm]: 80  
Outlet [mm]: 8

## Filter

### FC-022JM

#### Fuel filter



AUDI A4 (8W2, B9)  
AUDI A4 Allroad (8WH, B9)  
AUDI A4 Avant (8W5, B9)  
AUDI A5  
AUDI A5 Cabriolet  
AUDI A5 Sportback (F5A)

#### OE

4G0 127 400 C  
4G0127400C  
8T0127401A  
8W0 127 399 A

Filter Type: In-Line Filter  
For OE number: 4G0 127 400 C  
Height [mm]: 248  
Inlet [mm]: 9  
Outer Diameter [mm]: 55  
Outlet [mm]: 11

### FO-002JM

#### Oil Filter



TESLA MODEL 3 (5YJ3)  
TESLA MODEL Y (5YJY)

#### OE

1095038-00-A  
109503800B  
161888200A  
161888250B

Filter Type: Screw-on Filter  
Gasket inner diameter: 53,9  
Gasket outer diameter: 62,3  
Height [mm]: 85  
Outer Diameter [mm]: 65

### FO-057JM

#### Oil Filter



MERCEDES-BENZ AMG GT (X290)  
MERCEDES-BENZ CLA (C118)  
MERCEDES-BENZ CLA Shooting Brake (X118)  
MERCEDES-BENZ CLASSE B (W247)  
MERCEDES-BENZ CLASSE C (W205)  
MERCEDES-BENZ CLASSE C Cabriolet (A205)

#### OE

256 184 00 00  
2561840000  
654 184 01 25  
6541840000  
A 256 184 00 00  
A 654 184 01 25

Filter Type: Filter Insert  
For OE number: 256 184 00 00  
Height [mm]: 201  
Inner Diameter 1 [mm]: 21  
Inner Diameter [mm]: 15  
Outer Diameter 1 [mm]: 54  
Outer Diameter [mm]: 54  
Supplementary Article/Supplementary Info:  
with seal

### FOE-058JM

#### Oil Filter



ALFA ROMEO 159 (939)  
ALFA ROMEO 159 Sportwagon (939)  
CADILLAC BLS  
FIAT CROMA (194)  
FIAT GRANDE PUNTO (199)  
FIAT SEDICI

#### OE

16510-79J50  
16510-79J50-000  
55189320  
5650354  
71737926  
93183412

Filter Type: Filter Insert  
For OE number: 71737926  
Inner Diameter [mm]: 31  
Length [mm]: 73,5  
Outer Diameter [mm]: 64

### FOE-077JM

#### Oil Filter



LEXUS NX (ZGZ1\_, AGZ1\_, AYZ1\_)  
LEXUS RX (GYL1\_, GGL15, AGL10)  
LEXUS RX (MHU3\_, GSU3\_, MCU3\_)  
SUBARU TREZIA  
TOYOTA AURIS (NZE18\_, ZRE18\_)  
TOYOTA IQ (KPJ1\_, NGJ1\_, KGJ1\_, NUJ1\_)

#### OE

04152-0V010  
04152-31090  
04152-31110  
04152-YZZA1  
04152-YZZA8  
04152-YZZD1

Filter Type: Filter Insert  
For OE number: 04152YZZA1  
Inner Diameter [mm]: 29  
Length [mm]: 67  
Outer Diameter [mm]: 70

## Filter

### FOE-118JM

#### Oil Filter



SEAT CORDOBA (6L2)  
SEAT IBIZA IV (6L1)  
SEAT IBIZA V (6J5, 6P5)  
SEAT IBIZA V SPORTCOUPE (6J1, 6P1)  
SEAT IBIZA V ST (6J8, 6P8)  
SKODA FABIA

#### OE

03D 115 466 A  
03D 115 466B  
03D 198 819  
03D 198 819 A  
03D 198 819 C  
03D115403D

Filter Type: Filter Insert  
For OE number: 03D198819C  
Inner Diameter [mm]: 31  
Length [mm]: 63  
Outer Diameter [mm]: 63

### FOE-119JM

#### Oil Filter



FIAT TALENTO Furgonato  
FIAT TALENTO Kombi  
FIAT TALENTO Multicab  
FIAT TALENTO Pianale piatto/Telaio  
MERCEDES-BENZ CLASSE C (W205)  
MERCEDES-BENZ CLASSE C T-Model (S205)

#### OE

15 20 833 23R  
15 20 929 62R  
15 20 939 20R  
15 20 952 19R  
15 20 985 80R  
15 209 45 43R

Filter Type: Filter Insert  
For OE number: 6000619752  
Inner Diameter [mm]: 18  
Length [mm]: 112  
Outer Diameter [mm]: 57

### FOE-156JM

#### Oil Filter



DACIA DOKKER  
DACIA DOKKER Express  
DACIA DUSTER  
DACIA LODGY  
DACIA LOGAN II  
DACIA LOGAN MCV II

#### OE

15 20 925 67R  
15209-00Q0J  
608 180 06 00  
608 184 01 00  
A 608 180 06 00  
A 608 184 01 00

Filter Type: Filter Insert  
For OE number: A6081840100  
Height [mm]: 113  
Inner Diameter [mm]: 24  
Outer Diameter [mm]: 57,5  
Seal Diameter [mm]: 62,7

### FTJ184

#### Hydraulic Filter, automatic transmission



BYD SEAL U

#### OE

10920739-00  
12314254-00  
6DT35-1711100

Filter Type: Filter Insert  
Height [mm]: 105  
Inner Diameter [mm]: 18  
Outer Diameter [mm]: 56  
Supplementary Article/Supplementary Info 2:  
With seal

## Joints

### AC-0128

#### Propshaft, axle drive



AUDI Q7 (4L)  
AUDI Q7 Van (4LB)  
PORSCHE CAYENNE  
PORSCHE CAYENNE (955)  
VW CALIFORNIA T5 Camper (7EC, 7EF, 7EG, 7HF)  
VW MULTIVAN V (7HM, 7HN, 7HF, 7EF, 7EM,

#### OE

7L8521102D  
7L8521102F  
7L8521102M

Fitting Position: Rear  
Length [mm]: 1438

## Joists

**FU0812JM**

Hose Clamp



OE

Diameter [mm] from: 8  
Diameter [mm] to: 12  
Quantity: 50

**FU1016JM**

Hose Clamp



OE

Diameter [mm] from: 10  
Diameter [mm] to: 16  
Quantity: 50

**FU1222JM**

Hose Clamp



OE

Diameter [mm] from: 12  
Diameter [mm] to: 22  
Quantity: 50

**FU1627JM**

Hose Clamp



OE

Diameter [mm] from: 16  
Diameter [mm] to: 27  
Quantity: 50

**FU2032JM**

Hose Clamp



OE

Diameter [mm] from: 20  
Diameter [mm] from: 32  
Quantity: 50

**FU2045KJM**

Hose Clamp



OE

Diameter [mm] from: 20  
Diameter [mm] from: 45  
Diameter [mm] to: 120  
Diameter [mm] to: 45  
Quantity: 50

## Joins

**FU2540JM**

Hose Clamp



OE

Diameter [mm] from: 25  
Diameter [mm] to: 40  
Quantity: 30

**FU3250JM**

Hose Clamp



OE

Diameter [mm] from: 32  
Diameter [mm] to: 50  
Quantity: 30

**FU4060JM**

Hose Clamp



OE

Diameter [mm] from: 40  
Diameter [mm] to: 60  
Quantity: 30

**FU5070JM**

Hose Clamp



OE

Diameter [mm] from: 50  
Diameter [mm] to: 70  
Quantity: 30

**FU6080JM**

Hose Clamp



OE

Diameter [mm] from: 60  
Diameter [mm] to: 80  
Quantity: 30

**FU7090JM**

Hose Clamp



OE

Diameter [mm] from: 70  
Diameter [mm] to: 90  
Quantity: 10

## Joints

### FU80100JM

#### Hose Clamp



OE

Diameter [mm] from: 80  
Diameter [mm] to: 100  
Quantity: 10

### FU90110JM

#### Hose Clamp



OE

Diameter [mm] from: 90  
Diameter [mm] to: 100  
Quantity: 10

### 620414

#### Joint Kit, drive shaft



OPEL COMBO Cassone / Furgonato / Promiscuo  
OPEL COMBO Tour  
OPEL CORSA C (F08, F68)  
OPEL CORSA C Furgonato (F08, W5L)  
OPEL CORSA D  
OPEL CORSA D Van

OE

0374446  
1603409  
374446  
93170397  
93190191

External Teeth, diff.side: 22  
Int. teeth, diff.side, conn.to transm.: 23  
Length [mm]: 153,5  
Seal Diameter [mm]: 35

### 660500

#### Joint, propshaft



MERCEDES-BENZ SPRINTER 2-t Autobus (901, 902)  
MERCEDES-BENZ SPRINTER 2-t Furgonato (901, 902)  
MERCEDES-BENZ SPRINTER 2-t Pianale piatto/Telaio (901, 902)

OE

2E0521293T  
491003E320  
639 410 01 31  
9064100616  
9064103401  
9064109906

Diameter [mm]: 24  
Length [mm]: 88  
Outer Diameter [mm]: 24,0

## Mounting

### 720250L

#### Track Control Arm



FIAT PANDA (519, 312, 319)  
FIAT PANDA VAN (312, 519)

OE

51849602  
51928536  
51957401

Cone Size [mm]: 17  
Fitting Position: Front Axle Left  
Paired article numbers: 72-00-0250R  
Paired article numbers: 720250R  
Paired article numbers: BS-0250R  
Steering Type: Control Arm

## Mounting

**720250R**

### Track Control Arm



FIAT PANDA (519, 312, 319)  
FIAT PANDA VAN (312, 519)

**OE**

51849600  
51928527  
51957400

Cone Size [mm]: 17  
Fitting Position: Front Axle Right  
Paired article numbers: 72-00-0250L  
Paired article numbers: 720250L  
Paired article numbers: BS-0250L  
Steering Type: Control Arm

**429093**

### Wheel Bearing Kit



CHRYSLER VOYAGER II (ES)  
CHRYSLER VOYAGER III (GS)

**OE**

3683 975  
3683974  
3683974K  
3683975  
4486860  
5252823

Fitting Position: Rear Axle  
For OE number: 3683 975  
Inner Diameter [mm]: 35  
Outer Diameter [mm]: 60  
Width [mm]: 17

**429095**

### Wheel Hub



AUDI A3 (8P1)  
AUDI A3 (8V1)  
AUDI A3 Cabriolet (8P7)  
AUDI A3 Cabriolet (8V7)  
AUDI A3 Limousine (8VS)  
AUDI A3 Limousine (8YS)

**OE**

10509500  
1K0407621D  
1K0407621E  
1K0498621  
2K0498621  
57BWKH04

Fitting Position: Front Axle  
For OE number: 1K0407621D  
Number of Teeth, ABS ring: 43  
Number of Teeth: 36  
Outer Diameter [mm]: 136,5  
Rim Hole Number: 5  
Supplementary Article/Supplementary Info 2:  
With integrated ABS sensor  
Thread Size: M14X1,5

**1590953**

### Dust Cover Kit, shock absorber



VW DERBY (86)  
VW DERBY (86C, 80)  
VW POLO (86)  
VW POLO (86C, 80)  
VW POLO CLASSIC (86C, 80)  
VW POLO Coupe (86C, 80)

**OE**

861412135

Fitting Position: Front Axle

**MJ01245**

### Shock Absorber



BMW Z4 Roadster (G29)  
TOYOTA SUPRA (DB\_)

**OE**

33 52 6 879 207  
33 52 6 879 208  
33526879207  
48530-WAA01  
48530-WAA02  
48530-WAA03

Fitting Position: Rear Axle  
For OE number: 33526879207  
Shock Absorber Design: Absorber does not carry a spring  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

## Mounting

### MJ01281

#### Shock Absorber

RENAULT CLIO V (BF\_)



**OE**  
562103002R

Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MJ01294

#### Shock Absorber

CUPRA FORMENTOR (KM7)  
SEAT ATECA  
SKODA KAROQ (NU7)



**OE**  
5Q3413031  
5Q3413031A  
5Q3413031E  
5Q3413031F  
5Q3413031G  
5Q3413031H

Fitting Position: Front Axle  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MJ01303

#### Shock Absorber

FORD FOCUS IV  
FORD FOCUS IV Tre volumi (HM)  
FORD FOCUS IV Turnier (HP)



**OE**  
2258563  
2258564  
2279413  
2279414  
2279415  
2279416

Fitting Position: Front Axle Left  
For OE number: 2258563  
Paired article numbers: MA-01304  
Paired article numbers: MJ01304  
Paired article numbers: MM-01304  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJ01304

#### Shock Absorber

FORD FOCUS IV  
FORD FOCUS IV Tre volumi (HM)  
FORD FOCUS IV Turnier (HP)



**OE**  
2258565  
2258566  
2279417  
2279418  
2279419  
2279420

Fitting Position: Front Axle Right  
For OE number: 2258565  
Paired article numbers: MA-01303  
Paired article numbers: MJ01303  
Paired article numbers: MM-01303  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJ01315

#### Shock Absorber

PEUGEOT 2008 II (U\_)



**OE**  
98 366 547 80  
98 366 549 80  
9836654780

Fitting Position: Front Axle Left  
For OE number: 98 366 547 80  
Paired article numbers: MA-01316  
Paired article numbers: MJ01316  
Paired article numbers: MM-01316  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

## Mounting

### MJ01316

#### Shock Absorber



PEUGEOT 2008 II (U\_)

#### OE

98 366 546 80  
98 366 548 80  
9836654680

Fitting Position: Front Axle Right  
For OE number: 98 366 546 80  
Paired article numbers: MA-01315  
Paired article numbers: MJ01315  
Paired article numbers: MM-01315  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJ01319

#### Shock Absorber



DACIA SANDERO III

#### OE

562107146R

Fitting Position: Rear Axle  
For OE number: 562107146R  
Shock Absorber Design: Absorber does not carry a spring  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MJ01326

#### Shock Absorber



JEEP COMPASS (MP)

#### OE

6825 7665AB  
6825 9677AB  
68257665AB

Fitting Position: Front Axle Left  
For OE number: 68257665AB  
Paired article numbers: MA-01327  
Paired article numbers: MJ01327  
Paired article numbers: MM-01327  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MJ01327

#### Shock Absorber



JEEP COMPASS (MP)

#### OE

6825 7664AB  
6825 9676AB  
68259676AB

Fitting Position: Front Axle Right  
For OE number: 68259676AB  
Paired article numbers: MA-01326  
Paired article numbers: MJ01326  
Paired article numbers: MM-01326  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

## Mounting

### MJ01328

#### Shock Absorber



ALFA ROMEO AR 8 Furgonato (280)  
ALFA ROMEO AR 8 Pianale piatto/Telaio (280)  
IVECO DAILY I Cassone / Furgonato / Promiscuo  
IVECO DAILY I Pianale piatto/Telaio  
IVECO DAILY II Cassone / Furgonato / Promiscuo

#### OE

0004829233  
0004829235  
0093803892  
0093804339  
04829235  
4829235

Bore [mm]: 25,4  
For OE number: 93803666  
Length 1 [mm]: 345  
Length 2 [mm]: 570  
Piston Rod Diameter [mm]: 12,4  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top eye  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Oil Pressure

### MJ33125

#### Shock Absorber



MAZDA CX-30 (DM)

#### OE

DFR5-28-700A  
DFR528700A  
DFR9-28-700A  
DGK9-28-700  
DGL2-28-700

Fitting Position: Rear Axle  
For OE number: DFR528700A  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MJ33128

#### Shock Absorber



MAZDA MX-30 (DR)

#### OE

DGH9-28-700  
DGH928700  
DN4E-28-700A

Fitting Position: Rear Axle  
For OE number: DGH928700  
Shock Absorber Design: Absorber does not carry a spring  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top eye  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MJAS361

#### Air Spring, suspension



LINCOLN CONTINENTAL TOWN CAR

#### OE

3U2Z5310CA  
3U2Z5310DA

Fitting Position: Front  
Shock Absorber Mounting Type: Bottom Yoke  
Shock Absorber Mounting Type: Top yoke  
Spring Type: for pneumatic suspension vehicles

### MJAS374

#### Air Spring, suspension



LINCOLN CONTINENTAL Tre volumi  
LINCOLN MARK VII Tre volumi

#### OE

3U2Z5310AA  
3U2Z5310BA  
E9AZ5310R  
F1LY5310A  
F1LY5310B

Fitting Position: Front  
Shock Absorber Mounting Type: Bottom Pin  
Shock Absorber Mounting Type: Top yoke  
Spring Type: for pneumatic suspension vehicles

## Mounting

### MJAS463

#### Pneumatic Suspension



TESLA MODEL S  
TESLA MODEL X

#### OE

1027061-00-C  
1027066-00-C  
1066361-00-D  
1066361-99-D  
1066366-00-D  
1420361-00-C

Braking / Drive Dynamics: For vehicles with ADS  
Fitting Position: Front  
Spring Type: for pneumatic suspension vehicles

### MJAS464

#### Pneumatic Suspension



TESLA MODEL S  
TESLA MODEL X

#### OE

1027062-00-C  
1027062-00-D  
1027067-00-C  
1027067-00-D

Braking / Drive Dynamics: For vehicles with ADS  
Fitting Position: Rear  
Spring Type: for pneumatic suspension vehicles

### MJAS484

#### Pneumatic Suspension



MERCEDES-BENZ CLASSE S (W222, V222, X222)

#### OE

222 320 80 13  
222 320 90 13  
222 320 90 13 89  
A 222 320 80 13  
A 222 320 90 13  
A 222 320 90 13 89

Fitting Position: Front Axle Right  
Paired article numbers: MA-AS485  
Paired article numbers: MJAS485  
Paired article numbers: MM-AS485  
Shock Absorber Type: Gas Pressure

### MJAS485

#### Pneumatic Suspension



MERCEDES-BENZ CLASSE S (W222, V222, X222)

#### OE

222 320 79 13  
222 320 89 13  
222 320 89 13 89  
A 222 320 79 13  
A 222 320 89 13  
A 222 320 89 13 89

Fitting Position: Front Axle Left  
Paired article numbers: MA-AS484  
Paired article numbers: MJAS484  
Paired article numbers: MM-AS484  
Shock Absorber Type: Gas Pressure

### MJAS497

#### Air Spring, suspension



HYUNDAI EQUUS / CENTENNIAL  
HYUNDAI GENESIS (BH)  
HYUNDAI GENESIS (DH)

#### OE

55360-3M500  
553603M501

Fitting Position: Rear Axle Right  
Paired article numbers: MA-AS498  
Paired article numbers: MJAS498  
Paired article numbers: MM-AS498  
Spring Type: for pneumatic suspension vehicles

### MJAS499

#### Air Spring, suspension



KIA BORREGO

#### OE

55331-2J000  
55331-2J100  
553312J000  
553312J100

Fitting Position: Rear Axle Left  
Paired article numbers: MA-AS500  
Paired article numbers: MJAS500  
Paired article numbers: MM-AS500  
Spring Type: for pneumatic suspension vehicles

## Mounting

### MJASC078

#### Compressor, compressed air system



LAND ROVER DISCOVERY V (LR\_)  
 LAND ROVER RANGE ROVER IV (LG)  
 LAND ROVER RANGE ROVER SPORT (LW)  
 LAND ROVER RANGE ROVER VELAR (L560)

#### OE

LR083993  
 LR095838  
 LR140034

Spring Type: for pneumatic suspension vehicles

### MJHY113

#### Shock Absorber



HYUNDAI IONIQ 5 (NE)

#### OE

55300 GI040  
 55300 GI050  
 55300 GI070  
 55300GI040

Fitting Position: Rear Axle  
 For OE number: 55300GI040  
 Shock Absorber Design: Suspension Strut  
 Shock Absorber Mounting Type: Bottom eye  
 Shock Absorber Mounting Type: Top pin  
 Shock Absorber System: Twin-Tube  
 Shock Absorber Type: Gas Pressure

### MJHY118

#### Shock Absorber



HYUNDAI TUCSON (NX4E, NX4A)

#### OE

54650CZ000  
 54650CZ010  
 54650N7000  
 54650N7010

Fitting Position: Front Axle Left  
 For OE number: 54650CZ000  
 Paired article numbers: MA-HY119  
 Paired article numbers: MJHY119  
 Paired article numbers: MM-HY119  
 Shock Absorber Design: Suspension Strut  
 Shock Absorber Mounting Type: Bottom Clamp  
 Shock Absorber Mounting Type: Top pin  
 Shock Absorber Type: Gas Pressure

### MJHY119

#### Shock Absorber



HYUNDAI TUCSON (NX4E, NX4A)

#### OE

54651CZ000  
 54651CZ010  
 54651N7000  
 54651N7010

Fitting Position: Front Axle Right  
 For OE number: 54651CZ000  
 Paired article numbers: MA-HY118  
 Paired article numbers: MJHY118  
 Paired article numbers: MM-HY118  
 Shock Absorber Design: Suspension Strut  
 Shock Absorber Mounting Type: Bottom Clamp  
 Shock Absorber Mounting Type: Top pin  
 Shock Absorber Type: Gas Pressure

### MJKI090

#### Shock Absorber



KIA SORENTO IV (MQ4)

#### OE

54651-P2000  
 54651-P2050  
 54651-P2100  
 54651-P2150  
 54651-P2200  
 54651-P2300

Fitting Position: Right  
 For OE number: 54651P2050  
 Paired article numbers: MA-KI089  
 Paired article numbers: MJKI089  
 Paired article numbers: MM-KI089  
 Shock Absorber Design: Suspension Strut  
 Shock Absorber Mounting Type: Top pin  
 Shock Absorber System: Twin-Tube  
 Shock Absorber Type: Gas Pressure

## Mounting

### GOJ1327

#### Engine Mounting



NISSAN PRIMASTAR Autobus (X83)  
 NISSAN PRIMASTAR Furgonato (X83)  
 NISSAN PRIMASTAR Pianale piatto/Telaio  
 OPEL VIVARO Combi (J7)  
 OPEL VIVARO Furgonato (F7)  
 OPEL VIVARO Pianale piatto/Telaio (E7)

#### OE

091166684  
 1123800QAA  
 4408761  
 8200003826  
 91166684

Fitting Position: Front  
 Fitting Position: Lower  
 Height [mm]: 54  
 Inner Diameter 1 [mm]: 13  
 Inner Diameter [mm]: 15  
 Length [mm]: 188  
 Mounting Bores Distance [mm]: 110

### GOJ1339

#### Engine Mounting



NISSAN INTERSTAR Autobus (X70)  
 NISSAN INTERSTAR Furgonato (X70)  
 NISSAN INTERSTAR Pianale piatto/Telaio  
 OPEL MOVANO Combi (J9)  
 OPEL MOVANO Furgonato (F9)  
 OPEL MOVANO Pianale piatto/Telaio (U9, E9)

#### OE

009111351  
 09111351  
 4403351  
 7700314476  
 8200022596  
 9111351

Fitting Position: Right  
 Outer Thread [mm]: M12 x 1,75

### GOJH273

#### Control Arm-/Trailing Arm Bush



HYUNDAI NEXO  
 HYUNDAI TUCSON  
 HYUNDAI TUCSON Cassone/SUV (TLE)  
 KIA SPORTAGE (QL)  
 KIA SPORTAGE Van (QL, QLE)

#### OE

55275-D3000

Fitting Position: Rear Axle Right  
 Length [mm]: 128  
 Material: Steel Elastomer  
 Outer Diameter [mm]: 84  
 Width [mm]: 84

### GOJH282

#### Control Arm-/Trailing Arm Bush



HYUNDAI NEXO  
 HYUNDAI TUCSON  
 HYUNDAI TUCSON Cassone/SUV (TLE)  
 KIA SPORTAGE (QL)  
 KIA SPORTAGE Van (QL, QLE)

#### OE

55274-D3000

Fitting Position: Rear Axle Left  
 Length [mm]: 128  
 Material: Steel Elastomer  
 Outer Diameter [mm]: 83

### GOJH337

#### Engine Mounting



HYUNDAI TUCSON (JM)

#### OE

219302E600

Fitting Position: Rear

### GOJH347

#### Engine Mounting



HYUNDAI TUCSON (JM)  
 KIA SPORTAGE (JE\_, KM\_)  
 KIA SPORTAGE (K00)

#### OE

21830-2E200  
 218302E200

Fitting Position: Left  
 Inner Diameter 1 [mm]: 12

## Mounting

### GOJK148

#### Hub Carrier Bush



KIA SOUL II (PS)

**OE**  
55160-B2000

Fitting Position: Rear Axle Left  
Fitting Position: Rear Axle Right  
Inner Diameter [mm]: 12  
Material: Steel Elastomer  
Outer Diameter [mm]: 93  
Thickness [mm]: 78

### GOJW104

#### Engine Mounting



CHEVROLET MATIZ (M200, M250)

**OE**  
96484924

Fitting Position: Right

### 1060002

#### Rod/Strut, stabiliser



FIAT MAREA (185)  
FIAT MAREA Weekend (185)  
FIAT MULTIPLA (186)  
LANCIA DEDRA (835)  
LANCIA DEDRA SW (835)  
LANCIA LYBRA (839AX)

**OE**  
46413122  
46545743  
51701045  
60813377

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle  
Length [mm]: 306  
Material: Metal  
Thread Size: M10 x 1.5 RHT

### 1060003

#### Rod/Strut, stabiliser



ABARTH PUNTO EVO (199)  
ALFA ROMEO GIULIETTA (940)  
ALFA ROMEO MITO (955)  
FIAT 500L  
FIAT GRANDE PUNTO (199)  
FIAT PUNTO (188)

**OE**  
13321280  
350175  
350616  
50515276  
50531823  
51805870

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle  
Length [mm]: 332  
Material: Metal  
Thread Size: M10 x 1.5 RHT

### 1060004

#### Rod/Strut, stabiliser



FIAT PANDA (169)  
FIAT PANDA Van (141\_)  
FIAT PANDA Van (169)

**OE**  
50703296  
51856872

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle  
Length [mm]: 332  
Material: Metal  
Thread Size: M10 x 1.25 RHT

### 1060005

#### Rod/Strut, stabiliser



ABARTH 500 (312)  
ABARTH 500C (312)  
CITROEN NEMO Furgonato (AA\_)  
CITROEN NEMO Station wagon  
FIAT 500 (312)  
FIAT 500 C (312)

**OE**  
1540281  
1580517  
1669578580  
50700464  
50700941  
508765

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle  
Length [mm]: 322  
Material: Metal  
Thread Size: M10 x 1.5 RHT

## Mounting

**1060006**

**Rod/Strut, stabiliser**



CITROEN NEMO Furgonato (AA\_)  
CITROEN NEMO Station wagon  
FIAT FIORINO Cassone / Furgonato / Promiscuo (225)  
FIAT FIORINO MPV / Space wagon (225\_)  
FIAT LINEA (323)

**OE**  
5087 65  
5087 79  
508765  
517 04 008  
51704008  
518 15 479

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle  
Length [mm]: 320  
Material: Metal  
Thread Size: M10 x 1.5 RHT

**1060007**

**Rod/Strut, stabiliser**



CITROEN XM (Y3)  
CITROEN XM (Y4)  
CITROEN XM Break (Y3)  
CITROEN XM Break (Y4)  
FIAT DOBLO Cassone / Furgonato / Promiscuo (263)

**OE**  
51848645  
51898527  
51935875  
52042281

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle  
Length [mm]: 328  
Material: Metal  
Thread Size: M10 x 1.5 RHT

**1060008**

**Rod/Strut, stabiliser**



CITROEN BERLINGO (MF)  
CITROEN BERLINGO Furgonato (M\_)  
CITROEN C2 (JM\_)  
CITROEN C2 ENTERPRISE  
CITROEN C3 I (FC\_)  
CITROEN C3 II

**OE**  
1646621980  
508745  
508759  
96288787  
9628878780  
9808868280

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle  
Length [mm]: 366  
Material: Metal  
Thread Size: M10 x 1.5 RHT

**106T02**

**Rod/Strut, stabiliser**



LEXUS GS (UZS161, JZS160)  
LEXUS SC (UZZ40\_)

**OE**  
4883030070  
4883030080

Bar/Strut: Push Rod  
Fitting Position: Rear Axle left and right  
Inner Diameter [mm]: 9  
Outer Thread [mm]: 10X1.25  
Overall Length [mm]: 150  
Required quantity: 2  
Specification: Lung perno-perno

**SMJ0533S**

**Strut Mount**



MERCEDES-BENZ CLASSE A (W168)

**OE**  
1683200073  
1683200173  
1683200373  
1683230085

Fitting Position: Upper Front Axle  
Standard: ATTACCO AMMORTIZZAT.

**11100001**

**Tie Rod End**



LIGIER BE UP  
LIGIER DUE  
LIGIER X-TOO MAX  
LIGIER XTOO (LXT)  
MICROCAR MC1 / MC CITY  
MICROCAR MC2

**OE**  
0172036  
1002786

Fitting Position: Front Axle left and right  
Outer Thread [mm]: M12

## Mounting

**11100002**

**Tie Rod End**



MG MG ZS Fuoristrada chiuso

**OE**  
10353668

Cone Size 1 [mm]: 13  
Cone Size 2 [mm]: 16  
Fitting Position: Front Axle Left  
Inner Thread [mm]: M14x1,5  
Length [mm]: 185  
Outer Thread [mm]: M10x1,25

**11100003**

**Tie Rod End**



MG MG ZS Fuoristrada chiuso

**OE**  
10353669

Cone Size 1 [mm]: 13  
Cone Size 2 [mm]: 16  
Fitting Position: Front Axle Right  
Inner Thread [mm]: M14x1,5  
Length [mm]: 185  
Outer Thread [mm]: M10x1,25

**ZSJ02102**

**Gas Spring, boot-/cargo area**



ALFA ROMEO GIULIA (952\_)

**OE**  
505434860

Compressive Force [N]: 135  
Length [mm]: 175  
Stroke [mm]: 46,5  
Tensile Force [N]: 330