



Quality Tested[®]
Automotive Spare Parts

NEWS JUNE 2025



www.qualitytested.com

CATALOGUE
FOR CARS AND
COMMERCIAL VEHICLES

CATALOGO
PER AUTOVETTURE E
VEICOLI COMMERCIALI

Brake system

PA00112JM

Brake Pad Set, disc brake

IVECO EuroCargo



OE

1906043
1906146
1906297
410609X425
5001014704
5001825339
5001873218

Brake System: GIRLING
Fitting Position: Front Axle
For OE number: 1906146
Height [mm]: 78,5
Length [mm]: 175,3
Number of Wear Indicators: 2
Thickness [mm]: 22
Warning Contact Length [mm]: 500
Wear Warning Contact: Incl. wear warning contact
WVA Number: 29033

PA0984JM

Brake Pad Set, disc brake

AUDI A3 Limousine (8YS)
AUDI A3 Sportback (8YA)
VW CADDY CALIFORNIA V Camper (SBB, SBJ)
VW CADDY V Cassone/Limousine spaziosa (SBA, SBH)
VW CADDY V MPV / Space wagon (SBB, SBJ)
VW GOLF VIII (CD1)
VW GOLF VIII Variant



OE

5R3698151
5WA698151G
5WA698151L
5WA698151N

Brake System: ATE
Height [mm]: 66,9
Thickness [mm]: 16,9
Width [mm]: 155,3
WVA Number: 26677
WVA Number: 26678

Clutch

KVFI01MJM

Clutch Kit

ALFA ROMEO MITO (955)
FIAT 500 (312)
FIAT 500 C (312)
FIAT 500L
FIAT PANDA (519, 312, 319)
FIAT PANDA VAN (312, 519)
FIAT PUNTO (199)
LANCIA YPSILON (312, 846)



OE

55247850
55248702
55256145
55266573
71796017

Clutch: Conversion from dual-mass flywheel to single-mass flywheel
Eject Force [N]: 4200
Hub Profile: 17,4 x 14,8
Inner Diameter 1 [mm]: 137
Outer Diameter [mm]: 200
Supplementary Article/Supplementary Info 2: With clutch plate
Supplementary Article/Supplementary Info 2: with flywheel
Supplementary Article/Supplementary Info 2: With lock screw set
Supplementary Article/Supplementary Info 2: With releaser
Supplementary Article/Supplementary Info: With clutch pressure plate

Cooling System

VTQ0132

Thermostat, coolant

BMW X5 (E53)



OE

17101439115
17107559966

Opening Temperature [°C]: 82

Cooling System

VTQ0330
Thermostat, coolant


FORD GALAXY (WA6)
 FORD MONDEO IV (BA7)
 FORD MONDEO IV Tre volumi (BA7)
 FORD MONDEO IV Turnier (BA7)
 FORD S-MAX (WA6)

OE
 5086515
 AG9G8575CA

Opening Temperature [°C]: 95
 Supplementary Article/Supplementary Info:
 with seal

VTQ0416
Thermostat, coolant


OPEL ASCONA C (81_, 86_, 87_, 88_)
 OPEL CALIBRA A (85_)
 OPEL FRONTERA A Sport (5_SUD2)
 OPEL FRONTERA B (6B_)
 OPEL KADETT E (39_, 49_)
 OPEL KADETT E 2 volumi /Coda spiovente (33_, 34_, 43_)
 OPEL KADETT E Furgonato (37_, 47_)
 OPEL KADETT E Station wagon (35_, 36_, 45_, 46_)
 OPEL MONTEREY A (UBS_)
 OPEL MONTEREY B
 OPEL OMEGA A (16_, 17_, 19_)
 OPEL OMEGA A Station wagon (66_, 67_)
 OPEL OMEGA B (25_, 26_, 27_)
 OPEL OMEGA B Station wagon (21_, 22_, 23_)
 OPEL VECTRA A (86_, 87_)
 OPEL VECTRA A 2 volumi /Coda spiovente (88_, 89_)
 OPEL VECTRA B (36_)
 OPEL VECTRA B 2 volumi /Coda spiovente (38_)
 OPEL VECTRA B Station wagon (31_)

OE
 01338 049
 01338 054
 090232012
 090264080
 1338 049
 1338 054
 90232012
 90264080

Number of seals: 1
 Opening Temperature [°C]: 92
 Supplementary Article/Supplementary Info 2:
 With thermostat
 Supplementary Article/Supplementary Info 2:
 Without sensor
 Supplementary Article/Supplementary Info:
 With gaskets/seals

VTQ0921
Thermostat, coolant


SEAT CORDOBA (6L2)
 SEAT IBIZA IV (6L1)
 SEAT IBIZA V (6J5, 6P5)
 SEAT IBIZA V SPORTCOUPE (6J1, 6P1)
 SEAT IBIZA V ST (6J8, 6P8)
 SKODA FABIA
 SKODA FABIA Combi
 VW GOLF V Variant (1K5)
 VW POLO (9N_)

OE
 032121111CG

Housing Type: with housing
 Opening Temperature [°C]: 83
 Supplementary Article/Supplementary Info 2:
 with sensor
 Switch Point [°C]: 83

Electrics

UP-026TR
Feed Module (AdBlue)


MAN TGL
 MAN TGL II
 MAN TGS II
 MAN TGX

OE
 81154036117
 81154036118
 81154036134
 81154036138
 81154036139
 81154036146
 81154036157

Specification: MAN TGS /TGX 2013-


Filter

Filter
FA-0268JM
Air Filter


FIAT DUCATO Autobus (250)
 FIAT DUCATO Furgonato (250)
 FIAT DUCATO Pianale piatto/Telaio (250)

OE
 0052180232

Filter Type: Filter Insert
 For OE number: 0052180232
 Height [mm]: 180
 Length 1 [mm]: 205
 Length 2 [mm]: 115
 Width 1 [mm]: 175
 Width 2 [mm]: 80

FA-128JM
Air Filter


NISSAN CUBE (Z12)
 NISSAN EVALIA
 NISSAN JUKE (F15)
 NISSAN JUKE Van (F15)
 NISSAN MICRA III (K12)
 NISSAN NOTE (E11)
 NISSAN NV200 EVALIA
 NISSAN NV200 Furgonato
 NISSAN TIIDA 2 volumi /Coda spiovente
 NISSAN TIIDA 2 volumi /Coda spiovente (C11X)
 NISSAN TIIDA Tre volumi (SC11X)
 RENAULT CLIO Grandtour (KR0/1_)
 RENAULT CLIO III (BR0/1, CR0/1)
 RENAULT CLIO III Furgonato (SB_, SR_)
 RENAULT MODUS / GRAND MODUS (F/JP0_)

OE
 16 54 690 40R
 16546-00QAR
 16546-BC40A
 16546-BN701
 16546-BN70A
 16546BC40A
 22324-00QAB
 82 00 216 005
 82 00 399 214

Filter Type: Filter Insert
 For OE number: 16546BC40A
 Height [mm]: 58
 Length [mm]: 237,4
 Width [mm]: 140,4

FA-135JM
Air Filter


NISSAN QASHQAI / QASHQAI +2 (J10, JJ10)
 NISSAN QASHQAI / QASHQAI +2 I VAN (J10, JJ10E)
 NISSAN X-TRAIL (T31)
 NISSAN X-TRAIL VAN (T31)
 RENAULT KOLEOS (HY_)

OE
 16 54 661 31R
 16 54 6JD 20B
 16546- JD20A
 16546-JD20B
 16546-JG70A
 16546JD20B

Filter Type: Filter Insert
 For OE number: 16546JD20B
 Height [mm]: 60
 Length [mm]: 237
 Width 1 [mm]: 137
 Width [mm]: 162

FC-142JM
Fuel filter


NISSAN QASHQAI
 NISSAN QASHQAI / QASHQAI +2 (J10, JJ10)
 NISSAN X-TRAIL (T32)
 RENAULT KADJAR
 RENAULT KOLEOS II

OE
 16 40 04E A1B
 16 40 061 84R
 16400-4EA1B
 16400-4EA1D
 16400-4EA2B
 16400-4EA2D
 16400-4EA3B
 164004EA1B
 164A0-4EA1B

Filter Type: In-Line Filter
 For OE number: 164004EA1B
 Height [mm]: 160
 Inlet [mm]: 10
 Outer Diameter [mm]: 98
 Outlet [mm]: 10

Filter

FC-321JM
Fuel filter


FORD B-MAX (JK)
 FORD B-MAX Van
 FORD C-MAX II
 FORD C-MAX II Van
 FORD ECOSPORT
 FORD FIESTA Van
 FORD FIESTA VI
 FORD FIESTA VI Van
 FORD FIESTA VII
 FORD FOCUS III
 FORD FOCUS III Cassone / coda spiovente
 FORD FOCUS III Tre volumi
 FORD FOCUS III Turnier
 FORD GALAXY (WA6)
 FORD GALAXY MK II VAN (WA6)
 FORD GRAND C-MAX
 FORD GRAND C-MAX Van
 FORD KA
 FORD MONDEO IV (BA7)
 FORD MONDEO IV Tre volumi (BA7)
 FORD MONDEO IV Turnier (BA7)
 FORD MONDEO IV Van
 FORD MONDEO V 2 volumi /Coda spiovente
 FORD MONDEO V Turnier
 FORD S-MAX (WA6)
 FORD TOURNEO CONNECT / GRAND TOURNEO
 CONNECT Kombi
 FORD TOURNEO COURIER Kombi
 FORD TRANSIT CONNECT Furgonato
 FORD TRANSIT CONNECT Kombi
 FORD TRANSIT COURIER Furgonato
 FORD TRANSIT COURIER Kombi
 MAZDA 2 (DE)
 MAZDA 3
 MAZDA 3 (BL)
 MAZDA 3 Tre volumi (BL)
 MAZDA 5
 VOLVO C30
 VOLVO S40 II (MS)
 VOLVO S60 II
 VOLVO S80 II (AS)
 VOLVO V40 2 volumi /Coda spiovente
 VOLVO V40 Cassone / coda spiovente (525)
 VOLVO V50 (MW)
 VOLVO V60
 VOLVO V60 Cassone / Furgonato / Promiscuo
 (155)
 VOLVO V70 III (BW)

OE

1 677 518
 1 677 518 SK1
 1 780 195
 1 881 228
 1 881 228 SK1
 1 882 099
 1 940 615
 1 940 615 SK1
 1780195
 31321475
 31422125
 31422125 SK1
 AV6Q-9155-AA
 AV6Q-9155-AA SK1
 AV6Q-9155-BA
 AV6Q-9155-BA SK1
 AV6Q-9D410-AA
 AV6Q-9D410-BA
 AV6Q-9D410-CA
 AV6Q-9D410-CA SK1
 AV6Q9D410AA
 Y650-13-480S K1
 Y650-13-ZAY

Filter Type: In-Line Filter
 Fitted Diameter [mm]: 25
 For OE number: 1780195
 Length [mm]: 105
 Outer Diameter [mm]: 95

Joints

AC-0108
Propshaft, axle drive


NISSAN CABSTAR Pick-up

OE

37300F3600

Fitting Position: Rear
 Length [mm]: 1063

Joints

AC-0123
Propshaft, axle drive


FORD USA EXPEDITION
 FORD USA F-150
 FORD USA F-150 Crew Cab Pickup
 FORD USA F-150 Extended Cab Pickup
 FORD USA F-150 Standard Cab Pickup

OE

7L1Z4A376A
 7L1Z4A376B
 AL3Z-4A376-C
 AL3Z4A376D

Length [mm]: 816

AC-0124
Propshaft, axle drive


FORD USA F-150 Standard Cab Pickup

OE

BL3Z4R602H
 DL3Z4R602AH
 DL3Z4R602B
 DL3Z4R602Q

Length [mm]: 2329

AC-0125
Propshaft, axle drive


CHEVROLET CAMARO

OE

92194140

Length [mm]: 1315

AC-0126
Propshaft, axle drive


JEEP COMMANDER (XK)
 JEEP GRAND CHEROKEE III (WH, WK)

OE

52105726AC
 52105726AD
 52105726AE
 52105726AF

Length [mm]: 1116

AC-0127
Propshaft, axle drive


DODGE RAM Pick-up
 RAM 2500 Crew Cab Pickup (DJ)

OE

52105934AA
 52105934AB
 52105934AC
 52105934AD
 52105934AE
 52105934AF
 52123112AA
 52123326AA
 52123326AB
 52123326AC
 52123326AD
 68057601AA

Length [mm]: 809

Joints

GI0106JM

Joint Kit, drive shaft



BMW X3 (E83)

OE

31603450565
31603450566
31607524045
31607524046
31607529201
31607529202

External Teeth, wheel side: 30
Fitting Position: Front Axle left and right
Internal Teeth, wheel side: 33
Length [mm]: 137
Seal Diameter [mm]: 64,8
Thread Size: M27X1,5
Transmission Type: trasmissione automat

GI0256JM

Joint Kit, drive shaft



CITROEN JUMPER Autobus
CITROEN JUMPER Furgonato
CITROEN JUMPER Pianale piatto/Telaio
FIAT DUCATO Autobus (250)
FIAT DUCATO Furgonato (250)
FIAT DUCATO Pianale piatto/Telaio (250)
PEUGEOT BOXER Autobus
PEUGEOT BOXER Furgonato
PEUGEOT BOXER Pianale piatto/Telaio

OE

1349789080
46308399
46308497
71771311

External Teeth, diff.side: 41
Fitting Position: Front Axle Left
Fitting Position: Transmission End
Int. teeth, diff.side, conn.to transm.: 27
Length [mm]: 172
Seal Diameter [mm]: 43
Transmission Type: cambio manuale a 5 m

GI0321JM

Joint Kit, drive shaft



VOLVO S80 II (AS)

OE

30614441

Fitting Position: Front Axle
Fitting Position: Rear Axle
Length [mm]: 21
Number of splines on input shaft: 20
Outer Diameter [mm]: 86

GI0415JM

Joint Kit, drive shaft



OPEL CORSA D
OPEL CORSA D Van

OE

1603408
93190190

External Teeth, diff.side: 25
Int. teeth, diff.side, conn.to transm.: 23
Length [mm]: 174,5
Seal Diameter [mm]: 34,9

GI0621JM

Joint Kit, drive shaft



MERCEDES-BENZ CITAN Combi (415)
MERCEDES-BENZ CITAN Furgonato (415)
MERCEDES-BENZ CITAN Mixto (415)
RENAULT KANGOO / GRAND KANGOO (KW0/1_)
RENAULT KANGOO BE BOP (KW0/1_)
RENAULT KANGOO Express (FW0/1_)

OE

8200687739
8200687740
8201235167
8201235754

External Teeth, wheel side: 27
Fitting Position: Front Axle left and right
Fitting Position: Wheel Side
Internal Teeth, wheel side: 22
Length [mm]: 146
Seal Diameter [mm]: 56,7
Technical Information Number: Groove Type Inner
Thread Size: M22X1,5

Joins

GI0944JM

Joint Kit, drive shaft



AUDI 80 (81, 85, B2)
 PORSCHE 924
 PORSCHE 944
 VW POLO (6R, 6C)
 VW TRANSPORTER II Autobus
 VW TRANSPORTER II Furgonato
 VW TRANSPORTER II Pianale piatto/Telaio
 VW TRANSPORTER III Autobus
 VW TRANSPORTER III Furgonato
 VW TRANSPORTER III Pianale piatto/Telaio

OE

211501331B
 211598101
 212501331
 251498103A
 251501331
 251598101
 251598101X
 301501203
 3015012031
 477501185

Bore [mm]: 8,2
 Int. teeth, diff.side, conn.to transm.: 33
 Length [mm]: 32
 Machined: Without groove in internal component
 Number of Bores: 6
 Pitch Circle [mm]: 86
 Specification: con viti/bulloni

GI0946JM

Joint Kit, drive shaft



AUDI A3 (8P1)
 AUDI A3 (8V1)
 AUDI A3 Cabriolet (8P7)
 AUDI A3 Cabriolet (8V7)
 AUDI A3 Limousine (8VS)
 AUDI A3 Sportback (8PA)
 AUDI A3 Sportback (8VA)
 AUDI Q2
 AUDI Q3 (F3B)
 AUDI Q3 Sportback (F3N)
 AUDI TT (8J3)
 AUDI TT (FV3)
 AUDI TT Roadster (8J9)
 AUDI TT Roadster (FV9)
 CUPRA ATECA (KH7, KHP, KBP)
 CUPRA FORMENTOR (KM7)
 SEAT ALHAMBRA (710)
 SEAT ALTEA (5P1)
 SEAT ALTEA XL (5P5, 5P8)
 SEAT ATECA
 SEAT LEON (1P1)
 SEAT LEON (5F1)
 SEAT LEON Sportstourer (KL8)
 SEAT LEON ST (5F8)
 SEAT TARRACO (KN2_)
 SEAT TOLEDO III (5P2)
 SKODA KAROQ (NU7)
 SKODA KODIAQ
 SKODA OCTAVIA (1Z3)
 SKODA OCTAVIA (5E3)
 SKODA OCTAVIA Combi (1Z5)
 SKODA OCTAVIA Combi (5E5)
 SKODA OCTAVIA IV (NX3)
 SKODA OCTAVIA IV Combi (NX5)
 SKODA SUPERB (3T4)
 SKODA SUPERB Station wagon (3T5)
 SKODA SUPERB Station wagon (3V5)
 VW ARTEON (3H7)
 VW ARTEON SHOOTING BRAKE (3H9)
 VW CADDY ALLTRACK Furgonato (SAA)
 VW CADDY ALLTRACK Station wagon (SAB)
 VW CADDY III Furgonato (2KA, 2KH, 2CA, 2CH)
 VW CADDY III Station wagon (2KB, 2KJ, 2CB, 2CJ)
 VW CADDY IV Furgonato (SAA, SAH)
 VW CADD

OE

1J0407363E
 1J0498103L
 1J0498103LX
 1K0407271NM
 1K0498103E
 1K0498103EV
 1K0498103EX
 1K0498103Q
 1K0498103QX
 3B0407341B
 3C0498103F
 3C0498103FX
 3Q0498103
 3Q0498103X
 5QN498103H

Bore [mm]: 10,1
 Fitting Position: Front Axle
 Fitting Position: Transmission End
 Int. teeth, diff.side, conn.to transm.: 34
 Length [mm]: 86
 Pitch Circle [mm]: 100
 Technical Information Number: AAR,original design

Joins

GI0947JM

Joint Kit, drive shaft



AUDI Q7 (4L)
 PORSCHE CAYENNE
 PORSCHE CAYENNE (955)
 VW AMAROK (2H_, S1B)
 VW AMAROK Pianale piatto/Telaio (S1B)
 VW TOUAREG (7LA, 7L6, 7L7)
 VW TOUAREG (7P5)

OE

16870648
 19495343219
 2H0407271DV
 2H0498103
 7L0407331A
 7L0498103
 7L0498103A
 7L0498103AX
 95534990200
 95534990201

Fitting Position: Front Axle
 Fitting Position: Transmission End
 Int.teeth, diff.side, conn.to conn.shaft: 28
 Length [mm]: 34
 Machined: Without groove in internal component
 Number of Bores: 6
 Pitch Circle [mm]: 96

GI923JM

Joint Kit, drive shaft



JEEP CHEROKEE (KJ)

OE

5066022AA
 5066023AA
 52111778AB
 52111780AB
 52111781AB

External Teeth, diff.side: 39
 Fitting Position: Front Axle
 Fitting Position: Wheel Side
 Int. teeth, diff.side, conn.to transm.: 27
 Length [mm]: 451
 Seal Diameter [mm]: 30
 Seal Diameter [mm]: 60

Mounting

BQ192R

Track Control Arm



NISSAN LEAF (ZE1)

OE

545004DA0A

Bar/Strut: Push Rod
 Cone Size [mm]: 18
 Fitting Position: Front Axle Right
 Material: Sheet Steel
 Paired article numbers: 72-01-192L
 Paired article numbers: 72192L
 Paired article numbers: BS-192L
 Steering Type: Control Arm

BQH92L

Track Control Arm



HYUNDAI i30 (PDE)
 HYUNDAI i30 FASTBACK (PDE)
 HYUNDAI i30 Hatchback Van (PDE)
 HYUNDAI i30 Station wagon
 KIA CEED (CD)
 KIA CEED Combi Van (CD)
 KIA CEED Hatchback Van (CD)
 KIA CEED Sportswagon (CD)

OE

54500-G4AA0

Fitting Position: Front Axle Left
 Steering Type: Control Arm
 Thread Size: MM12X1,25R

BQH92R

Track Control Arm



HYUNDAI i30 (PDE)
 HYUNDAI i30 FASTBACK (PDE)
 HYUNDAI i30 Hatchback Van (PDE)
 HYUNDAI i30 Station wagon
 KIA CEED (CD)
 KIA CEED Combi Van (CD)
 KIA CEED Hatchback Van (CD)
 KIA CEED Sportswagon (CD)

OE

54501-G4AA0

Fitting Position: Front Axle Right
 Steering Type: Control Arm
 Thread Size: MM12X1,25R

Mounting

BQK53L

Track Control Arm



KIA SORENTO III

OE
54500C5150
54500C6000

Bar/Strut: Push Rod
Cone Size [mm]: 17,9
Fitting Position: Front Axle Left
Material: Sheet Steel
Paired article numbers: 72-0K-K53R
Paired article numbers: 72K53R
Paired article numbers: BS-K53R
Steering Type: Control Arm

BQK53R

Track Control Arm



KIA SORENTO III

OE
54501C5150
54501C6000

Bar/Strut: Push Rod
Cone Size [mm]: 17,9
Fitting Position: Front Axle Right
Material: Sheet Steel
Paired article numbers: 72-0K-K53L
Paired article numbers: 72K53L
Paired article numbers: BS-K53L
Steering Type: Control Arm

MQ-01129

Shock Absorber



RENAULT TWINGO III
SMART FORFOUR 2 volumi /Coda spiovente (453)
SMART FORTWO Cabriolet (453)
SMART FORTWO Coupé (453)

OE
453 326 03 00
453 326 04 00
453 326 05 00
562103074R

Fitting Position: Rear Axle
For OE number: 562103074R
Shock Absorber Design: Absorber does not carry a spring
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MQ-01290

Shock Absorber



ALFA ROMEO STELVIO (949_)

OE
50548513
50551259
50559657

Fitting Position: Rear Axle
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Monotube
Shock Absorber Type: Gas Pressure

MQ-01292

Shock Absorber



AUDI A6 (C8, 4A2)
AUDI A6 Allroad (4AH, C8)
AUDI A6 Avant (C8, 4A5)
AUDI Q5
AUDI Q5 Sportback (FYT)
AUDI Q5 Van (FYB, FYG)

OE
4K0413031AL
4K0413031AM
80A413031AA
80A413031AB
80A413031AD
80A413031AE
80A413031AG
80A413031AH
80A413031AJ
80A413031AK
80A413031AL
80A413031AM
80A413031S

Fitting Position: Front Axle
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

Mounting

MQ-20104

Shock Absorber



CITROEN BERLINGO (K9)
 CITROEN BERLINGO Furgonato (B9)
 CITROEN BERLINGO Furgonato (K9)
 OPEL COMBO Cassone / Furgonato / Promiscuo (X19)
 OPEL COMBO MPV / Space wagon (X19)
 PEUGEOT 308 II
 PEUGEOT 308 SW II
 PEUGEOT 308 SW II Cassone / Furgonato / Promiscuo (LC_)
 PEUGEOT PARTNER Furgonato (K9)
 PEUGEOT RIFTER
 TOYOTA PROACE CITY Furgonato
 TOYOTA PROACE CITY VERSO Autobus

OE

1611448580
 1611448680
 1612181380
 1612181480
 3550079
 3550389
 3555968
 93488637
 93488638
 9810550380
 9810550480
 9820363980
 9820364080
 9820364180
 9820364280
 9820364380
 9820364480
 9826260680
 9833305880
 9833305980
 9833306080
 9833306180
 SU001B1608
 SU001B1609
 SU001B1610
 SU001B2211

Fitting Position: Front Axle
 For OE number: 9820363980
 Shock Absorber Design: Suspension Strut
 Shock Absorber Mounting Type: Top pin
 Shock Absorber System: Twin-Tube
 Shock Absorber Type: Gas Pressure

MQ-33121

Shock Absorber



ABARTH 124 Spider (348_)
 FIAT 124 Spider (348_)
 MAZDA MX-5 IV (ND)
 MAZDA MX-5 RF (ND)

OE

N270-34-700A
 N27034700A
 N293-34-700A
 NA2E-34-700A
 NA8W-34-700B
 NC3J-34-700

Fitting Position: Front Axle
 For OE number: N27034700A
 Shock Absorber Design: Spring-bearing Damper
 Shock Absorber Mounting Type: Bottom Fork
 Shock Absorber Mounting Type: Top pin
 Shock Absorber Type: Gas Pressure

MQ-AS376

Boot, air suspension



LINCOLN NAVIGATOR

OE

3U2Z5580LA
 F75Z5A891BA

Drive Type: All-wheel Drive
 Fitting Position: Rear
 Shock Absorber Mounting Type: Bottom Yoke
 Shock Absorber Mounting Type: Top pin
 Spring Type: for pneumatic suspension vehicles

MQ-AS469

Pneumatic Suspension



MERCEDES-BENZ CLASSE E All-Terrain (S213)

OE

213 320 23 01
 213 320 87 00
 A213 320 23 01
 A213 320 87 00

Fitting Position: Front Axle Left
 Paired article numbers: MA-AS470
 Paired article numbers: MJAS470
 Paired article numbers: MM-AS470
 Shock Absorber Mounting Type: Bottom Fork
 Shock Absorber Type: Gas Pressure

Mounting

MQ-AS470

Pneumatic Suspension



MERCEDES-BENZ CLASSE E All-Terrain (S213)

OE

213 320 24 01
213 320 88 00
A213 320 24 01
A213 320 88 00

Fitting Position: Front Axle Right
Paired article numbers: MA-AS469
Paired article numbers: MJAS469
Paired article numbers: MM-AS469
Shock Absorber Mounting Type: Bottom Fork
Shock Absorber Type: Gas Pressure