



**Quality Tested**<sup>®</sup>  
Automotive Spare Parts

# NEWS 01/2026



[www.qualitytested.com](http://www.qualitytested.com)


**CATALOGUE**  
FOR CARS AND  
COMMERCIAL VEHICLES

**CATALOGO**  
PER AUTOVETTURE E  
VEICOLI COMMERCIALI

## Brake system

**DI0174JM**

**Brake Disc**




BYD YUAN PLUS

**OE**  
13781672-00  
1378167200  
HA2EL-3501111A

Brake Disc Thickness [mm]: 26  
Brake Disc Type: Vented  
Centering Diameter [mm]: 62  
Fitting Position: Front Axle  
Minimum Thickness [mm]: 24  
Number of Bores: 5  
Number of mounting bores: 2  
Outer Diameter [mm]: 298  
Pitch Circle [mm]: 114  
Surface: Painted  
Thickness [mm]: 47

**DI0176JM**

**Brake Disc**




BYD SEAL

**OE**  
13582759-00  
1358275900  
14035826-00  
EKEA-3501111S

Brake Disc Thickness [mm]: 28  
Brake Disc Type: Vented  
Centering Diameter [mm]: 68  
Fitting Position: Front Axle  
Height [mm]: 49  
Minimum Thickness [mm]: 26  
Number of Bores: 5  
Number of mounting bores: 2  
Outer Diameter [mm]: 299  
Pitch Circle [mm]: 120  
Surface: Painted

**DI0182JM**

**Brake Disc**



TESLA MODEL 3 (5YJ3)

**OE**  
104461100D

Brake Disc Thickness [mm]: 25  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 70,2  
Height [mm]: 68,1  
Inner Diameter [mm]: 159  
Minimum Thickness [mm]: 23  
Number of Bores: 5  
Outer Diameter [mm]: 320  
Pitch Circle [mm]: 114,3  
Surface: Coated  
Wheel Bolt Bore [mm]: 16,5

**DI0183JM**

**Brake Disc**



MG MG 4  
MG MG HS  
MG MG HS (AS33)  
TESLA MODEL S  
TESLA MODEL X

**OE**  
1025099  
102509900A  
102509900B  
10464822  
6006420  
600642000A

Brake Disc Thickness [mm]: 32  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 70,2  
Fitting Position: Front Axle  
Height [mm]: 70,7  
Inner Diameter [mm]: 166  
Minimum Thickness [mm]: 30  
Number of Bores: 5  
Number of mounting bores: 1  
Outer Diameter [mm]: 355  
Pitch Circle [mm]: 120  
Surface: Painted  
Wheel Bolt Bore [mm]: 16,6

## Brake system

### DI0275JM

#### Brake Disc



FIAT 500 C (312)  
FIAT 500L  
FIAT PANDA (519, 312, 319)


#### OE

51884303  
51885408  
51937217  
51937218

Brake Disc Thickness [mm]: 22  
Brake Disc Type: Vented  
Centering Diameter [mm]: 59  
Fitting Position: Front Axle  
Height [mm]: 43,3  
Inner Diameter [mm]: 127  
Minimum Thickness [mm]: 20  
Number of Bores: 5  
Number of mounting bores: 1  
Outer Diameter [mm]: 284  
Pitch Circle [mm]: 98  
Surface: Painted  
Wheel Bolt Bore [mm]: 13,5

### DI0975KITJM

#### Brake Disc



PORSCHE CAYENNE  
VW TOUAREG (7P5)  
VW TOUAREG VAN (7P5)


#### OE

7P6615301  
7P6615301A  
7P6615301B  
7P6615302  
7P6615302A  
7P6615302B

Bore [mm]: 85  
Brake Disc Thickness [mm]: 36  
Brake Disc Type: Vented  
Fitting Position: Front Axle  
Height [mm]: 68,5  
Minimum Thickness [mm]: 34  
Number of Holes: 5  
Outer Diameter [mm]: 360  
Pitch Circle [mm]: 85  
Pitch Circle [mm]: 130

### DI2061KITJM

#### Brake Disc



BMW X5 (E70)  
BMW X5 (F15, F85)  
BMW X6 (E71, E72)  
BMW X6 (F16, F86)


#### OE

34106898725  
34106898726  
34116782067  
34116782068  
6782067  
6782068

Brake Disc Thickness [mm]: 36  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 75  
Fitting Position: Front Axle  
Full Set:  
Height [mm]: 62  
Inner Diameter [mm]: 153,7  
Machining: High-carbon  
Minimum Thickness [mm]: 34,4  
Number of Bores: 5  
Number of mounting bores: 1  
Outer Diameter [mm]: 385  
Pitch Circle [mm]: 120  
Surface: Painted  
Wheel Bolt Bore [mm]: 16,5

### DI447JM

#### Brake Disc



HONDA ZR-V

#### OE

452513B4H00

Brake Disc Thickness [mm]: 28  
Brake Disc Type: Vented  
Centering Diameter [mm]: 64,2  
Fitting Position: Front Axle  
Height [mm]: 47  
Minimum Thickness [mm]: 26  
Number of Bores: 5  
Outer Diameter [mm]: 320

## Brake system

### DI941JM

#### Brake Disc




ISUZU D-MAX III (RG01)

**OE**  
8983767550  
98376755

Brake Disc Thickness [mm]: 30  
Brake Disc Type: Solid  
Centering Diameter [mm]: 101,1  
Fitting Position: Front Axle  
Height [mm]: 61  
Number of Bores: 6  
Outer Diameter [mm]: 320  
Pitch Circle [mm]: 139,7  
Surface: Painted

### DP0159JM

#### Brake Disc




BYD DOLPHIN

**OE**  
1342344500  
EM2E3502111

Brake Disc Thickness [mm]: 9  
Brake Disc Type: Solid  
Centering Diameter [mm]: 55  
Fitting Position: Rear Axle  
Height [mm]: 26,8  
Minimum Thickness [mm]: 7  
Number of Bores: 5  
Number of mounting bores: 2  
Outer Diameter [mm]: 249  
Pitch Circle [mm]: 100  
Surface: Painted

### DP0160JM

#### Brake Disc




BYD SEAL

**OE**  
14028123-00  
1402812300  
EKEB-3502111S

Brake Disc Thickness [mm]: 20  
Brake Disc Type: Vented  
Centering Diameter [mm]: 68  
Fitting Position: Rear Axle  
Height [mm]: 32  
Minimum Thickness [mm]: 18  
Number of Bores: 5  
Number of mounting bores: 2  
Outer Diameter [mm]: 317  
Pitch Circle [mm]: 120  
Surface: Painted

### DP0164JM

#### Brake Disc



TESLA MODEL 3 (5YJ3)


**OE**  
104463100D

Brake Disc Thickness [mm]: 20  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 70,2  
Height [mm]: 46,8  
Inner Diameter [mm]: 180  
Minimum Thickness [mm]: 18  
Number of Bores: 5  
Outer Diameter [mm]: 335  
Pitch Circle [mm]: 114,3  
Surface: Painted  
Wheel Bolt Bore [mm]: 16,5

## Brake system

### DP0165JM

#### Brake Disc




TESLA MODEL S  
TESLA MODEL X

**OE**  
6006431  
600643100C  
600643100D

Brake Disc Thickness [mm]: 28  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 70,2  
Height [mm]: 66,3  
Inner Diameter [mm]: 196  
Minimum Thickness [mm]: 26  
Number of Bores: 5  
Number of mounting bores: 1  
Outer Diameter [mm]: 365  
Pitch Circle [mm]: 120  
Surface: Painted  
Wheel Bolt Bore [mm]: 16,6

### DP0166JM

#### Brake Disc




MG MG ZS Fuoristrada chiuso

**OE**  
10266049

Brake Disc Thickness [mm]: 9  
Brake Disc Type: Solid  
Centering Diameter [mm]: 64  
Fitting Position: Rear Axle  
Minimum Thickness [mm]: 7  
Number of mounting bores: 2  
Outer Diameter [mm]: 255  
Pitch Circle [mm]: 100  
Rim Hole Number: 5  
Thickness [mm]: 37

### DP0240JM

#### Brake Disc



CITROEN C4 III  
CITROEN C4 X (BD\_, BE\_, BF\_)  
DS DS 3 CROSSBACK (U\_)  
FIAT 600e (365\_)  
JEEP AVENGER  
OPEL CORSA F

**OE**  
1643574180  
9827734980

Brake Disc Thickness [mm]: 10  
Brake Disc Type: Solid  
Centering Diameter [mm]: 71,1  
Fitting Position: Rear Axle  
Height [mm]: 35  
Inner Diameter [mm]: 132,6  
Minimum Thickness [mm]: 8  
Number of Bores: 4  
Number of mounting bores: 2  
Outer Diameter [mm]: 249  
Pitch Circle [mm]: 108  
Supplementary Article/Supplementary Info 2:  
Without wheel bearing  
Supplementary Article/Supplementary Info 2:  
Without wheel hub  
Supplementary Article/Supplementary Info 2:  
Without wheel studs  
Surface: Painted  
Wheel Bolt Bore [mm]: 13,4

### PP0034JM

#### Brake Pad Set, disc brake



BYD DOLPHIN  
BYD TANG  
BYD YUAN PLUS

**OE**  
1315016900  
1339661400  
1343650600  
1394417500  
HC3502188  
MEEC3501170

Fitting Position: Rear Axle  
Height 1 [mm]: 49  
Height 2 [mm]: 46,8  
Thickness/Strength 1 [mm]: 12,6  
Thickness/Strength 2 [mm]: 13  
Wear Warning Contact: With acoustic wear warning  
Width [mm]: 103,4  
WVA Number: 26394  
WVA Number: 26395  
WVA Number: 26396

## Brake system

**PP0036JM**
**Brake Pad Set, disc brake**

 TESLA MODEL S  
 TESLA MODEL X

**OE**

 100767800A  
 109741600A  
 109741600B  
 109741600C  
 156216000A

 Brake System: Mando  
 Height [mm]: 53,3  
 Thickness [mm]: 15,7  
 Wear Warning Contact: With acoustic wear warning  
 Width [mm]: 127  
 WVA Number: 26496  
 WVA Number: 26497  
 WVA Number: 26498


**PP0037JM**
**Brake Pad Set, disc brake**

 MAXUS (SAIC MOTOR) eDELIVER 3 Furgonato  
 MAXUS (SAIC MOTOR) eDELIVER 3 Pianale  
 piatto/Telaio  
 MAXUS (SAIC MOTOR) EUNIQ 5 Van

**OE**

C00168954

 Fitting Position: Rear Axle  
 Length [mm]: 101,5  
 Thickness [mm]: 15,5  
 Width [mm]: 46,5

**PP0039JM**
**Brake Pad Set, disc brake**


MG MG HS

**OE**

 10172328  
 10332331

 Fitting Position: Rear Axle  
 Thickness [mm]: 16  
 Wear Warning Contact: With acoustic wear warning  
 Width [mm]: 48,4

## Clutch

**KF0224JM**
**Clutch Kit**

 ALFA ROMEO MITO (955)  
 CHRYSLER YPSILON  
 FIAT 500 (312)  
 FIAT 500 C (312)  
 FIAT 500L  
 FIAT PANDA (519, 312, 319)

**OE**

 55220302  
 55234222  
 6000628455  
 6000628459  
 6000628461  
 71769142

 Number of Teeth: 20  
 Outer Diameter [mm]: 200  
 Supplementary Article/Supplementary Info 2:  
 With releaser

## Cooling System

**PQ0612JM**
**Water Pump**

 CITROEN EVASION (22, U6)  
 CITROEN EVASION Van (U6\_, AF\_)  
 CITROEN XANTIA (X1)  
 CITROEN XANTIA Break (X1)  
 CITROEN XM (Y3)  
 CITROEN XM (Y4)

**OE**

 1201.54  
 1201.55  
 1201.A7  
 1201.C5  
 1201.C6  
 1336.L5

 Number of Teeth 3: 20  
 Operating Mode: Mechanical  
 Supplementary Article/Supplementary Info 2:  
 Without cover  
 Supplementary Article/Supplementary Info:  
 with seal  
 Water Pump Pulley [mm]: 59,258  
 Water Pump Type: For toothed belt drive

## Cooling System

**VTQ0011F**
**Coolant Flange**

 BMW 5 (E39)  
 BMW 5 Touring (E39)  
 BMW 7 (E38)

**OE**  
 11531740478

 Housing Type: Synthetic Material Housing  
 Supplementary Article/Supplementary Info:  
 with seal

**VTQ0052F**
**Coolant Flange**

 CITROEN AX (ZA-)  
 CITROEN BERLINGO (MF)  
 CITROEN BERLINGO Furgonato (M\_)  
 CITROEN SAXO (S0, S1)  
 CITROEN XSARA (N1)  
 CITROEN XSARA Break (N2)

**OE**  
 1201.66

For OE number: 1201.66

**VTQ0084F**
**Coolant Flange**

 SKODA OCTAVIA Combi (1Z5)  
 SKODA SUPERB (3U4)

**OE**  
 1K0 122 291 BA

For OE number: 1K0 122 291 BA

**VTQ0109F**
**Coolant Flange**

 AUDI A4 (8D2, B5)  
 AUDI A4 (8E2, B6)  
 AUDI A4 Avant (8E5, B6)  
 AUDI A6 (4B2, C5)  
 AUDI A6 Avant (4B5, C5)  
 SKODA SUPERB (3U4)

**OE**  
 038121144A

 Housing Type: Synthetic Material Housing  
 Supplementary Article/Supplementary Info:  
 with seal

**VTQ0113F**
**Coolant Flange**

 AUDI A3 (8P1)  
 AUDI A3 Sportback (8PA)  
 SEAT ALTEA (5P1)  
 SEAT ALTEA XL (5P5, 5P8)  
 SEAT LEON (1P1)  
 SEAT TOLEDO III (5P2)

**OE**  
 1K0122291B

 Supplementary Article/Supplementary Info 2:  
 Without thermostat

## Cooling System

**VTQ0116F**
**Coolant Flange**

 AUDI A3 (8P1)  
 AUDI A3 Cabriolet (8P7)  
 AUDI A3 Sportback (8PA)  
 AUDI TT (8J3)  
 AUDI TT Roadster (8J9)  
 SEAT ALTEA (5P1)

**OE**

 1K0121087AF\_PART  
 1K0121087AH  
 1K0122101JQ\_PART  
 1K0122101KD\_PART  
 1K0122101KP\_PART

For OE number: 1K0121087AH

**VTQ0121F**
**Coolant Flange**

 AUDI A3 (8L1)  
 AUDI A3 (8P1)  
 AUDI Q3 (8U)  
 SEAT ALHAMBRA (710)  
 SEAT LEON (1M1)  
 SEAT TOLEDO II (1M2)

**OE**

7M0122291

 Fitting Position: after EGR cooler  
 For OE number: 7M0 122 291  
 Supplementary Article/Supplementary Info 2:  
 Without thermostat

**VTQ0123**
**Thermostat, coolant**

 BMW X5 (E70)  
 BMW X6 (E71, E72)

**OE**

17 10 7 558 267

 Fits thermostat with opening temperature [°C]:  
 93  
 Supplementary Article/Supplementary Info 2:  
 With thermostat

**VTQ0125**
**Thermostat, coolant**

 BMW 5 (F10, F18)  
 BMW 5 Touring (F11)  
 BMW 7 (F01, F02, F03, F04)

**OE**

 1153 7 580 627  
 11538671517

Opening Temperature [°C]: 97

**VTQ0141**
**Thermostat, coolant**

 MINI MINI (R56)  
 MINI MINI Cabriolet (R57)  
 MINI MINI CLUBMAN (R55)  
 MINI MINI CLUBVAN (R55)  
 MINI MINI COUNTRYMAN (R60)  
 MINI MINI Coupé (R58)

**OE**

 11537588876  
 11537647305  
 11537647751  
 11538671513  
 11538674895

 Opening Temperature [°C]: 104  
 Operating Mode: Electrically Controlled  
 Supplementary Article/Supplementary Info 2:  
 with sensor  
 Supplementary Article/Supplementary Info:  
 with seal  
 Supplementary Article/Supplementary Info:  
 Without cable set

## Cooling System

**VTQ0142**
**Thermostat, coolant**

 BMW 3 (G20)  
 BMW 3 Touring (G21)  
 BMW 3 Touring Van (G21)  
 BMW 5 (G30)  
 BMW 5 Touring (G31)  
 BMW 6 Gran Turismo (G32)

**OE**

 11 53 8 576 289  
 11 53 8 588 890  
 8 576 289

 Heating / Cooling: With vent hole  
 Housing Type: Without housing  
 Opening Temperature [°C]: 91

**VTQ0339**
**Thermostat, coolant**

 VOLVO S60 II  
 VOLVO S60 II Cross Country (134)  
 VOLVO S60 III (224)  
 VOLVO S80 II (AS)  
 VOLVO S90 II  
 VOLVO V40 2 volumi /Coda spiovente

**OE**

 31293767  
 31474800  
 31686046

 Opening Temperature [°C]: 90  
 Supplementary Article/Supplementary Info:  
 with seal

**VTQ0731**
**Thermostat, coolant**

 DACIA DUSTER  
 RENAULT SCÉNIC III (JZ0/1\_)

**OE**

 1106000Q01  
 1106000Q02  
 1106000Q0Y  
 110602770R  
 110608431R  
 110609813R

For OE number: A6072000215

**VTQ0959**
**Thermostat, coolant**

 AUDI A4 (8E2, B6)  
 AUDI A4 (8EC, B7)  
 AUDI A4 Avant (8E5, B6)  
 AUDI A4 Avant (8ED, B7)  
 AUDI A4 Cabriolet (8H7, B6, 8HE, B7)  
 AUDI A6 (4B2, C5)

**OE**

 06C 121 111 C  
 06C 121 111 D  
 06C 121 111 E

 Opening Temperature [°C]: 92  
 Supplementary Article/Supplementary Info:  
 with seal

## Electrics

**IC00002JM**
**Ignition Cable Kit**

 ALFA ROMEO 155 (167)  
 ALFA ROMEO 164 (164)

**OE**

60566483

 For OE number: 60566483  
 Length 1 [mm]: 450  
 Length 2 [mm]: 570  
 Length 3 [mm]: 630  
 Length 4 [mm]: 730  
 Length 5 [mm]: 540  
 Length 6 [mm]: 660  
 Length 7 [mm]: 730  
 Length 8 [mm]: 750  
 Number of circuits: 8  
 Outer Diameter [mm]: 7

**Electrics**
**IC00004JM**
**Ignition Cable Kit**


ALFA ROMEO 164 (164)

**OE**  
 60800515

 For OE number: 60800515  
 Length 1 [mm]: 630  
 Length 2 [mm]: 550  
 Length 3 [mm]: 480  
 Length 4 [mm]: 470  
 Length 5 [mm]: 350  
 Number of circuits: 5  
 Outer Diameter [mm]: 7

**IC00010JM**
**Ignition Cable Kit**

 FIAT FIORINO Cassone / Furgonato / Promiscuo (225)  
 FIAT PANDA (169)  
 FIAT PANDA Van (169)  
 FIAT PUNTO (199)  
 FIAT PUNTO EVO (199)

**OE**  
 55237442

 For OE number: 55237442  
 Length 1 [mm]: 340  
 Length 2 [mm]: 370  
 Length 3 [mm]: 370  
 Length 4 [mm]: 340  
 Number of circuits: 4  
 Outer Diameter [mm]: 7

**IC00012JM**
**Ignition Cable Kit**


FIAT 126

**OE**  
 46575049

 For OE number: 46575049  
 Length 1 [mm]: 790  
 Length 2 [mm]: 890  
 Number of circuits: 2  
 Outer Diameter [mm]: 7

**IC00013JM**
**Ignition Cable Kit**


FIAT PANDA (141A\_)

**OE**  
 5890298

 For OE number: 5890298  
 Length 1 [mm]: 620  
 Length 2 [mm]: 650  
 Number of circuits: 2  
 Outer Diameter [mm]: 7

**IC00014JM**
**Ignition Cable Kit**

 FIAT CROMA (154)  
 FIAT TEMPRA (159)  
 FIAT TEMPRA S.W. (159)  
 LANCIA DEDRA (835)

**OE**  
 7633960

 For OE number: 7633960  
 Length 1 [mm]: 480  
 Length 2 [mm]: 530  
 Length 3 [mm]: 620  
 Length 4 [mm]: 680  
 Length 5 [mm]: 610  
 Number of circuits: 5  
 Outer Diameter [mm]: 7

**Electrics**
**IC00015JM**
**Ignition Cable Kit**


FIAT 127  
 FIAT 238-SERIE  
 FIAT PANDA (141A\_)  
 PEUGEOT 309 I (10C, 10A)  
 TALBOT 1307-1510  
 TALBOT HORIZON

**OE**  
 596710


For OE number: 5967.10  
 Length 1 [mm]: 530  
 Length 2 [mm]: 530  
 Length 3 [mm]: 530  
 Length 4 [mm]: 620  
 Length 5 [mm]: 600  
 Outer Diameter [mm]: 7

**IC00016JM**
**Ignition Cable Kit**


FIAT PANDA (141A\_)

**OE**  
 7745367

For OE number: 7745367  
 Length 1 [mm]: 350  
 Length 2 [mm]: 460  
 Length 3 [mm]: 460  
 Length 4 [mm]: 610  
 Number of circuits: 4  
 Outer Diameter [mm]: 7

**IC00017JM**
**Ignition Cable Kit**


FIAT 131  
 FIAT CROMA (154)  
 FIAT TEMPRA (159)  
 FIAT TEMPRA S.W. (159)  
 LANCIA DEDRA (835)  
 LANCIA THEMA (834)

**OE**  
 7596561

For OE number: 7596561  
 Length 1 [mm]: 530  
 Length 2 [mm]: 590  
 Length 3 [mm]: 680  
 Length 4 [mm]: 710  
 Length 5 [mm]: 600  
 Number of circuits: 5  
 Outer Diameter [mm]: 7

**IC00018JM**
**Ignition Cable Kit**


FIAT TEMPRA (159)  
 FIAT TEMPRA S.W. (159)  
 LANCIA DEDRA (835)  
 LANCIA THEMA (834)

**OE**  
 7596561

For OE number: 7596561  
 Length 1 [mm]: 500  
 Length 2 [mm]: 550  
 Length 3 [mm]: 670  
 Length 4 [mm]: 700  
 Length 5 [mm]: 540  
 Number of circuits: 5  
 Outer Diameter [mm]: 7

**IC00019JM**
**Ignition Cable Kit**


FIAT 127

**OE**  
 4261590

For OE number: 4261590  
 Length 1 [mm]: 410  
 Length 2 [mm]: 440  
 Length 3 [mm]: 470  
 Length 4 [mm]: 530  
 Length 5 [mm]: 390  
 Number of circuits: 5  
 Outer Diameter [mm]: 7

**Electrics**
**IC00020JM**
**Ignition Cable Kit**

 FIAT REGATA (138)  
 FIAT REGATA Weekend  
 FIAT RITMO II (138A)  
 FIAT TEMPRA (159)  
 FIAT TEMPRA S.W. (159)  
 LANCIA DELTA I (831AB0)

**OE**  
 3370082011

 For OE number: 3370082011  
 Length 1 [mm]: 280  
 Length 2 [mm]: 350  
 Length 3 [mm]: 500  
 Length 4 [mm]: 600  
 Length 5 [mm]: 870  
 Number of circuits: 5  
 Outer Diameter [mm]: 7

**IC00021JM**
**Ignition Cable Kit**

 FIAT TEMPRA (159)  
 FIAT UNO (146A/E)

**OE**  
 7605119

 For OE number: 7605119  
 Length 1 [mm]: 360  
 Length 2 [mm]: 390  
 Length 3 [mm]: 530  
 Length 4 [mm]: 590  
 Length 5 [mm]: 420  
 Number of circuits: 5  
 Outer Diameter [mm]: 7

**IC00022JM**
**Ignition Cable Kit**


FIAT TIPO (160)

**OE**  
 7597831

 For OE number: 7597831  
 Length 1 [mm]: 420  
 Length 2 [mm]: 450  
 Length 3 [mm]: 600  
 Length 4 [mm]: 690  
 Length 5 [mm]: 340  
 Number of circuits: 5  
 Outer Diameter [mm]: 7

**IC00023JM**
**Ignition Cable Kit**


FIAT UNO (146A/E)

**OE**  
 7626751

 For OE number: 7626751  
 Length 1 [mm]: 330  
 Length 2 [mm]: 430  
 Length 3 [mm]: 520  
 Length 4 [mm]: 600  
 Length 5 [mm]: 610  
 Number of circuits: 5  
 Outer Diameter [mm]: 7

**IC00024JM**
**Ignition Cable Kit**


FIAT PANDA (141A\_)

**OE**  
 5888327

 For OE number: 5888327  
 Length 1 [mm]: 370  
 Length 2 [mm]: 440  
 Length 3 [mm]: 500  
 Length 4 [mm]: 560  
 Length 5 [mm]: 480  
 Number of circuits: 5  
 Outer Diameter [mm]: 7

**Electrics**
**IC00025JM**
**Ignition Cable Kit**


FIAT UNO (146A/E)

**OE**  
 7598077

 For OE number: 7598077  
 Length 1 [mm]: 310  
 Length 2 [mm]: 350  
 Length 3 [mm]: 400  
 Length 4 [mm]: 530  
 Length 5 [mm]: 750  
 Number of circuits: 5  
 Outer Diameter [mm]: 7

**IC00026JM**
**Ignition Cable Kit**

 FIAT COUPE (FA/175)  
 LANCIA DELTA II (836)  
 LANCIA THEMA (834)  
 LANCIA THEMA SW (834)

**OE**  
 7742689

 For OE number: 7742689  
 Length 1 [mm]: 660  
 Length 2 [mm]: 660  
 Length 3 [mm]: 660  
 Length 4 [mm]: 660  
 Number of circuits: 4  
 Outer Diameter [mm]: 7

**IC00029JM**
**Ignition Cable Kit**

 FORD FIESTA V (JH\_, JD\_)  
 FORD FIESTA Van  
 FORD KA (RB\_)  
 FORD KA Van (RB)  
 FORD STREET KA (RL2)

**OE**  
 1094680

 For OE number: 1094680  
 Length 1 [mm]: 350  
 Length 2 [mm]: 480  
 Length 3 [mm]: 560  
 Length 4 [mm]: 610  
 Number of circuits: 4  
 Outer Diameter [mm]: 7

**IC00030JM**
**Ignition Cable Kit**

 FORD COUGAR (EC\_)  
 FORD ESCORT CLASSIC (AAL, ABL)  
 FORD ESCORT CLASSIC Turnier (ANL)  
 FORD ESCORT V (GAL)  
 FORD ESCORT VI (GAL)  
 FORD ESCORT VII (GAL, AAL, ABL)

**OE**  
 968F12284AD

 For OE number: 968F12284AD  
 Length 1 [mm]: 420  
 Length 2 [mm]: 540  
 Length 3 [mm]: 670  
 Length 4 [mm]: 720  
 Number of circuits: 4  
 Outer Diameter [mm]: 8

**IC00031JM**
**Ignition Cable Kit**

 FORD COUGAR (EC\_)  
 FORD ESCORT CLASSIC (AAL, ABL)  
 FORD ESCORT CLASSIC Turnier (ANL)  
 FORD ESCORT V (GAL)  
 FORD ESCORT VI (GAL)  
 FORD ESCORT VII (GAL, AAL, ABL)

**OE**  
 1012436

 For OE number: 1012436  
 Length 1 [mm]: 380  
 Length 2 [mm]: 490  
 Length 3 [mm]: 590  
 Length 4 [mm]: 640  
 Number of circuits: 4  
 Outer Diameter [mm]: 8

**Electrics**
**IC00032JM**
**Ignition Cable Kit**


SEAT ALHAMBRA (7V8, 7V9)  
 SEAT CORDOBA (6K1, 6K2)  
 SEAT IBIZA II (6K1)  
 SEAT TOLEDO I (1L)  
 VW GOLF III (1H1)  
 VW GOLF III Cabriolet (1E7)

**OE**  
 037905483C

For OE number: 037905483C  
 Length 1 [mm]: 340  
 Length 2 [mm]: 500  
 Length 3 [mm]: 560  
 Length 4 [mm]: 610  
 Length 5 [mm]: 650  
 Number of circuits: 5  
 Outer Diameter [mm]: 7

**IC00033JM**
**Ignition Cable Kit**


OPEL ASTRA F 2 volumi /Coda spiovente (53\_,  
 54\_, 58\_, 5)  
 OPEL COMBO (71\_)  
 OPEL CORSA B (73\_, 78\_, 79\_)  
 OPEL CORSA B Furgonato (73\_)

**OE**  
 1612546


For OE number: 1612546  
 Length 1 [mm]: 510  
 Length 2 [mm]: 630  
 Length 3 [mm]: 780  
 Length 4 [mm]: 820  
 Length 7 [mm]: 340  
 Number of circuits: 5  
 Outer Diameter [mm]: 7

**IC00034JM**
**Ignition Cable Kit**


OPEL COMBO (71\_)  
 OPEL CORSA B (73\_, 78\_, 79\_)  
 OPEL CORSA B Furgonato (73\_)

**OE**  
 1612607

For OE number: 1612607  
 Length 1 [mm]: 550  
 Length 2 [mm]: 610  
 Length 3 [mm]: 760  
 Length 4 [mm]: 820  
 Length 5 [mm]: 500  
 Number of circuits: 5  
 Outer Diameter [mm]: 7

**IC00035JM**
**Ignition Cable Kit**


FORD CONSUL Coupe (GGCL)  
 MERCEDES-BENZ CLASSE C (W202)  
 MERCEDES-BENZ CLASSE C Station wagon  
 (S202)  
 MERCEDES-BENZ CLASSE E (W210)  
 MERCEDES-BENZ CLASSE E Station wagon

**OE**  
 1101507218

For OE number: 1101507218  
 Length 1 [mm]: 710  
 Length 2 [mm]: 800  
 Length 3 [mm]: 910  
 Length 4 [mm]: 980  
 Length 5 [mm]: 1070  
 Length 6 [mm]: 1180  
 Length 7 [mm]: 540  
 Number of circuits: 7  
 Outer Diameter [mm]: 7

**IC00036JM**
**Ignition Cable Kit**


MERCEDES-BENZ 190 (W201)  
 MERCEDES-BENZ CLASSE G (W461)  
 MERCEDES-BENZ CLASSE G (W463)  
 MERCEDES-BENZ CLASSE G Cabrio (W463)  
 MERCEDES-BENZ CLASSE S (W140)  
 MERCEDES-BENZ CLASSE S Coupe (C140)

**OE**  
 1021502818

For OE number: 1021502818  
 Length 1 [mm]: 660  
 Length 2 [mm]: 840  
 Length 3 [mm]: 840  
 Length 4 [mm]: 930  
 Length 5 [mm]: 450  
 Number of circuits: 5  
 Outer Diameter [mm]: 7

## Electrics

IC00037JM

### Ignition Cable Kit



MERCEDES-BENZ CLASSE C (W202)  
 MERCEDES-BENZ CLASSE E (W124)  
 MERCEDES-BENZ CLASSE E Cabriolet (A124)  
 MERCEDES-BENZ Tre volumi (W124)

**OE**  
 A1111500615

Diameter [mm]: 7  
 For OE number: A1111500615  
 Length 1 [mm]: 720  
 Length 2 [mm]: 720  
 Length 3 [mm]: 780  
 Length 4 [mm]: 780  
 Number of circuits: 4

IC00039JM

### Ignition Cable Kit



AUDI A3 (8L1)  
 AUDI A3 (8P1)  
 AUDI A3 Cabriolet (8P7)  
 AUDI A3 Sportback (8PA)  
 AUDI A4 (8D2, B5)  
 AUDI A4 (8E2, B6)

**OE**  
 06A905409M

For OE number: 06A905409M  
 Length 1 [mm]: 290  
 Length 2 [mm]: 510  
 Length 3 [mm]: 660  
 Length 4 [mm]: 680  
 Number of circuits: 4  
 Outer Diameter [mm]: 7

IC00040JM

### Ignition Cable Kit



SEAT IBIZA II (6K1)  
 SEAT TOLEDO I (1L)  
 SKODA OCTAVIA (1U2)  
 SKODA OCTAVIA Combi (1U5)  
 TOYOTA COROLLA Liftback (\_E10\_)  
 VW GOLF III (1H1)

**OE**  
 N10070210

For OE number: N10070210  
 Length 1 [mm]: 720  
 Length 2 [mm]: 720  
 Length 3 [mm]: 720  
 Length 4 [mm]: 720  
 Length 5 [mm]: 610  
 Number of circuits: 5  
 Outer Diameter [mm]: 7

IC00041JM

### Ignition Cable Kit



AUDI A6 (4A, C4)  
 AUDI A6 Avant (4A, C4)  
 AUDI CABRIOLET (8G7, B4)  
 SEAT AROSA (6H)  
 SEAT CORDOBA (6K1, 6K2)  
 SEAT IBIZA II (6K1)

**OE**  
 N10052903

For OE number: N10052903  
 Length 1 [mm]: 420  
 Length 2 [mm]: 570  
 Length 3 [mm]: 570  
 Length 4 [mm]: 790  
 Length 5 [mm]: 500  
 Number of circuits: 5  
 Outer Diameter [mm]: 7

IC00042JM

### Ignition Cable Kit



SEAT AROSA (6H)  
 SEAT CORDOBA (6K1, 6K2)  
 SEAT INCA (6K9)  
 VW LUPO (6X1, 6E1)  
 VW POLO (6N2)

**OE**  
 030905409B

For OE number: 030905409B  
 Length 1 [mm]: 720  
 Length 2 [mm]: 750  
 Length 3 [mm]: 800  
 Length 4 [mm]: 980  
 Number of circuits: 4  
 Outer Diameter [mm]: 7

**Electrics**
**IC00043JM**
**Ignition Cable Kit**


SEAT CORDOBA (6K1, 6K2)  
 SEAT IBIZA II (6K1)  
 SEAT INCA (6K9)  
 VW POLO (6N1)

**OE**  
 030905430H

For OE number: 030905430H  
 Length 1 [mm]: 470  
 Length 2 [mm]: 600  
 Length 3 [mm]: 630  
 Length 4 [mm]: 750  
 Length 5 [mm]: 590  
 Number of circuits: 5  
 Outer Diameter [mm]: 7

**IC00044JM**
**Ignition Cable Kit**


SEAT CORDOBA (6L2)  
 SEAT IBIZA IV (6L1)  
 VW FOX (5Z1, 5Z3)  
 VW POLO (9N\_)  
 VW POLO Tre volumi (9A4)

**OE**  
 032 905 430 K  
 032 905 430 L  
 032 905 430 M  
 032 905 430 N  
 134959

Length 1 [mm]: 430  
 Length 2 [mm]: 540  
 Length 3 [mm]: 660  
 Length 4 [mm]: 780  
 Number of circuits: 4  
 Outer Diameter [mm]: 7

**IC00045JM**
**Ignition Cable Kit**


AUDI A6 (4A, C4)  
 AUDI A6 Avant (4A, C4)  
 AUDI CABRIOLET (8G7, B4)  
 SEAT CORDOBA (6K1, 6K2)  
 SEAT IBIZA II (6K1)  
 SEAT TOLEDO I (1L)

**OE**  
 N03888510

For OE number: N03888510  
 Length 1 [mm]: 830  
 Length 2 [mm]: 860  
 Length 3 [mm]: 1040  
 Length 4 [mm]: 1100  
 Number of circuits: 4  
 Outer Diameter [mm]: 7

**IC00046JM**
**Ignition Cable Kit**


SEAT AROSA (6H)  
 SKODA FAVORIT (781)  
 SKODA FELICIA I (6U1)  
 VW LUPO (6X1, 6E1)  
 VW POLO (6N1)  
 VW POLO (6N2)

**OE**  
 115093593

For OE number: 115093593  
 Length 1 [mm]: 250  
 Length 2 [mm]: 400  
 Length 3 [mm]: 430  
 Length 4 [mm]: 520  
 Length 5 [mm]: 330  
 Number of circuits: 5  
 Outer Diameter [mm]: 7

**IC-00047JM**
**Ignition Cable Kit**


AUDI A4 (8D2, B5)  
 AUDI A4 Avant (8D5, B5)  
 VW GOLF III (1H1)  
 VW GOLF III Cabriolet (1E7)  
 VW GOLF III Variant (1H5)  
 VW PASSAT (3A2, 35I)

**OE**  
 N10243611

For OE number: N10243611  
 Length 1 [mm]: 820  
 Length 2 [mm]: 820  
 Length 3 [mm]: 820  
 Length 4 [mm]: 820  
 Length 5 [mm]: 640  
 Number of circuits: 5  
 Outer Diameter [mm]: 7

**Electrics**
**IC00049JM**
**Ignition Cable Kit**

 FIAT TEMPRA (159)  
 FIAT TEMPRA S.W. (159)  
 LANCIA DEDRA (835)  
 LANCIA DEDRA SW (835)

**OE**  
 7749930

 For OE number: 7749930  
 Length 1 [mm]: 460  
 Length 2 [mm]: 490  
 Length 3 [mm]: 610  
 Length 4 [mm]: 640  
 Length 5 [mm]: 300  
 Number of circuits: 5  
 Outer Diameter [mm]: 7

**Engine**
**BL121JM**
**Bolt Kit, cylinder head**

 NISSAN ROGUE  
 NISSAN TEANA I (J31)  
 NISSAN TEANA II (J32)  
 NISSAN TEANA III (J33)  
 NISSAN X-TRAIL (T30)  
 NISSAN X-TRAIL (T31)

**OE**  
 11 05 6AR 002  
 11 05 6AR 002 (10x)  
 11056-3Z001  
 11056-3Z001 (x10)  
 11056-3Z00A (x10)  
 11056-AR001 (x10)

 Bolt Head-/Nut Design: Male Torx  
 Length [mm]: 122  
 Quantity: 10  
 Thread Pitch [mm]: 1,75  
 Thread Size: M12

**BL305JM**
**Bolt Kit, cylinder head**

 CATERHAM AEROSEVEN  
 CATERHAM SEVEN (CF)  
 FORD C-MAX (DM2)  
 FORD C-MAX II  
 FORD ECOSPORT  
 FORD FIESTA V (JH\_, JD\_)

**OE**  
 1 229 267  
 1 229 267 (10x)  
 1S7Z-6065CA  
 1S7Z-6065CA (10x)  
 30 723 252  
 30 723 252 (10x)

 Bolt Head-/Nut Design: Female Torx  
 Length [mm]: 145  
 Quantity: 10  
 Thread Pitch [mm]: 1,25  
 Thread Size: M10

**BL904JM**
**Bolt Kit, cylinder head**

 CHEVROLET AVEO 2 volumi /Coda spiovente (T300)  
 CHEVROLET AVEO Tre volumi (T300)  
 CHEVROLET CRUZE (J300)  
 CHEVROLET CRUZE 2 volumi /Coda spiovente (J305)

**OE**  
 55 566 811  
 607165 (x12)

 Bolt Head-/Nut Design: Male Torx  
 Length [mm]: 121  
 Quantity: 12  
 Thread Pitch [mm]: 1,25  
 Thread Size: M9

**BLW03JM**
**Bolt Kit, cylinder head**

 ARO 10  
 CHEVROLET AVEO 2 volumi /Coda spiovente (T250, T255)  
 CHEVROLET AVEO Tre volumi (T200)  
 CHEVROLET AVEO Tre volumi (T250, T255)  
 CHEVROLET CRUZE (J300)

**OE**  
 94501031  
 94501031 (x10)

 Bolt Head-/Nut Design: Male Hex  
 Length [mm]: 166  
 Quantity: 10  
 Thread Pitch [mm]: 1,25  
 Thread Size: M10

**Engine**
**OP00007JM**
**Oil Pump**


CITROEN BERLINGO (K9)  
 CITROEN BERLINGO Furgonato (K9)  
 CITROEN C-ELYSEE  
 CITROEN C3 AIRCROSS II  
 CITROEN C3 AIRCROSS II VAN (2C\_, 2R\_)  
 CITROEN C3 III (SX)

**OE**  
 1628955080

For OE number: 1628955080  
 Operating Mode: Mechanical  
 Pump Type: Tandem Pump  
 Supplementary Article/Supplementary Info:  
 Without gasket / seal

**OP00009JM**
**Oil Pump**


ALPINA D3 (E90)  
 ALPINA D3 Coupé (E92)  
 ALPINA D3 Station wagon (E91)  
 BMW 1 (E81)  
 BMW 1 (E87)  
 BMW 1 (F20)

**OE**  
 11417798014

For OE number: 11417798014

**OP00010JM**
**Oil Pump**


CITROEN BERLINGO (B9)  
 CITROEN BERLINGO (K9)  
 CITROEN BERLINGO Furgonato (B9)  
 CITROEN BERLINGO Furgonato (K9)  
 CITROEN C3 AIRCROSS II  
 CITROEN C3 AIRCROSS II VAN (2C\_, 2R\_)

**OE**  
 9837408880

Exhaust Emission Norm: Euro 6  
 For OE number: 9837408880

**OP00016JM**
**Oil Pump**


FIAT DUCATO Autobus (250)  
 FIAT DUCATO Furgonato (250)  
 FIAT DUCATO Pianale piatto/Telaio (250)  
 IVECO DAILY Cassone / Furgonato / Promiscuo  
 IVECO DAILY CITYS Autobus  
 IVECO DAILY Pianale piatto/Telaio

**OE**  
 5802582771

For OE number: 5802582771  
 Fuel Type: Diesel  
 Operating Mode: Mechanical  
 Pump Type: Tandem Pump  
 Supplementary Article/Supplementary Info:  
 Without gasket / seal

**OP00027JM**
**Oil Pump**


CITROEN JUMPER Autobus  
 CITROEN JUMPER Furgonato  
 CITROEN JUMPER Pianale piatto/Telaio  
 FORD C-MAX II  
 FORD C-MAX II Van  
 FORD FOCUS III

**OE**  
 9809524280

For OE number: 9809524280

## Engine

**OP00029JM**
**Oil Pump**


CHEVROLET MALIBU (V300)  
 OPEL INSIGNIA  
 OPEL INSIGNIA A Country Tourer (G09)  
 OPEL INSIGNIA Station wagon  
 OPEL INSIGNIA Tre volumi  
 OPEL ZAFIRA TOURER C (P12)

**OE**  
 55584330

For OE number: 55584330  
 Supplementary Article/Supplementary Info 2:  
 With shaft oil seal  
 Supplementary Article/Supplementary Info:  
 with electrical oil pressure valve  
 Supplementary Article/Supplementary Info:  
 with seal

**OP00033JM**
**Oil Pump**


MERCEDES-BENZ CLASSE C (W203)  
 MERCEDES-BENZ CLASSE C (W204)  
 MERCEDES-BENZ CLASSE C Coupé (C204)  
 MERCEDES-BENZ CLASSE C Coupe (CL203)  
 MERCEDES-BENZ CLASSE C T-Model (S203)  
 MERCEDES-BENZ CLASSE C T-Model (S204)

**OE**  
 2711800801

For OE number: 2711800801  
 Pump Type: Vane Pump

## Engine Timing Control


**KDK1031JM**
**Timing Chain Kit**


JAGUAR E-PACE (X540)  
 JAGUAR F-PACE (X761)  
 JAGUAR F-TYPE Cabriolet  
 JAGUAR F-TYPE Coupé  
 JAGUAR XE (X760)  
 JAGUAR XF (X260)

**OE**  
 JDE38677  
 JDE40738  
 LR091740  
 LR139321

Fitting Position: Lower  
 Fitting Position: Upper  
 Number of Chain Links: 100  
 Number of Chain Links: 78  
 Supplementary Article/Supplementary Info 2:  
 Without gear

## Filter

**FA-0132JM**
**Air Filter**


BMW 2 Coupé (G42)  
 BMW 3 (G20)  
 BMW 3 Touring (G21)  
 BMW 3 Touring Van (G21)  
 BMW 4 Cabriolet (G23, G83)  
 BMW 4 Coupé (G22)

**OE**  
 13 71 8 580 429  
 13718580429  
 8 580 429

Filter Type: Filter Insert  
 For OE number: 13 71 8 580 429  
 Height [mm]: 46  
 Length [mm]: 273  
 Width [mm]: 233

**FA-0134JM**
**Air Filter**


MAXUS (SAIC MOTOR) DELIVER 9 Furgonato

**OE**  
 C00176661

Filter Type: Filter Insert  
 For OE number: C00176661  
 Height [mm]: 58  
 Length [mm]: 318  
 Width [mm]: 155

**Filter**
**FA-0135JM**
**Air Filter**


MG MG 3

**OE**  
 10377350

 Filter Type: Filter Insert  
 For OE number: 10377350  
 Height [mm]: 28  
 Length [mm]: 412  
 Width [mm]: 238

**FA-0138JM**
**Air Filter**


MG MG 3

**OE**  
 10144394  
 30005099

 Filter Type: Filter Insert  
 For OE number: 10144394  
 Height [mm]: 41  
 Length [mm]: 374  
 Supplementary Article/Supplementary Info 2:  
 With pre-filter  
 Width [mm]: 181

**FA-0258JM**
**Air Filter**

 FIAT CROMA (154)  
 LANCIA KAPPA (838A)  
 LANCIA KAPPA Coupe (838)  
 LANCIA KAPPA SW (838B)  
 LANCIA THEMA (834)  
 LANCIA THEMA SW (834)

**OE**  
 35A1029  
 5984020  
 71736136  
 82380591  
 82398171

 Filter Type: Filter Insert  
 For OE number: 71736136  
 Height [mm]: 49  
 Length [mm]: 300  
 Width [mm]: 198

**FA-0342JM**
**Air Filter**

 FORD GALAXY  
 FORD KUGA III (DFK)  
 FORD S-MAX

**OE**  
 2368605  
 LX61-9601-FC

 Filter Type: Filter Insert  
 For OE number: 2368605  
 Height [mm]: 42  
 Length [mm]: 199  
 Width [mm]: 169

**FA-0343JM**
**Air Filter**

 LYNK & CO 01  
 VOLVO XC40

**OE**  
 31474821  
 32146444  
 8888475605

 Filter Type: Filter Insert  
 For OE number: 31474821  
 Height [mm]: 60  
 Length [mm]: 265  
 Width [mm]: 178

**Filter**
**FAA-046JM**
**Filter, interior air**


AUDI A4 (8K2, B8)  
 AUDI A4 Allroad (8KH, B8)  
 AUDI A4 Avant (8K5, B8)  
 AUDI A5 (8T3)  
 AUDI A5 Cabriolet (8F7)  
 AUDI A5 Sportback (8TA)

**OE**

8K0 819 439  
 8K0 819 439 C  
 8K0819439

Filter Type: Pollen Filter  
 For OE number: 8K0 819 439  
 Height [mm]: 36  
 Length [mm]: 279  
 Width [mm]: 241

**FAA-051JM**
**Filter, interior air**


ALPINA B3 (G20)  
 ALPINA B3 Touring (G21)  
 ALPINA B4 Gran Coupe (G26)  
 ALPINA D3 (G20)  
 ALPINA D3 Touring (G21)  
 ALPINA D4 Gran Coupe (G26)

**OE**

64 11 9 382 885  
 64 31 9 382 889  
 64119382885

Filter Type: Pollen Filter  
 For OE number: 64 11 9 382 885  
 Height [mm]: 30  
 Length [mm]: 300  
 Width [mm]: 212

**FAA-055JM**
**Filter, interior air**


CITROEN C5 X  
 DS DS 4 II (F\_, FB\_, F3\_)  
 DS DS 9 (X2\_)  
 OPEL ASTRA L  
 OPEL ASTRA L Sports Tourer (O5)  
 PEUGEOT 308 Cassone / coda spiovente (LB\_)

**OE**

1612920380  
 1612920480  
 1616959280  
 98 041 633 80  
 9804163380  
 9804163480

Filter Type: Pollen Filter  
 For OE number: 98 041 633 80  
 Height [mm]: 32  
 Length [mm]: 259  
 Quantity Unit: Kit  
 Width [mm]: 98

**FAA-058JM**
**Filter, interior air**


FORD TOURNEO CUSTOM Autobus  
 FORD TOURNEO CUSTOM V710 Autobus (NXN)  
 FORD TRANSIT Autobus  
 FORD TRANSIT CUSTOM Autobus  
 FORD TRANSIT CUSTOM Furgonato  
 FORD TRANSIT CUSTOM V710 Furgonato (NRN)

**OE**

1812 679  
 1812679  
 BK21-18D543-AA

Filter Type: Pollen Filter  
 For OE number: 1812 679  
 Height [mm]: 30  
 Length [mm]: 284  
 Width [mm]: 232

**FAA-062JM**
**Filter, interior air**


BMW 1 (F40)  
 BMW 2 Active Tourer (F45)  
 BMW 2 Active Tourer Van (F45)  
 BMW 2 Gran Coupe (F44)  
 BMW 2 Gran Tourer (F46)  
 BMW 2 Gran Tourer Van (F46)

**OE**

64 11 6 835 404  
 64 31 6 835 404  
 64116823724  
 64116835404  
 64119321876  
 64316835406

Filter Type: Pollen Filter  
 For OE number: 64 11 6 835 404  
 Height [mm]: 32  
 Length [mm]: 233  
 Quantity Unit: Kit  
 Width [mm]: 115

**Filter**
**FAA-065JM**
**Filter, interior air**


POLESTAR POLESTAR 1 (P)  
 VOLVO S60 III (224)  
 VOLVO S90 II  
 VOLVO V60 II (225)  
 VOLVO V60 II Cross Country (227)  
 VOLVO V90 II

**OE**  
 31404470  
 31407747


Filter Type: Pollen Filter  
 For OE number: 31404470  
 Height [mm]: 41  
 Length [mm]: 337  
 Width [mm]: 238

**FAA-070JM**
**Filter, interior air**


JAGUAR E-PACE (X540)  
 LAND ROVER DISCOVERY SPORT (LC)  
 LAND ROVER DISCOVERY SPORT VAN (L550)  
 LAND ROVER RANGE ROVER EVOQUE (L551)

**OE**  
 K8D2-18D543-AA  
 K8D218D543AA  
 LR115784

Filter Type: Pollen Filter  
 For OE number: K8D2-18D543-AA  
 Height [mm]: 43  
 Length [mm]: 272  
 Width [mm]: 194

**FAA-075JM**
**Filter, interior air**


MG MG ZS Fuoristrada chiuso

**OE**  
 10632431

Filter Type: Pollen Filter  
 For OE number: 10632431  
 Height [mm]: 37  
 Length [mm]: 195  
 Width [mm]: 190

**FAA-080JM**
**Filter, interior air**


TESLA MODEL X

**OE**  
 1045566-00-D  
 1045566-00-E  
 1045566-00-G  
 1045566-00-H  
 1045566-99-D  
 104556600EV

Filter Type: Activated Carbon Filter  
 Height [mm]: 31  
 Length [mm]: 1022  
 Width [mm]: 318

**FAA-081JM**
**Filter, interior air**


TESLA MODEL S

**OE**  
 105933300C  
 105933300D  
 105933300D SK1  
 105933300E  
 105933300E SK1  
 105933300F

Filter Type: Activated Carbon Filter  
 Height [mm]: 20  
 Length [mm]: 699  
 Width [mm]: 361

## Filter

FAA-082JM

Filter, interior air



TESLA MODEL X

**OE**  
1039042-00-A  
1039042-00-B

Filter Type: Activated Carbon Filter  
Height [mm]: 30  
Length [mm]: 320  
Width [mm]: 260

FAA-086JM

Filter, interior air




TESLA MODEL Y (5YJY)

**OE**  
1658376-00-A  
165837600A

Filter Type: Activated Carbon Filter  
For OE number: 1658376-00-A  
Height [mm]: 26  
Length [mm]: 456  
Width [mm]: 172

FAA-088JM

Filter, interior air




BYD TANG

**OE**  
12447996-00  
1244799600  
SA-8121211

Filter Type: Activated Carbon Filter  
Height [mm]: 40  
Length [mm]: 199  
Width [mm]: 190

FAA-097JM

Filter, interior air




HAVAL H2

**OE**  
8104400XSZ47A

Filter Type: Activated Carbon Filter  
Height [mm]: 29  
Length [mm]: 234  
Width [mm]: 227

FAA-098JM

Filter, interior air



TESLA MODEL S  
TESLA MODEL X

**OE**  
1647254-00-A

Filter Type: Activated Carbon Filter  
Height [mm]: 63  
Length [mm]: 413  
Width [mm]: 413

## Filter

FO-001JM

Oil Filter




MAXUS (SAIC MOTOR) G10

**OE**  
10105963

Filter Type: Filter Insert  
For OE number: 10105963  
Gasket inner diameter: 63,5  
Gasket outer diameter: 70,7  
Height [mm]: 127  
Inner Diameter [mm]: 14  
Outer Diameter [mm]: 56  
Supplementary Article/Supplementary Info 2:  
With seal

FO-003JM

Oil Filter



CADILLAC ATS  
CADILLAC ATS Coupé  
CADILLAC CTS  
CHEVROLET CAMARO  
CHEVROLET CAMARO Cabriolet  
CHEVROLET CORVETTE (C7)

**OE**  
00K04892339WE  
10604737  
12640445  
12667194  
12670058  
12674698

Bypass Valve Opening Pressure [bar]: 1,8  
Filter Type: Screw-on Filter  
Gasket inner diameter: 63  
Gasket outer diameter: 70  
Height [mm]: 75  
Outer Diameter [mm]: 76  
Supplementary Article/Supplementary Info 2:  
With one anti-return valve  
Thread Size: M22x1.5

FO-054JM

Oil Filter



AUDI A4 (8K2, B8)  
AUDI A4 Allroad (8KH, B8)  
AUDI A4 Avant (8K5, B8)  
AUDI A5 (8T3)  
AUDI A5 Cabriolet (8F7)  
AUDI A5 Sportback (8TA)

**OE**  
057115441B  
059 115 561 D  
059 198 405  
059115561D  
958.107.222.20

Filter Type: Filter Insert  
For OE number: 059 115 561 D  
Height [mm]: 128  
Inner Diameter 1 [mm]: 29  
Inner Diameter [mm]: 29  
Outer Diameter [mm]: 76  
Supplementary Article/Supplementary Info:  
with seal

FO-059JM

Oil Filter




FIAT DUCATO Autobus (250)  
FIAT DUCATO Furgonato (250)  
FIAT DUCATO Pianale piatto/Telaio (250)

**OE**  
46349008  
73504476

Filter Type: Filter Insert  
For OE number: 46349008  
Gasket inner diameter: 90  
Gasket outer diameter: 98  
Height [mm]: 107  
Inner Diameter 1 [mm]: 21  
Inner Diameter [mm]: 30  
Outer Diameter [mm]: 77  
Supplementary Article/Supplementary Info 2:  
With seal

FOE-039JM

Oil Filter



MERCEDES-BENZ CLASSE A (W168)  
MERCEDES-BENZ CLASSE A (W169)  
MERCEDES-BENZ CLASSE B (W245)  
MERCEDES-BENZ Vaneo (414)

**OE**  
640 180 00 09  
640 180 01 09  
640 180 01 09 90  
640 184 01 25  
640 184 02 25  
668 180 00 09

Filter Type: Filter Insert  
Fitted Diameter [mm]: 33  
For OE number: A6401800109  
Inner Diameter [mm]: 19  
Length [mm]: 117  
Outer Diameter [mm]: 53

## Filter

### FOE-046JM

#### Oil Filter



AUDI A3 Limousine (8YS)  
AUDI A3 Sportback (8YA)  
AUDI Q2  
AUDI Q3 Sportback (F3N)  
SEAT ATECA  
SEAT LEON (KL1)


#### OE

05L 115 466 A  
05L 115 562 A  
05L115562A  
2582 474

Filter Type: Filter Insert  
For OE number: 05L115562A  
Height [mm]: 161  
Inner Diameter [mm]: 21  
Outer Diameter [mm]: 47

### FOE-134JM

#### Oil Filter



EC0134

BMW 2 Active Tourer (F45)  
BMW i8 (I12)

#### OE

11 42 8 513 948  
11 42 8 570 590  
11 42 8 575 210  
11 42 8 585 237  
11428570590  
8570590

Filter Type: Filter Insert  
For OE number: 11428570590  
Inner Diameter [mm]: 16,5  
Length [mm]: 125  
Outer Diameter [mm]: 53

### FOE-163JM

#### Oil Filter



CHRYSLER CROSSFIRE  
CHRYSLER CROSSFIRE Roadster  
MERCEDES-BENZ CLASSE C (W202)  
MERCEDES-BENZ CLASSE C (W203)  
MERCEDES-BENZ CLASSE C (W204)  
MERCEDES-BENZ CLASSE C Coupe (CL203)

#### OE

000 180 22 09  
000 180 23 09  
000 180 26 09  
000 180 26 09 90  
000 180 31 09  
05102905AA

Filter Type: Filter Insert  
Height [mm]: 115  
Inner Diameter 1 [mm]: 31  
Inner Diameter [mm]: 31  
Outer Diameter [mm]: 64  
Part number of the recommended special tools: LS 7  
Supplementary Article/Supplementary Info: with seal

### FT182JM

#### Hydraulic Filter, automatic transmission



AUDI A4 (8W2, B9)  
AUDI A4 Allroad (8WH, B9)  
AUDI A4 Avant (8W5, B9)  
AUDI A5  
AUDI A5 Cabriolet  
AUDI A5 Sportback (F5A)

#### OE

0D5 398 009  
0D5 398 009 C  
0D5 398 010  
0D5398009  
D5 398 009  
D5 398 009 C

Filter Type: Screen Filter  
For OE number: 0D5398009  
Height [mm]: 46  
Length [mm]: 503  
Supplementary Article/Supplementary Info 2: with filter  
Supplementary Article/Supplementary Info 2: With screws  
Supplementary Article/Supplementary Info: With oil drainage plug  
Transmission Type: For automatic transmission  
Width [mm]: 337

### FT189JM

#### Hydraulic Filter, automatic transmission



MERCEDES-BENZ CLA (C118)  
MERCEDES-BENZ CLA Shooting Brake (X118)  
MERCEDES-BENZ CLASSE B (W247)  
MERCEDES-BENZ CLASSE-A (W177)  
MERCEDES-BENZ CLASSE-A Tre volumi (W177)  
MERCEDES-BENZ GLA (H247)

#### OE

247 370 17 05  
247 370 83 01  
A247 370 17 05  
A247 370 83 01

Filter Type: Filter Insert  
Height [mm]: 68  
Outer Diameter [mm]: 81

## Filter

### FT190JM

#### Hydraulic Filter, automatic transmission



MERCEDES-BENZ CLA (C118)  
 MERCEDES-BENZ CLA Shooting Brake (X118)  
 MERCEDES-BENZ CLASSE B (W247)  
 MERCEDES-BENZ CLASSE-A (W177)  
 MERCEDES-BENZ CLASSE-A Tre volumi (W177)  
 MERCEDES-BENZ GLA (H247)

#### OE

247 370 16 05  
 247 370 82 01  
 A247 370 16 05  
 A247 370 82 01

Filter Type: Filter Insert  
 Height [mm]: 102  
 Outer Diameter [mm]: 81

### FT192JM

#### Hydraulic Filter, automatic transmission



AUDI A4 (8W2, B9)  
 AUDI A4 Allroad (8WH, B9)  
 AUDI A4 Avant (8W5, B9)  
 AUDI A5  
 AUDI A5 Sportback (F5A)  
 AUDI A6 (C8, 4A2)

#### OE

OD5 398 009 A  
 OD5 398 009 B  
 D5 398 009 A  
 D5 398 009 B  
 PAB 398 009  
 PAB 398 009 01

Filter Type: Screen Filter  
 Height [mm]: 46  
 Length [mm]: 503  
 Supplementary Article/Supplementary Info 2:  
 with filter  
 Transmission Type: For automatic  
 transmission  
 Width [mm]: 339

### FT193JM

#### Hydraulic Filter, automatic transmission



MERCEDES-BENZ CLA (C118)  
 MERCEDES-BENZ CLA Shooting Brake (X118)  
 MERCEDES-BENZ GLA (H247)  
 MERCEDES-BENZ GLB (X247)

#### OE

247 371 48 00  
 247 371 48 00 S1  
 247 377 39 01  
 247 377 39 01 S1  
 247 377 54 01  
 247 377 54 01 S1

Filter Type: Screen Filter  
 Length [mm]: 170  
 Supplementary Article/Supplementary Info:  
 with seal  
 Width [mm]: 135

### FT195JM

#### Hydraulic Filter, automatic transmission



MERCEDES-BENZ AMG GT (X290)  
 MERCEDES-BENZ CLASSE C (W205)  
 MERCEDES-BENZ CLASSE C (W206)  
 MERCEDES-BENZ CLASSE C All-Terrain (S206)  
 MERCEDES-BENZ CLASSE C Cabriolet (A205)  
 MERCEDES-BENZ CLASSE C Coupé (C205)

#### OE

725 270 31 14  
 A725 270 31 14

Filter Type: Screen Filter  
 Height [mm]: 53  
 Length [mm]: 437  
 Supplementary Article/Supplementary Info 2:  
 with filter  
 Supplementary Article/Supplementary Info 2:  
 With screws  
 Supplementary Article/Supplementary Info:  
 with seal  
 Weight [kg]: 1,55  
 Width [mm]: 300

### FT196JM

#### Hydraulic Filter, automatic transmission



BMW 3 (F30, F35, F80)  
 BMW 3 (G20)  
 BMW 3 Touring (G21)  
 BMW 5 (G30)  
 BMW 5 Touring (G31)  
 BMW 7 (G11, G12)

#### OE

24 11 8 632 189  
 24118632189

Filter Type: Screen Filter  
 Height [mm]: 59  
 Length [mm]: 608  
 Supplementary Article/Supplementary Info 2:  
 with filter  
 Supplementary Article/Supplementary Info 2:  
 With screws  
 Supplementary Article/Supplementary Info:  
 With oil drainage plug  
 Supplementary Article/Supplementary Info:  
 with seal  
 Transmission Type: For automatic  
 transmission  
 Width [mm]: 286

## Filter

FT197JM

**Hydraulic Filter, automatic transmission**



HONDA ACCORD VIII (CU)  
HONDA ACCORD VIII Station wagon  
HONDA CIVIC VI Hatchback (EJ, EK)  
HONDA CIVIC VI Tre volumi (EJ, EK)  
HONDA CIVIC X 2 volumi /Coda spiovente (FC\_, FK)

**OE**  
25450-P4V-003  
25450-P4V-013

Filter Type: Filter Insert  
Gasket inner diameter: 37  
Gasket inner diameter: 48,9  
Gasket outer diameter: 43  
Gasket outer diameter: 54,14  
Height [mm]: 52  
Outer Diameter [mm]: 44  
Supplementary Article/Supplementary Info 2:  
With seal

## Joints

AC-G001

**Propshaft, axle drive**



PIAGGIO APE (MP) VESPACAR  
PIAGGIO APE TM Furgonato  
PIAGGIO APE TM Pianale piatto/Telaio  
PIAGGIO QUARGO Pianale piatto/Telaio

**OE**  
B073421

Fitting Position: Rear Axle  
Pitch Circle [mm]: 12

GI0326JM

**Joint Kit, drive shaft**



FORD KUGA I

**OE**  
1534272  
1595118  
8V413C356AA  
8V413C356AB

External Teeth, diff.side: 26  
Fitting Position: Front Axle Left  
Fitting Position: Transmission End  
Int. teeth, diff.side, conn.to transm.: 27  
Length [mm]: 180  
Seal Diameter [mm]: 40

JO0200JM

**Joint, propshaft**



FIAT PANDA (169)

**OE**  
55193595  
55197051  
55222107

Diameter [mm]: 24  
Length [mm]: 63

## Mounting

BQ556L

**Track Control Arm**



MITSUBISHI CARISMA (DA\_)  
MITSUBISHI CARISMA Tre volumi (DA\_)  
MITSUBISHI SPACE STAR (DG\_A)

**OE**  
MR171305  
MR171307

Fitting Position: Rear Axle Left  
Paired article numbers: 72-05-556R  
Paired article numbers: 72556R  
Paired article numbers: BS-556R  
Steering Type: Control Arm

## Mounting

BQ556R

### Track Control Arm



MITSUBISHI CARISMA (DA\_)  
MITSUBISHI CARISMA Tre volumi (DA\_)  
MITSUBISHI SPACE STAR (DG\_A)

**OE**  
MR171306  
MR171308

Fitting Position: Rear Axle Right  
Paired article numbers: 72-05-556L  
Paired article numbers: 72556L  
Paired article numbers: BS-556L  
Steering Type: Control Arm

BQK48L

### Track Control Arm



KIA CARENS II (FJ)

**OE**  
OK2FA-28350

Steering Type: Trailing Arm

MQ-01310

### Shock Absorber



INFINITI Q30  
INFINITI QX30  
MERCEDES-BENZ CLASSE GLA (X156)

**OE**  
156 323 19 00  
1563231900  
242 323 05 00  
A 156 323 19 00  
A 242 323 05 00

Fitting Position: Front Axle Left  
For OE number: 156 323 19 00  
Paired article numbers: MA-01312  
Paired article numbers: MJ01312  
Paired article numbers: MM-01312  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

MQ-01312

### Shock Absorber



INFINITI Q30  
INFINITI QX30  
MERCEDES-BENZ CLASSE GLA (X156)

**OE**  
156 313 20 00  
156 323 20 00  
1563132000  
242 323 06 00  
A 156 313 20 00  
A 156 323 20 00

Fitting Position: Front Axle Right  
For OE number: 156 313 20 00  
Paired article numbers: MA-01310  
Paired article numbers: MJ01310  
Paired article numbers: MM-01310  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

MQ-01313

### Shock Absorber



INFINITI Q30  
MERCEDES-BENZ CLASSE GLA (X156)

**OE**  
156 323 15 00  
1563231500  
A 156 323 15 00

Fitting Position: Front Axle Left  
For OE number: 156 323 15 00  
Paired article numbers: MA-01314  
Paired article numbers: MJ01314  
Paired article numbers: MM-01314  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

## Mounting

MQ-01314

Shock Absorber



INFINITI Q30  
MERCEDES-BENZ CLASSE GLA (X156)

OE

156 323 16 00  
1563231600  
A 156 323 16 00

Fitting Position: Front Axle Right  
For OE number: 156 323 16 00  
Paired article numbers: MA-01313  
Paired article numbers: MJ01313  
Paired article numbers: MM-01313  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

MQ-01318

Shock Absorber



DACIA LOGAN III  
DACIA SANDERO III

OE

562102144R

Fitting Position: Rear Axle  
For OE number: 562102144R  
Shock Absorber Design: Absorber does not carry a spring  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

MQ-01320

Shock Absorber



DACIA SANDERO III

OE

543022129R

Fitting Position: Front Axle  
For OE number: 543022129R  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

MQ-01321

Shock Absorber



DACIA LOGAN III  
DACIA SANDERO III

OE

543021244R

Fitting Position: Front Axle  
For OE number: 543021244R  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

MQ-01336

Shock Absorber



IVECO DAILY Cassone / Furgonato / Promiscuo  
IVECO DAILY CITYS Autobus  
IVECO DAILY IV Autobus  
IVECO DAILY IV Cassone / Furgonato / Promiscuo  
IVECO DAILY IV Pianale piatto/Telaio

OE

504170986

Bore [mm]: 35  
Fitting Position: Rear Axle  
Length 1 [mm]: 360  
Length 2 [mm]: 462  
Piston Rod Diameter [mm]: 15,8  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top eye  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure  
Weight [kg]: 2,600

## Mounting

**MQ-01338**

**Shock Absorber**



DR DR 5.0 SUV

**OE**  
3360100121

Fitting Position: Left Front  
Paired article numbers: MA-01344  
Paired article numbers: MJ01344  
Paired article numbers: MM-01344  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

**MQ-01351**

**Shock Absorber**



MG MG HS

**OE**  
10671727

Fitting Position: Left Front  
Paired article numbers: MA-01352  
Paired article numbers: MJ01352  
Paired article numbers: MM-01352  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

**MQ-01352**

**Shock Absorber**



MG MG HS

**OE**  
10671729

Fitting Position: Right Front  
Paired article numbers: MA-01351  
Paired article numbers: MJ01351  
Paired article numbers: MM-01351  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

**MQ-01359**

**Shock Absorber**



FORD FIESTA VI

**OE**  
1780874  
1800308  
1804547  
1904598  
2002573  
C1BC18K001ED

Fitting Position: Front Axle Left  
Paired article numbers: MA-01360  
Paired article numbers: MJ01360  
Paired article numbers: MM-01360  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

**MQ-01360**

**Shock Absorber**



FORD FIESTA VI

**OE**  
1772029  
1800309  
1804549  
1904583  
2002575  
C1BC18045ED

Fitting Position: Front Axle Right  
Paired article numbers: MA-01359  
Paired article numbers: MJ01359  
Paired article numbers: MM-01359  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

## Mounting

**MQ-33133**

**Shock Absorber**



FORD FIESTA VII  
FORD FIESTA VII Van

**OE**

2087091  
2087096  
2096468  
2096469  
2126814  
2126815

Fitting Position: Rear Axle  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Monotube  
Shock Absorber Type: Gas Pressure

**MQ-40068**

**Shock Absorber**



HONDA JAZZ III (GE)

**OE**

52610TF0G12  
52610TF0G120M1  
52610TF0J03  
52610TF0J030M1  
52610TG0T03  
52610TG5C02

Fitting Position: Rear Axle  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

**MQ-40074**

**Shock Absorber**



HONDA HR-V  
HONDA HR-V (RU)

**OE**

52611T7AG01  
52611T7AJ31  
52611T7AJ51  
52611T7AJ61  
52611T7JH02  
52611T7JH11

Fitting Position: Rear Axle  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

**MQ-90050**

**Shock Absorber**



JEEP COMPASS (MP)

**OE**

6825 2481AB  
68252481AB  
6829 0251AB  
6829 0253AB  
6829 0257AB  
6829 0259AB

Fitting Position: Rear Axle Left  
For OE number: 6825 2481AB  
Paired article numbers: MA-90051  
Paired article numbers: MJ90051  
Paired article numbers: MM-90051  
Shock Absorber Design: Absorber does not carry a spring  
Shock Absorber Mounting Type: Top eye  
Shock Absorber Type: Gas Pressure

**MQ-90059**

**Shock Absorber**



AUDI A3 Limousine (8YS)  
AUDI A3 Sportback (8YA)  
AUDI Q2  
CUPRA FORMENTOR (KM7)  
CUPRA LEON (KL1, KU1)  
CUPRA LEON Sportstourer (KL8, KU8)

**OE**

3Q0513049HK  
3Q0513049HL  
5Q0513029JB  
5Q0513029KG  
5Q0513029KR  
5Q0513029LF

Fitting Position: Rear Axle  
Length 2 [mm]: 415  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

## Mounting

### MQ-90061

#### Shock Absorber



AUDI A4 (8K2, B8)  
AUDI A4 Avant (8K5, B8)


#### OE

8F0413031AA  
8F0413031B  
8F0413031T  
8K0413031AE  
8K0413031AF  
8K0413031BD

Fitting Position: Front Axle  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MQ-90063

#### Shock Absorber



AUDI A4 (8W2, B9)  
AUDI A4 Avant (8W5, B9)  
AUDI A5  
AUDI A5 Cabriolet  
AUDI A5 Sportback (F5A)

#### OE

8W0413031AT  
8W0413031BA  
8W0413031BB  
8W0413031BC  
8W0413031BF  
8W0413031BG

Fitting Position: Front Axle  
Piston Rod Diameter [mm]: 15  
Shock Absorber Design: Spring-bearing Damper  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MQ-AS183

#### Pneumatic Suspension



PORSCHE PANAMERA

#### OE

97034305200  
97034305201  
97034305202  
97034305203  
97034305204  
97034305205

Fitting Position: Right Front  
Paired article numbers: MA-AS184  
Paired article numbers: MJAS184  
Paired article numbers: MM-AS184  
Shock Absorber Mounting Type: Bottom Fork  
Spring Type: for pneumatic suspension vehicles

### MQ-AS184

#### Pneumatic Suspension



PORSCHE PANAMERA

#### OE

97034305100  
97034305101  
97034305102  
97034305103  
97034305104  
97034305105

Fitting Position: Left Front  
Paired article numbers: MA-AS184  
Paired article numbers: MJAS184  
Paired article numbers: MM-AS184  
Shock Absorber Mounting Type: Bottom Fork  
Spring Type: for pneumatic suspension vehicles

### MQ-AS480

#### Pneumatic Suspension



LAND ROVER DISCOVERY V (LR\_)  
LAND ROVER DISCOVERY V VAN (L462)

#### OE

LR081560

Fitting Position: Front Axle Right  
Paired article numbers: MA-AS481  
Paired article numbers: MJAS481  
Paired article numbers: MM-AS481  
Shock Absorber Type: Gas Pressure  
Spring Type: for pneumatic suspension vehicles

## Mounting

### MQ-AS481

#### Pneumatic Suspension



LAND ROVER DISCOVERY V (LR\_)  
LAND ROVER DISCOVERY V VAN (L462)

#### OE

LR081564  
LR102253

Fitting Position: Front Axle Left  
Paired article numbers: MA-AS480  
Paired article numbers: MJAS480  
Paired article numbers: MM-AS480  
Spring Type: for pneumatic suspension vehicles

### MQ-AS482

#### Pneumatic Suspension



MERCEDES-BENZ CLASSE E (W211)  
MERCEDES-BENZ CLASSE E T-Model (S211)  
MERCEDES-BENZ CLS (C219)

#### OE

211 320 53 38  
211 320 55 38  
211 320 63 13  
211 320 83 13  
A 211 320 53 38  
A 211 320 55 38

Fitting Position: Front Axle Left  
Paired article numbers: MA-AS483  
Paired article numbers: MJAS483  
Paired article numbers: MM-AS483  
Shock Absorber Type: Gas Pressure  
Spring Type: for pneumatic suspension vehicles

### MQ-AS483

#### Pneumatic Suspension



MERCEDES-BENZ CLASSE E (W211)  
MERCEDES-BENZ CLASSE E T-Model (S211)  
MERCEDES-BENZ CLS (C219)

#### OE

211 320 54 38  
211 320 56 38  
211 320 64 13  
211 320 84 13  
A 211 320 54 38  
A 211 320 64 13

Fitting Position: Front Axle Right  
Paired article numbers: MA-AS482  
Paired article numbers: MJAS482  
Paired article numbers: MM-AS482  
Shock Absorber Type: Gas Pressure  
Spring Type: for pneumatic suspension vehicles

### MQ-AS486

#### Pneumatic Suspension



PORSCHE PANAMERA (971)

#### OE

971413031D  
971413031F  
971413031J  
971413031K  
971616038G  
971616038K

Fitting Position: Front Axle Right  
Paired article numbers: MA-AS487  
Paired article numbers: MJAS487  
Paired article numbers: MM-AS487  
Spring Type: for pneumatic suspension vehicles

### MQ-AS487

#### Pneumatic Suspension



PORSCHE PANAMERA (971)

#### OE

971413031D  
971413031F  
971413031J  
971413031K  
971616037G  
971616037K

Fitting Position: Front Axle Left  
Paired article numbers: MA-AS486  
Paired article numbers: MJAS486  
Paired article numbers: MM-AS486  
Spring Type: for pneumatic suspension vehicles

## Mounting

### MQ-AS488

#### Pneumatic Suspension

MERCEDES-BENZ CLASSE S (W222, V222, X222)



#### OE

2223200613  
222320061380  
2223208413  
222320841380  
A2223200613  
A222320061380

Fitting Position: Front Axle Right  
Paired article numbers: MA-AS488  
Paired article numbers: MJAS489  
Paired article numbers: MM-AS489  
Spring Type: for pneumatic suspension vehicles

### MQ-AS489

#### Pneumatic Suspension

MERCEDES-BENZ CLASSE S (W222, V222, X222)  
MERCEDES-BENZ CLASSE S Coupé (C217)



#### OE

2223200513  
222320051380  
2223208313  
222320831380  
A2223200513  
A222320051380

Fitting Position: Front Axle Left  
Paired article numbers: MA-AS488  
Paired article numbers: MJAS488  
Paired article numbers: MM-AS488  
Spring Type: for pneumatic suspension vehicles

### MQ-AS490

#### Pneumatic Suspension

MERCEDES-BENZ CLASSE S (W222, V222, X222)  
MERCEDES-BENZ CLASSE S Coupé (C217)



#### OE

2223200813  
222320081380  
2223204413  
222320441380  
2223208613  
222320861380

Fitting Position: Rear Axle Right  
Paired article numbers: MA-AS491  
Paired article numbers: MJAS491  
Paired article numbers: MM-AS491

### MQ-AS491

#### Pneumatic Suspension

MERCEDES-BENZ CLASSE S (W222, V222, X222)  
MERCEDES-BENZ CLASSE S Coupé (C217)



#### OE

2223200713  
222320071380  
2223208513  
222320851380  
A2223200713  
A222320071380

Fitting Position: Rear Axle Left  
Paired article numbers: MA-AS490  
Paired article numbers: MJAS490  
Paired article numbers: MM-AS490

### MQ-AS492

#### Pneumatic Suspension

BMW X5 (G05)



#### OE

37-10-6-869-030  
37-10-6-869-036  
37106869030  
37106869036  
6869030  
6869036

Fitting Position: Front Axle Right  
Paired article numbers: MA-AS493  
Paired article numbers: MJAS493  
Paired article numbers: MM-AS493  
Spring Type: for pneumatic suspension vehicles

## Mounting

### MQ-AS493

#### Pneumatic Suspension

BMW X5 (G05)



#### OE

37106869029  
37106869035

Fitting Position: Front Axle Left  
Paired article numbers: MA-AS492  
Paired article numbers: MJAS492  
Paired article numbers: MM-AS492  
Spring Type: for pneumatic suspension vehicles

### MQ-AS496

#### Air Spring, suspension

PORSCHE PANAMERA



#### OE

97034305100  
97034305101  
97034305102  
97034305103  
97034305104  
97034305105

Fitting Position: Front Axle Left  
Spring Type: for pneumatic suspension vehicles

### MQ-AS498

#### Air Spring, suspension

HYUNDAI EQUUS / CENTENNIAL  
HYUNDAI GENESIS (BH)  
HYUNDAI GENESIS (DH)



#### OE

55350-3M501  
553503M500

Fitting Position: Rear Axle Left  
Paired article numbers: MA-AS497  
Paired article numbers: MJAS497  
Paired article numbers: MM-AS497  
Spring Type: for pneumatic suspension vehicles

### MQ-AS500

#### Air Spring, suspension

KIA BORREGO



#### OE

55331-2J000  
55331-2J100  
553312J000  
553312J100

Fitting Position: Rear Axle Right  
Paired article numbers: MA-AS499  
Paired article numbers: MJAS499  
Paired article numbers: MM-AS499  
Spring Type: for pneumatic suspension vehicles

### MQ-AS501

#### Air Spring, suspension

PORSCHE PANAMERA



#### OE

97034305200  
97034305201  
97034305202  
97034305203  
97034305204  
97034305205

Fitting Position: Front Axle Right  
Spring Type: for pneumatic suspension vehicles

## Mounting

### MQ-DR022

#### Shock Absorber



CHERY TIGGO 5x  
DR DR 4.0  
DR DR 5.0 SUV  
DR DR 6.0 SUV

#### OE

202000261AA  
202000359AA  
3360100048  
3360100083

Fitting Position: Front Axle Left  
For OE number: 3360100048  
Input Shaft Diameter [mm]: 15  
Piston Rod Diameter [mm]: 22  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MQ-DR023

#### Shock Absorber



CHERY TIGGO 5x  
DR DR 4.0  
DR DR 5  
DR DR 5.0 SUV  
DR DR 6.0 SUV

#### OE

202000262AA  
202000360AA  
3360100049  
3360100084

Fitting Position: Right Front  
For OE number: 3360100049  
Input Shaft Diameter [mm]: 15  
Piston Rod Diameter [mm]: 22  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MQ-DR024

#### Shock Absorber



DR DR 5.0 SUV  
DR DR F35 SUV

#### OE

230326  
3360100057  
3360100058  
3360100066  
J68-2905010  
T15-2905010

Fitting Position: Left Front  
For OE number: 3360100058  
Input Shaft Diameter [mm]: 15  
Piston Rod Diameter [mm]: 22  
Shock Absorber Design: Suspension Strut Insert  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MQ-DR025

#### Shock Absorber



DR DR 5.0 SUV  
DR DR F35 SUV

#### OE

202000039AA  
3360100058  
3360100067  
J68-2905020

Fitting Position: Right Front  
For OE number: 3360100067  
Input Shaft Diameter [mm]: 15  
Piston Rod Diameter [mm]: 22  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### SI0001JM

#### Rod/Strut, stabiliser



MG MG ZS Fuoristrada chiuso

#### OE

10227851

Bar/Strut: Pull Rod  
Fitting Position: Front Axle  
Length [mm]: 300  
Material: Metal  
Thread Size: M10 x 1.5 RHT

## Mounting

**SMQ0502**
**Strut Mount**

 CITROEN C3 II  
 CITROEN C3 III (SX)  
 CITROEN C4 CACTUS  
 CITROEN DS3  
 CITROEN DS3 Cabriolet  
 DS DS 3

**OE**  
 9811370580

 Fitting Position: Front Axle  
 Height [mm]: 35  
 Length [mm]: 136  
 Material: Steel Elastomer  
 Supplementary Article/Supplementary Info 2:  
 Without ball bearing  
 Width [mm]: 122

**SMQ0521S**
**Strut Mount**


FIAT TIPO 2 volumi /Coda spiovente (356\_)

**OE**  
 51983626

Fitting Position: Front Axle

**SMQ0543S**
**Strut Mount**

 PEUGEOT 406 (8B)  
 PEUGEOT 406 Break (8E/F)  
 PEUGEOT 406 Coupe (8C)

**OE**  
 503825  
 503866

 Fitting Position: Upper Front Axle  
 Standard: attacco ammortizzato  
 Standard: no sosp. Autolivell.

**ZCQ00002**
**Coil Spring**

 CITROEN C3 III (SX)  
 CITROEN C4 CACTUS  
 PEUGEOT 2008

**OE**  
 9802157080

 Fitting Position: Front Axle  
 Length [mm]: 337  
 Outer Diameter [mm]: 137  
 Spring Design: Coil Spring  
 Thickness/Strength 1 [mm]: 11,2

**ZCQ00006**
**Coil Spring**

 FIAT DUCATO Autobus (250)  
 FIAT DUCATO Pianale piatto/Telaio (250)

**OE**  
 1608309780  
 50711909

 Axle load to [t]: 2  
 Fitting Position: Front Axle  
 Reinforced Version:  
 Spring Design: Coil Spring

## Mounting

ZCQ1515A

Coil Spring



CITROEN C3 III (SX)

OE  
9673329880

Fitting Position: Front Axle  
Spring Design: Coil Spring