

JapKo®



www.japko.it

CATALOGUE

MG

SPARE PARTS

CATALOGO

MG

RICAMBI

Brake system

BPW-248

Warning Contact, brake pad wear



MG MG ZT
MG MG ZT- T

OE

SOE100010
SOE100010

Brake Type: Disc Brake
Length [mm]: 850

BPW-325

Warning Contact, brake pad wear



MG MG ZT
MG MG ZT- T

OE

SCM100030
SOM100030

Brake Type: Disc Brake
For OE number: SOM100030
Length [mm]: 1130

CAL016LJM

Brake Caliper



MG MG ZT
MG MG ZT- T

OE

34 11 6 765 881
34116750149
34116765881
SEG000050

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 25
Brake System: ATE
Diameter [mm]: 57
Fitting Position: Front Axle Left
Paired article numbers: CAL016RJM

CAL016RJM

Brake Caliper



MG MG ZT
MG MG ZT- T

OE

34 11 6 765 882
34116750150
34116765882
SEG000040

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 25
Brake System: ATE
Diameter [mm]: 57
Fitting Position: Front Axle Right
Paired article numbers: CAL016LJM

CAL166LJM

Brake Caliper



MG MG ZT
MG MG ZT- T

OE

34 21 6 758 135
34211165033
34216758135
SMC000351
SOB000050

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 19
Brake System: ATE
Diameter [mm]: 40
Fitting Position: Rear Axle Left
Paired article numbers: CAL166RJM

CAL166RJM

Brake Caliper



MG MG ZT
MG MG ZT- T

OE

34 21 6 758 136
34211165034
34216758136
SMC000341
SOB000040

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 19
Brake System: ATE
Diameter [mm]: 40
Fitting Position: Rear Axle Right
Paired article numbers: CAL166LJM

Brake system

CAL370LJM

Brake Caliper



MG MG ZR

OE

45012S6DE01
45012S6DE02
45013ST3E00
45023SK3E00
EJP1439
GBC156

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 21
Brake System: GIRLING
Diameter [mm]: 54
Fitting Position: Front Axle Left
Paired article numbers: CAL370RJM

CAL370RJM

Brake Caliper



MG MG ZR

OE

45012ST3E00
45013S6DE01
45013S6DE02
45021SK3E00
EJP1440
GBC154

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 21
Brake System: GIRLING
Diameter [mm]: 54
Fitting Position: Front Axle Right
Paired article numbers: CAL370LJM

CAL518LJM

Brake Caliper



MG MG ZR

OE

43013ST3E00
43013ST3E01
43023SK3E00
EJP1423
GBC158
SOB000020

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: GIRLING
Diameter [mm]: 30
Fitting Position: Rear Axle Left
Paired article numbers: CAL518RJM

CAL518RJM

Brake Caliper



MG MG ZR

OE

43012ST3E00
43012ST3E01
43021SK3E00
EJP1424
GBC161
SOB000010

Brake Caliper Type: Caliper (1 piston)
Brake Disc Thickness [mm]: 10
Brake System: GIRLING
Diameter [mm]: 30
Fitting Position: Rear Axle Right
Paired article numbers: CAL518LJM

600166C

Brake Disc



MG MG 3

OE

10094756

Brake Disc Thickness [mm]: 22
Brake Disc Type: Internally Vented
Centering Diameter [mm]: 64
Fitting Position: Front Axle
Minimum Thickness [mm]: 19
Number of mounting bores: 1
Outer Diameter [mm]: 257
Pitch Circle [mm]: 100
Rim Hole Number: 4
Surface: Painted
Thickness [mm]: 38

Brake system

600169C

Brake Disc



MG MG ZR
MG MG ZS
MG MG ZS Hatchback

OE

GBD90841
SDB100500

Brake Disc Thickness [mm]: 13
Brake Disc Type: Solid
Centering Diameter [mm]: 64,2
For OE number: GBD90841
Height [mm]: 44,5
Hole Arrangement / Number: 04/08
Minimum Thickness [mm]: 11
Outer Diameter [mm]: 261
Pitch Circle [mm]: 100
Supplementary Article/Supplementary Info 2:
Without wheel hub
Supplementary Article/Supplementary Info 2:
Without wheel studs
Surface: Painted

600172C

Brake Disc



MG MG 5 Station wagon
MG MG ZS Fuoristrada chiuso


OE

10282168
11193996

Brake Disc Thickness [mm]: 25
Brake Disc Type: Internally Vented
Centering Diameter [mm]: 65
Fitting Position: Front Axle
Minimum Thickness [mm]: 23
Number of mounting bores: 1
Outer Diameter [mm]: 300
Pitch Circle [mm]: 112
Rim Hole Number: 5
Surface: Coated
Thickness [mm]: 47

600177C

Brake Disc



MG MG ZS Fuoristrada chiuso

OE

10266048

Brake Disc Thickness [mm]: 22
Brake Disc Type: Internally Vented
Centering Diameter [mm]: 64,1
Height [mm]: 43,5
Hole Arrangement / Number: 05/12
Inner Diameter [mm]: 144,2
Minimum Thickness [mm]: 20
Outer Diameter [mm]: 280
Pitch Circle [mm]: 100
Supplementary Article/Supplementary Info 2:
Without wheel bearing
Supplementary Article/Supplementary Info 2:
Without wheel hub
Supplementary Article/Supplementary Info 2:
Without wheel studs
Surface: Coated
Wheel Bolt Bore [mm]: 14,6

Brake system

600183C

Brake Disc



MG MG 4
MG MG HS
MG MG HS (AS33)

OE

1025099
102509900A
102509900B
10464822
6006420
600642000A

Brake Disc Thickness [mm]: 32
Brake Disc Type: Internally Vented
Centering Diameter [mm]: 70,2
Fitting Position: Front Axle
Height [mm]: 70,7
Inner Diameter [mm]: 166
Minimum Thickness [mm]: 30
Number of Bores: 5
Number of mounting bores: 1
Outer Diameter [mm]: 355
Pitch Circle [mm]: 120
Surface: Painted
Wheel Bolt Bore [mm]: 16,6

600184C

Brake Disc



MG MG HS

OE

10174827

Brake Disc Thickness [mm]: 25
Brake Disc Type: Internally Vented
Centering Diameter [mm]: 65
Fitting Position: Front
Height [mm]: 46,6
Inner Diameter [mm]: 139
Minimum Thickness [mm]: 23
Number of Bores: 5
Number of mounting bores: 1
Outer Diameter [mm]: 312
Pitch Circle [mm]: 112
Supplementary Article/Supplementary Info 2:
Without wheel bearing
Supplementary Article/Supplementary Info 2:
Without wheel hub
Supplementary Article/Supplementary Info 2:
Without wheel studs
Surface: Coated
Wheel Bolt Bore [mm]: 15

600612C

Brake Disc



MG MG 6 Tre volumi

OE

10008343
10023289
1325772080
1331301080
1340179080
1340193080

Brake Disc Thickness [mm]: 28
Brake Disc Type: Vented
Fitting Position: Front Axle
For OE number: 4249H7
Height [mm]: 43,5
Minimum Thickness [mm]: 26
Number of Holes: 5
Outer Diameter [mm]: 285
Surface: Painted
Tightening Torque [Nm]: 100

60426C

Brake Disc



MG MG ZR
MG MG ZS
MG MG ZS Hatchback

OE

45251S06000
45251S5DA10
45251S5HT10
45251S6DE10
45251SCC000
45251SCC900

Brake Disc Thickness [mm]: 21
Brake Disc Type: Vented
Fitting Position: Front Axle
For OE number: 45251TARG00
Height [mm]: 45
Minimum Thickness [mm]: 19
Number of Bores: 4
Outer Diameter [mm]: 261,7
Pitch Circle [mm]: 64
Surface: Painted
Tightening Torque [Nm]: 108

Brake system

60442C

Brake Disc



MG MG 6 Tre volumi
MG MG ZT
MG MG ZT- T

OE

10002710
10002711
GBD90844
SDB000808
SDB000870
SDB000880

Brake Disc Thickness [mm]: 22
Brake Disc Type: Vented
Centering Diameter [mm]: 64,2
Fitting Position: Front Axle
For OE number: SDB000880
Height [mm]: 38
Minimum Thickness [mm]: 19
Number of Holes: 5
Outer Diameter [mm]: 284
Pitch Circle [mm]: 100
Surface: Painted
Tightening Torque [Nm]: 125

60491C

Brake Disc



MG MIDGET

OE

45251S2G000
45251S50G00
45251S50J00
45251S50J01
45251SAAG00
45251SAAG10

Brake Disc Thickness [mm]: 21
Brake Disc Type: Vented
Fitting Position: Front Axle
For OE number: 45251SAAG12
Height [mm]: 39,5
Minimum Thickness [mm]: 19
Number of Bores: 4
Outer Diameter [mm]: 239,3
Pitch Circle [mm]: 61
Surface: Painted
Tightening Torque [Nm]: 108

610157C

Brake Disc



MG MG HS


OE

10491104

Brake Disc Thickness [mm]: 12
Brake Disc Type: Solid
Centering Diameter [mm]: 65
Fitting Position: Rear Axle
Minimum Thickness [mm]: 10
Number of Bores: 5
Outer Diameter [mm]: 304
Pitch Circle [mm]: 112
Thickness [mm]: 37

610161C

Brake Disc



MG MG 5 Station wagon

OE

10347628


Brake Disc Thickness [mm]: 19
Brake Disc Type: Internally Vented
Centering Diameter [mm]: 65
Fitting Position: Rear Axle
Minimum Thickness [mm]: 17
Number of mounting bores: 1
Outer Diameter [mm]: 265
Pitch Circle [mm]: 112
Rim Hole Number: 5
Surface: Coated
Thickness [mm]: 62

Brake system

610166C

Brake Disc

MG MG ZS Fuoristrada chiuso



OE
10266049

Brake Disc Thickness [mm]: 9
Brake Disc Type: Solid
Centering Diameter [mm]: 64
Fitting Position: Rear Axle
Minimum Thickness [mm]: 7
Number of mounting bores: 2
Outer Diameter [mm]: 255
Pitch Circle [mm]: 100
Rim Hole Number: 5
Thickness [mm]: 37

610167C

Brake Disc

MG MG HS



OE
10174828

Brake Disc Thickness [mm]: 12
Brake Disc Type: Solid
Centering Diameter [mm]: 65
Fitting Position: Rear Axle
Height [mm]: 48,7
Number of Bores: 5
Number of mounting bores: 1
Outer Diameter [mm]: 282
Surface: Painted

61402C

Brake Disc

MG MG ZR
MG MG ZS
MG MG ZS Hatchback



OE
42510 SE0 000
42510 SE0-010
42510 SH3-G00
42510 SH3-G01
42510-SE0-010
42510-SH3-000

Brake Disc Thickness [mm]: 10
Brake Disc Type: Solid
Fitting Position: Rear Axle
For OE number: 42510SH3000
Height [mm]: 48
Inspection Tag: ECE R90 APPROVED
Minimum Thickness [mm]: 8
Number of Bores: 4
Outer Diameter [mm]: 238
Pitch Circle [mm]: 61
Surface: Painted
Tightening Torque [Nm]: 108

61405C

Brake Disc

MG MGR V8



OE
42510SG9000
42510SG9010
CLP3758
GBD802
GBD90802
GBD90834

Brake Disc Thickness [mm]: 10
Brake Disc Type: Solid
Fitting Position: Rear Axle
For OE number: 42510SG9010
Height [mm]: 43,6
Inspection Tag: ECE R90 APPROVED
Minimum Thickness [mm]: 8,5
Number of Bores: 4
Outer Diameter [mm]: 260
Pitch Circle [mm]: 64
Surface: Painted

Brake system

61426C

Brake Disc



MG MG 6 Tre volumi
MG MG ZT
MG MG ZT- T

OE

GBD 90847
SDB 000870
SDB 000871
SDB 101100
SDB000870
SDB000871

Brake Disc Thickness [mm]: 10
Brake Disc Type: Solid
Centering Diameter [mm]: 64,15
Fitting Position: Rear Axle
For OE number: SDB101100
Minimum Thickness [mm]: 8
Number of mounting bores: 1
Number of mounting bores: 5
Outer Diameter [mm]: 280,0
Pitch Circle [mm]: 100
Surface: Painted
Thickness [mm]: 62,2

61495C

Brake Disc



MG MG ZR
MG MG ZS
MG MG ZS Hatchback

OE

42510S5A000
42510S5AA00
42510S5HT00
SDB000290

Brake Disc Thickness [mm]: 10
Brake Disc Type: Solid
Fitting Position: Rear Axle
For OE number: 42510S5HT00
Height [mm]: 49
Inspection Tag: ECE R90 APPROVED
Minimum Thickness [mm]: 8
Number of Bores: 4
Outer Diameter [mm]: 259,5
Pitch Circle [mm]: 61
Surface: Painted
Tightening Torque [Nm]: 108

550002

Brake Shoe Set



MG METRO
MG MIDGET

OE

18G8647
18G8682
31004381
38722114
701788
G85101

Brake System: LOCKHEED AP
Diameter [mm]: 177,8
Fitting Position: Front Axle
Fitting Position: Rear Axle
Width [mm]: 32

550003

Brake Shoe Set



MG MG ZT
MG MG ZT- T

OE

GBS90838AF
SFS100190
SFS100190SLP

Brake System: TEVES
Diameter [mm]: 160
Fitting Position: Rear Axle
Width [mm]: 20

55L14

Brake Shoe Set



MG MAESTRO
MG MONTEGO

OE


GBS1106
GBS817
GBS90820
GBS90828
GBS90828AF

Brake System: LUCAS GIRLING
Diameter [mm]: 203,2
Fitting Position: Rear Axle
Width [mm]: 38

Brake system

500097

Brake Pad Set, disc brake



MG MG ZS Fuoristrada chiuso

OE

10088104
10197211
10343249

Fitting Position: Front Axle
For OE number: 10343249
Height 1 [mm]: 62,5
Height 2 [mm]: 56,2
Number of Wear Indicators: 2
Thickness/Strength 1 [mm]: 17,5
Wear Warning Contact: With acoustic wear warning
Width 1 [mm]: 156,4
Width 2 [mm]: 155,2
WVA Number: 22409
WVA Number: 22410
WVA Number: 22411

500112

Brake Pad Set, disc brake



MG MG ZT
MG MG ZT- T

OE

34111164629
34112357229
34113404362
34116750148
34116754705
34116761243

Article number of recommended accessories:
BPW-081
Article number of recommended accessories:
BPW-131
Fitting Position: Front Axle
For OE number: 34111164629
Height [mm]: 63,9
Width [mm]: 156
WVA Number: 21676
WVA Number: 21677
WVA Number: 23183

500160

Brake Pad Set, disc brake



MG MG TF
MG MGF (RD)

OE

GBP90318
GBP90320
GBP90320AF
GBP90337
GBP90337AF
GBP90345AF

Brake System: Lucas
Fitting Position: Front Axle
For OE number: SEM100020
Height [mm]: 60,2
Supplementary Article/Supplementary Info 2:
with brake caliper screws
Thickness [mm]: 17
Wear Warning Contact: Not prepared for wear indicator
Width [mm]: 114,9
WVA Number: 21518

500340

Brake Pad Set, disc brake







MG MG ZS Fuoristrada chiuso

OE

10248966
C2C27290
C2C35612
C2C39929
C2C42014

Brake System: ATE
Fitting Position: Front Axle
For OE number: C2C35612
Height 1 [mm]: 72
Height [mm]: 66,7
Thickness [mm]: 19
Width 1 [mm]: 156
Width [mm]: 155,3
WVA Number: 24123
WVA Number: 24124

Brake system

500371 	Brake Pad Set, disc brake MG MGC MG MGC GT	OE 899.4790 8993263 8993297 8994790 9102690 VBP289	Brake System: LUCAS GIRLING Fitting Position: Front Axle For OE number: 8993263 Height [mm]: 64,2 Length [mm]: 78,4 Thickness [mm]: 15,5 WVA Number: 20030
500374 	Brake Pad Set, disc brake MG MGB GT	OE 1571569 1642643 5010540 5015932 5018907 5022397	Brake System: LOCKHEED Fitting Position: Front Axle For OE number: 6567001 Height [mm]: 70,8 Length [mm]: 88,6 Thickness [mm]: 15 WVA Number: 20364 WVA Number: 20365
50042 	Brake Pad Set, disc brake MG MGR V8	OE GBP219 GBP244	Brake System: Lockheed For OE number: GBP219 Height 1 [mm]: 72 Inspection Tag: R90 Homologated Length [mm]: 100 Supplementary Article/Supplementary Info: with guide pin Thickness [mm]: 15 Wear Warning Contact: Not prepared for wear indicator WVA Number: 20577
50427 	Brake Pad Set, disc brake MG MG ZR MG MG ZS MG MG ZS Hatchback	OE 45022-S6D-E51 45022-SK3-E00 45022-ST3-E00 45022-ST3-E01 45022-ST3-E30 45022-ST3-G00	Brake System: TRW Brake Type: Disc Brake Fitting Position: Front Axle For OE number: 45022S6DE01 Height [mm]: 68,6 Inspection Tag: ECE R90 APPROVED Length [mm]: 129,4 Thickness [mm]: 17,6 WVA Number: 21515 WVA Number: 21516 WVA Number: 21517
50459 	Brake Pad Set, disc brake MG MG ZR MG MG ZS MG MG ZS Hatchback	OE 45022-S1A-E02 45022-S1A-E50 45022-S1A-E51 45022-S1A-E64 45022S1AE00 45022S1AE02	Brake System: SUMITOMO Fitting Position: Front Axle For OE number: 45022S1AE00 Height [mm]: 58,6 Length [mm]: 131,6 Thickness [mm]: 17,2 WVA Number: 23094 WVA Number: 23095 WVA Number: 23563 WVA Number: 23564

Brake system

50494

Brake Pad Set, disc brake



MG MG ZT
MG MG ZT- T

OE

10002727
10008675
10086234
GBP90342 AF
GBP90342AF
SFP100511

For OE number: SFP100511

50L00

Brake Pad Set, disc brake



MG MG HS

OE

10203163
10767908
1379971
1427386
1432363
1436498

Brake System: TEVES
Brake Type: Disc Brake
Fitting Position: Front Axle
For OE number: 1379971
Height 1 [mm]: 66,5
Height [mm]: 72
Inspection Tag: ECE R90 APPROVED
Length 1 [mm]: 156,5
Length [mm]: 155
Thickness [mm]: 20
WVA Number: 24123

50L22

Brake Pad Set, disc brake



MG MIDGET

OE

3653022
75242565
8830740
8830741
8856491
91014519

Brake System: LOCKHEED
Fitting Position: Front Axle
For OE number: GBP177
Height [mm]: 64,4
Length [mm]: 74,2
Thickness [mm]: 13,8
WVA Number: 20038
WVA Number: 20217

50W16

Brake Pad Set, disc brake




MG MARVEL R


OE

10424274
13237751
1605186
1605232
1605265
1605317


Brake System: MANDO
Brake Type: Disc Brake
Fitting Position: Front Axle
For OE number: 13237751
Height [mm]: 66
Inspection Tag: ECE R90 APPROVED
Length [mm]: 142
Thickness [mm]: 18
WVA Number: 24412
WVA Number: 24413
WVA Number: 24414

Brake system

510009 	Brake Pad Set, disc brake MG MG 6 Tre volumi MG MG X-POWER MG MG ZT MG MG ZT- T	OE 1020321 1164499 1164501 2157574 2157575 2157620	Brake System: ATE Fitting Position: Rear Axle For OE number: 1164499 Height 1 [mm]: 45 Inspection Tag: R90 Homologated Length [mm]: 123,1 Packing Type: Box Supplementary Article/Supplementary Info 2: With piston clip Supplementary Article/Supplementary Info: Without accessories Thickness [mm]: 16,1 Wear Warning Contact: Prepared for wear indicator WVA Number: 21934
--	--	---	--

510018 	Brake Pad Set, disc brake MG MG ZS Fuoristrada chiuso	OE 1 001 096 1001096 10030811 1027640 1027650 1029782	Brake System: TRW Lucas Fitting Position: Rear Axle For OE number: 4D0698451C Length [mm]: 87 Thickness [mm]: 17 Width [mm]: 53 WVA Number: 20961
--	---	--	---

510033 	Brake Pad Set, disc brake MG MARVEL R MG MG 5 Station wagon	OE 10413013	Fitting Position: Rear Axle Inspection Tag: ECE R90 Approved Length [mm]: 117 Supplementary Article/Supplementary Info 2: With anti-squeak plate Thickness/Strength 1 [mm]: 16 Wear Warning Contact: Not prepared for wear indicator Width [mm]: 47
--	--	-----------------------	--

510039 	Brake Pad Set, disc brake MG MG HS	OE 10172328 10332331	Fitting Position: Rear Axle Thickness [mm]: 16 Wear Warning Contact: With acoustic wear warning Width [mm]: 48,4
--	--	-----------------------------------	---

510040 	Brake Pad Set, disc brake MG MG ZS Fuoristrada chiuso	OE 10489774 10634449	Fitting Position: Rear Axle Length [mm]: 117,3 Thickness [mm]: 15 Wear Warning Contact: With acoustic wear warning Width [mm]: 48,8
--	---	-----------------------------------	---

Brake system

510105

Brake Pad Set, disc brake



MG MG ZT
MG MG ZT- T

OE

1160340
1160341
1160533
1161455
1161456
1162446

Article number of recommended accessories:
BPW-126
Article number of recommended accessories:
BPW-203
Brake System: ATE
Fitting Position: Rear Axle
For OE number: 1160340
Height 1 [mm]: 43,6
Inspection Tag: R90 Homologated
Length [mm]: 123
Packing Type: Box
Supplementary Article/Supplementary Info 2:
With piston clip
Supplementary Article/Supplementary Info:
Without accessories
Thickness [mm]: 16,7
Wear Warning Contact: Prepared for wear indicator
WVA Number: 20180
WVA Number: 20181

51404

Brake Pad Set, disc brake



MG MG ZR
MG MG ZS
MG MG ZS Hatchback

OE

06022SP8000
43022-SAA-J50
43022-TG0T00
43022S04E01
43022SF1000
43022SF1010

Brake Type: Disc Brake
Fitting Position: Rear Axle
For OE number: 06022SP8000
Height [mm]: 35,3
Inspection Tag: ECE R90 APPROVED
Length [mm]: 89
Thickness [mm]: 12,4
WVA Number: 21312
WVA Number: 21313
WVA Number: 21314

51405

Brake Pad Set, disc brake



MG MG ZR
MG MG ZS
MG MG ZS Hatchback


OE

06430S5AE50
43022S2AE50
5580080J02
5580080J02000
5580080J03
5580080J03000

Brake Type: Disc Brake
Fitting Position: Rear Axle
For OE number: 6000628642
Height [mm]: 47,2
Inspection Tag: ECE R90 APPROVED
Length [mm]: 88,7
Thickness [mm]: 14
WVA Number: 21719
WVA Number: 21720
WVA Number: 21721

51421

Brake Pad Set, disc brake



MG MG ZR
MG MG ZS
MG MG ZS Hatchback

OE

06430S0AJ00
06430S2A000
06430S2AE50
06430S5AJ00
06430S6DE50
06430S84A00

Brake System: Akebono
Height [mm]: 47,5
Number of Wear Indicators: 2
Thickness [mm]: 14,6
Wear Warning Contact: With acoustic wear warning
Width [mm]: 89
WVA Number: 21719
WVA Number: 21720
WVA Number: 21721

Clutch

Clutch

90RV01

Releaser



MG MG ZT
MG MG ZT- T

OE

UUB100191
UUB100192
UUB100193
UUB100194

Height [mm]: 66
Inner Diameter [mm]: 30
Outer Diameter [mm]: 80

90RV02

Releaser



MG MG ZT
MG MG ZT- T

OE

GSY90187
UUB105300
UUB105301
UUB105302

Height [mm]: 66
Inner Diameter [mm]: 30
Outer Diameter [mm]: 80

92459

Clutch Kit



MG MG ZR
MG MG ZS
MG MG ZS Hatchback

OE

22105P5T305
8510210
GCK2000AF
GCK2145AF
GCK553AF
GCK688AF

Centering Diameter [mm]: 25
Diameter [mm]: 225
Fitted Diameter [mm]: 270
Inner Diameter [mm]: 142
Number of Teeth: 24

Cooling System

33015

Radiator Cap



MG MG ZT
MG MG ZT- T

OE

17111719167
17111742232
17112242256
17114379048
17137639023
ESR1480

Pressure [bar]: 1,4

33022

Radiator Cap



MG MG ZS Hatchback

OE

1301AE
1301FE
1301JF
1301JG
1301JH
1301JJ

Pressure [bar]: 1,4

Cooling System

33023 	Radiator Cap MG MG ZS Hatchback	OE 01306.J5 03637680 1306-C9 1306.E4 1306.J5 1306E4	Pressure [bar]: 1,4
33026 	Radiator Cap MG MG TF MG MG ZR MG MG ZS MG MG ZS Hatchback	OE 1303101080 46402982 46402983 46457390 46556737 46556738	Pressure [bar]: 0,7
35L03 	Water Pump MG MG TF MG MG ZR MG MG ZS MG MG ZS Hatchback MG MGF (RD)	OE GWP2168 GWP333 PEB10051 PEB102510 PEB102510L PEB102510SLP	Number of Teeth: 24 Overall Height [mm]: 82
35L10 	Water Pump MG MG ZT MG MG ZT- T	OE GWP2604 PEB102440 PEB102440L PEB102470 PEB102470L	Belt Pulley [mm]: 65 Diameter [mm]: 95 Number of Ribs: 5 Overall Height [mm]: 89
38L06 	Thermostat, coolant MG MG ZT MG MG ZT- T	OE PEL000090 PEL100570 PEL100570L PEM100570	Opening Temperature [°C]: 88
38L10 	Thermostat, coolant MG MG ZS MG MG ZT MG MG ZT- T	OE GTS341 PEH101050 PEM101050	Opening Temperature [°C]: 82 Supplementary Article/Supplementary Info 2: Without sensor Supplementary Article/Supplementary Info: Without gasket / seal

Electrics

2201020

Alternator



MG MG TF
MG MG ZR
MG MG ZS
MG MG ZS Hatchback
MG MGF (RD)

OE

GNU2630
GNU2631
GNU2632
YLE102420
YLE102420E
YLE102430

Alternator Charge Current [A]: 85
Voltage [V]: 12

2H301

Alternator



MG MG ZT
MG MG ZT- T

OE

GNU2562
YLE000260
YLE000260E
YLE000261
YLE102020
YLE102500

Alternator Charge Current [A]: 100
Voltage [V]: 12

2H417

Alternator



MG MG ZR
MG MG ZS


OE

GNU2396
SA036
YLE101650
YLE101650E
YLE102010

Alternator Charge Current [A]: 80
Voltage [V]: 12

2H750

Alternator



MG MG ZR
MG MG ZS
MG MG ZS Hatchback

OE

GNU2396
GNU2397
GNU2728
YLE000010
YLE101500
YLE102000

Alternator Charge Current [A]: 90
Number of grooves: 6
Voltage [V]: 12

B077

Glow plug HKT



MG MG ZT- T

OE

1037204
1106500Q00
1106500QAA
1106500QAF
1106500QAG
11065BN701

Diameter [mm]: 5
Length 1 [mm]: 46
Length 2 [mm]: 24
Length [mm]: 91,5
Technical Information Number: HKT
Voltage [V]: 11

B085

Glow plug HKT



MG MG ZR
MG MG ZS
MG MG ZS Hatchback

OE

100226184
12291P5TG00
77 00 858 208

Diameter [mm]: 5
Length 1 [mm]: 46
Length 2 [mm]: 24
Length [mm]: 83
Technical Information Number: HKT
Voltage [V]: 11

Electrics

B086

Glow plug HKT



MG MG ZS

OE

1207068
1207069
1214427
1690048
4863826
606 17 002

Diameter [mm]: 5
Length 1 [mm]: 46
Length 2 [mm]: 29
Length [mm]: 97
Technical Information Number: HKT
Voltage [V]: 11

B087

Glow plug HKT



MG MGR V8
MG MONTEGO

OE

11065-6F900
110656F900
110656F90A
1610429080
270215409901
270215409912

Diameter [mm]: 5
Length 1 [mm]: 46
Length 2 [mm]: 29
Length [mm]: 89
Technical Information Number: HKT
Voltage [V]: 11

B096

Glow plug HKT



MG MG ZR
MG MG ZS
MG MG ZS Hatchback

OE

12291P5TG02
30862690
77 00 100 586
77 00 861 906
7700100586
7700858208

Diameter [mm]: 5
Length 1 [mm]: 43
Length 2 [mm]: 24
Length [mm]: 83
Technical Information Number: HKT
Voltage [V]: 11

B103

Glow plug HKT



MG MG ZT- T

OE

1106500QAA
1106500QAF
1106500QAG
11065BN701

Diameter [mm]: 5
Length 1 [mm]: 44
Length 2 [mm]: 24
Length [mm]: 89,5
Technical Information Number: HKT
Voltage [V]: 11

B104

Glow plug HKT



MG MG ZT
MG MG ZT- T

OE

12 23 2 248 059
1214018
12232248059
2248059
88900721
93171875

Diameter [mm]: 5
Length 1 [mm]: 46
Length 2 [mm]: 32
Length [mm]: 104,5
Technical Information Number: HKT
Voltage [V]: 11

BKR6EKPA

Spark plug NGK



MG MG TF
MG MG ZR
MG MG ZS
MG MG ZS Hatchback
MG MG ZT
MG MG ZT- T

OE

46449690
46521529
71753260
71754863
71765056
71765650

Technical Information Number: NGK

Electrics

BKR6EP-13

Spark plug NGK



MG MG TF
MG MG ZR
MG MG ZS
MG MG ZS Hatchback
MG MG ZT
MG MG ZT- T

OE
90919-01188

Technical Information Number: NGK

BKUR6ET

Spark plug NGK



MG MG TF
MG MG ZR
MG MG ZS
MG MG ZS Hatchback
MG MG ZT
MG MG ZT- T

OE
101 000 033 AA
101 000 31 AA
12 12 9 064 619
12129059162
12129059209
162 159 31 03

Technical Information Number: NGK

BKUR6ET/VL27

Spark plug NGK V-LINE



MG MG TF
MG MG ZR
MG MG ZS
MG MG ZS Hatchback
MG MG ZT
MG MG ZT- T

OE

Technical Information Number: NGK

BO-0100JM

Coil, ignition



MG MG ZS
MG MG ZS Hatchback

OE
1404309

For OE number: 1 404 309
Ignition Coil: Coupling Type SAE
Number of Inlets / Outlets: 1
Number of Poles: 3

BO-0107JM

Coil, ignition



MG MAESTRO
MG METRO
MG MGR V8
MG MONTEGO

OE
000 395 308 1
035 905 105 A
12 13 1 363 629
1317810
13178108
1317815

Coil Ignition System: For transistor ignition (TI)
Ignition Coil: Coupling Type DIN
Number of ports: 2
Port Thread: M5 - Klemme 1/15
Vehicle Equipment: For vehicles with distributor
Voltage [V]: 12

BO-0237JM

Coil, ignition



MG MAGNETTE
MG MGB Cabriolet
MG MGB GT
MG MGC
MG MGC GT
MG MIDGET

OE
000 158 00 03
000 158 02 03
000 158 07 03
000 158 26 03
000 158 32 03
000 158 34 03

Number of Poles: 2
Voltage [V]: 12

Electrics

BO-0619JM

Coil, ignition



MG MG TF
MG MG ZR
MG MG ZS
MG MG ZS Hatchback
MG MG ZT
MG MG ZT- T

OE

1388-77
2450 71
DMB 202
GCL 201
NEC 100630
NEC 100631

Number of ports: 2

78L05

Coil, ignition



MG MG TF
MG MG ZR
MG MGF (RD)

OE

1338-38
GCL219
NEC 000130
NEC 100870

Number of ports: 2

BP5E

Spark plug NGK



MG MIDGET

OE

98079-55811

Technical Information Number: NGK

BP5E/VL08

Spark plug NGK V-LINE



MG MIDGET

OE

98079-55811

Technical Information Number: NGK

BP5ES

Spark plug NGK



MG MIDGET

OE

002 159 22 03
002 159 29 03
002 159 31 03
002 159 48 03
04195-34140
0660 18 110

Technical Information Number: NGK

BP5HS

Spark plug NGK



MG MGB GT

OE

04886 204
09482-00120
09482-00124
09482-00228
09482-00305
101 000 048 AA

Technical Information Number: NGK

Electrics

BP5HS-10

Spark plug NGK



MG MGB GT

OE
04886 204
09482-00120
09482-00124
09482-00228
09482-00305
101 000 048 AA

Outer Thread [mm]: 14,0
Spanner Size: 20,8
Spark Plug: 1 - Earthed Electrode
Spark Plug: Nickel Middle Electrode
Spark Plug: No interference suppression
Spark Plug: Unscrewable SAE connector
Spark Plug: With gasket seat
Spark Position [mm]: 3,5
Thread Length [mm]: 12,7

BP6ES

Spark plug NGK



MG MGB Cabriolet
MG MGB GT

OE
002 159 24 03
002 159 28 03
002 159 41 03
002 159 42 03
0025918110
0259 18 110

Technical Information Number: NGK

BPR5EIX-11

Spark plug NGK



MG MIDGET

OE
1UD0-18-110
90919-01096
99000-79K60-PR5
99906-910X9-001
BY481-BPR5E
MZ602060

Technical Information Number: NGK

BPR6E

Spark plug NGK



MG MAESTRO
MG METRO
MG MGB Cabriolet
MG MGB GT
MG MONTEGO

OE
12121265595
12129062594
4249164
9004851096
94837756
96110493

Technical Information Number: NGK

BPR6E/VL02

Spark plug NGK V-LINE



MG MAESTRO
MG METRO
MG MGB Cabriolet
MG MGB GT
MG MONTEGO

OE
12121265595
12129062594
4249164
9004851096
94837756
96110493

Technical Information Number: NGK

Electrics

BPR6EIX

Spark plug NGK



MG MAESTRO
MG METRO
MG MGB Cabriolet
MG MGB GT
MG MONTEGO

OE

0370-18-110
49001-0013
5-8138-0004-0
5962.22
90098-70033
98079-56844

Technical Information Number: NGK

BPR6ES

Spark plug NGK



MG MGR V8

OE

0000-18-1690
09482-00299
09482-00409
09482-00487
0948200118
0948200118000

Technical Information Number: NGK

DOX-0119

Lambda Sensor



MG MG ZS
MG MG ZS Hatchback
MG MG ZT
MG MG ZT- T

OE

030906262C
030906262F
036906262AA
036906262D
036906262F
036906262M

Cable Length [mm]: 750
Height [mm]: 45
Length [mm]: 145
Manufacturer Restriction: Denso
Thread Size: M18x1.5
Width [mm]: 70

HJ-035

Wiper Blade



MG MG ZS Fuoristrada chiuso

OE

Length [mm]: 350

HJ-040

Wiper Blade



MG CYBERSTER
MG METRO
MG MG 4

OE

Length [mm]: 400

HJ-045

Wiper Blade



MG MG 5 Station wagon
MG MG 6 2 volumi /Coda spiovente
MG MG 6 Tre volumi
MG MG ZR
MG MG ZS
MG MG ZS Hatchback

OE

1272337
1272346
4708240200
6000613513
61 61 0 040 534
61610040534

Length [mm]: 450

Electrics

HJ-050

Wiper Blade



MG MAESTRO
MG MARVEL R
MG MG TF
MG MG ZS
MG MG ZS Hatchback
MG MGF (RD)

OE

2 206 402
2 206 429
6423.03
6423.04
76630-SZT-E01
77 11 1 172 583

Length [mm]: 500

HJ-060

Wiper Blade



MG CYBERSTER
MG MARVEL R
MG MG 350 (AP11)
MG MG 4
MG MG 5 Station wagon
MG MG 6 2 volumi /Coda spiovente

OE

Length [mm]: 600

132422

Ignition Cable Kit



MG MG ZR
MG MGF (RD)

OE

NGC000070
RC-RV1203
RCRV1203

Length 1 [mm]: 970
Length 2 [mm]: 1090
Length 3 [mm]: 1170
Length 4 [mm]: 1210
Number of circuits: 4
Outer Diameter [mm]: 7

132423

Ignition Cable Kit



MG MG TF
MG MG ZR
MG MG ZS
MG MG ZS Hatchback
MG MG ZT
MG MG ZT- T

OE

134373
GHT 291
GHT291
NGC 000 040
NGC000040

Length 1 [mm]: 440
Length 2 [mm]: 440
Number of circuits: 2
Outer Diameter [mm]: 7

132424

Ignition Cable Kit



MG MG TF
MG MG ZR
MG MGF (RD)

OE

134287
GHT284
NGC 000 090
NGC000090

Length 1 [mm]: 510
Length 2 [mm]: 540
Length 3 [mm]: 680
Length 4 [mm]: 730
Length 5 [mm]: 490
Number of circuits: 5
Outer Diameter [mm]: 7

IW20

Spark plug DENSO



MG MAESTRO
MG METRO
MG MGB Cabriolet
MG MGB GT
MG MONTEGO

OE

08922-01017-83
09482-00284
09482-00286
09482-00421
0948200285000
0948200421000

Quality: Iridium
Technical Information Number: DENSO

Electrics

IZFR6H11

Spark plug NGK



MG MG TF
MG MG ZR
MG MG ZS
MG MG ZS Hatchback
MG MG ZT
MG MG ZT- T

OE

12120032134
12120032135
12122158252
12127526799

Technical Information Number: NGK

K20TT

Spark plug DENSO



MG MG TF
MG MG ZR
MG MG ZS
MG MG ZS Hatchback
MG MG ZT
MG MG ZT- T

OE

1WT3-18-110
99000-79X12-K20

Diameter [mm]: 14
Spanner Size: 16
Standard:
Technical Information Number: DENSO

KH16TT

Spark plug DENSO



MG MG TF
MG MG ZS

OE

5960.F7
596013
596014
596016
596017
596057

Diameter [mm]: 14
Spanner Size: 16
Spark Plug: With resistance
Standard:
Technical Information Number: DENSO

LFR6C-11

Spark plug NGK



MG MG TF
MG MG ZS

OE

596085
596086
596097
596098
5960L2
90919-01258

Technical Information Number: NGK

LPG2

Spark plug NGK



MG MGB Cabriolet
MG MGB GT
MG MGR V8
MG MIDGET

OE

BY482-BPR6E
BY482BPR6E
MZ 602 074

Fuel Type: CNG/LPG
Outer Thread [mm]: 14,0
Recommended replace interval [km]: 60000
Spanner Size: 20,8
Spark Plug: Iridium Middle Electrode
Spark Plug: Unscrewable SAE connector

3H207

Starter



MG MG ZT
MG MG ZT- T

OE

GNU4821
NAD100952
NAD100952E
NAD100952L

Rated Power [kW]: 2
Voltage [V]: 12

Electrics

3H704 	Starter MG MG ZR MG MG ZS MG MG ZS Hatchback	OE 31200P5T505 31200P5TG00 31200P9M505 31200P9ME00 GNU4739 NAD100790	Fitted Diameter [mm]: 75 Number of Teeth: 11 Rated Power [kW]: 1,4 Rotation Direction: Anti-clockwise rotation Voltage [V]: 12
3H707 	Starter MG MG ZT MG MG ZT- T	OE NAD101140 NAD101140E NAD101500 NAD101500E	Rated Power [kW]: 2 Voltage [V]: 12
3U03 	Lambda Sensor MG MGR V8	OE 06A906262CM 1112475 1628VN 226A0-EA200 39210-26700 39210-26800	Lambda Sensor: Regulating Probe Number of Poles: 3 Overall Length [mm]: 315 Technical Information Number: Universal
3U04 	Lambda Sensor MG MGF (RD)	OE 06B 906 265 E 06B906265A 1053108 18213-86G01 1A08-18-861A 22690-KA331	Lambda Sensor: Regulating Probe Number of Poles: 4 Overall Length [mm]: 325 Technical Information Number: Universal
PFR5G-13E 	Spark plug NGK MG MG 6 2 volumi /Coda spiovente MG MG TF MG MG ZR MG MG ZS MG MG ZS Hatchback MG MG ZT	OE 18817-11051 1882611101 1N0818110 2741037100	Technical Information Number: NGK
PFR5R-11 	Spark plug NGK MG MG 6 2 volumi /Coda spiovente MG MG TF MG MG ZR MG MG ZS MG MG ZS Hatchback MG MG ZT	OE 004 159 19 03 09482-00549 22401-58S15 27410-23700 274103C000 55182623	Technical Information Number: NGK

Electrics

PFR6B 	Spark plug NGK MG MG X-POWER MG MG ZR MG MGF (RD)	OE 0060569957 0060810689 22401-AA400 60569957 60579903 60810689	Technical Information Number: NGK
PFR6N-11 	Spark plug NGK MG MG TF MG MG ZR MG MG ZS MG MG ZS Hatchback MG MG ZT MG MG ZT- T	OE 0K558-18-110	Technical Information Number: NGK
PFR6T-10G 	Spark plug NGK MG MG TF MG MG ZR MG MG ZS MG MG ZS Hatchback MG MG ZT MG MG ZT- T	OE 22401-58S17 90048-51173-000 90919-01211 96 307 562 96307562 98079-5614H	Technical Information Number: NGK
PK20PR-P8 	Spark plug DENSO MG MG X-POWER MG MG ZR MG MGF (RD)	OE 06H905611 09019-01211 101 000 063 AA 101 905 631 B 101000016AB 101905631C	Technical Information Number: DENSO
SJF35 	Wiper Blade MG MG ZS Fuoristrada chiuso	OE 1554033 1793883 288901164R 288904685R 288905351R 288905875R	Length [in]: 14 Length [mm]: 350 Technical Information Number: Flat
SJF40 	Wiper Blade MG CYBERSTER MG METRO MG MG 4	OE 1611348480 1613157180 1613158080 1613158380 1613159180 1618843180	Length [in]: 16 Length [mm]: 400 Technical Information Number: Flat

Electrics

SJF45

Wiper Blade



MG MAESTRO
MG MARVEL R
MG MG 5 Station wagon
MG MG 6 2 volumi /Coda spiovente
MG MG 6 Tre volumi
MG MG TF

OE

16 113 485 80
1610112480
1611348580
1611631080
1T1998002A
288901962R

Length [in]: 18
Length [mm]: 450
Technical Information Number: Flat

SJF50

Wiper Blade



MG MAESTRO
MG MARVEL R
MG MG TF
MG MG ZS
MG MG ZS Hatchback
MG MGF (RD)

OE

80B955426
80B998002
80C955425

Length [in]: 20
Length [mm]: 500
Technical Information Number: Flat

SJF50-50

Wiper Blade



MG MAESTRO
MG MG TF
MG MGF (RD)
MG MONTEGO

OE

0390494
0420549
151539
390494
420549
61607122140

Fitting Position: Front
Length 1 [mm]: 500
Length 2 [mm]: 500
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SJF55

Wiper Blade



MG MG HS
MG MG X-POWER
MG MG ZT
MG MG ZT- T

OE

1611346580
1718200645
1718202500
1832131
2 219 147
2048201400

Length [in]: 22
Length [mm]: 550
Technical Information Number: Flat

SJF60

Wiper Blade



MG CYBERSTER
MG MARVEL R
MG MG 350 (AP11)
MG MG 4
MG MG 5 Station wagon
MG MG 6 2 volumi /Coda spiovente

OE

2048201845
2048202200
2128201700
2128201800
2128201900
9829426780

Length [in]: 24
Length [mm]: 600
Technical Information Number: Flat

SJF60-40

Wiper Blade



MG MG 4
MG MG HS

OE

1609068880
1609069080
1613157180
1613158380
1642332780
288819784R

Fitting Position: Front
Length 1 [mm]: 600
Length 2 [mm]: 400
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

Electrics

SJF60-43

Wiper Blade



MG MG GS
MG MG HS
MG MG HS (AS33)

OE

52131451
52131452
95528210
9820343580
9820344280
9833976580

Fitting Position: Front
Length 1 [mm]: 600
Length 2 [mm]: 430
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SJF60-45

Wiper Blade



MG MG 5 Station wagon

OE

288901962R
288903994R
288905565R
288905769R
288906926R
288907739R

Fitting Position: Front
Length 1 [mm]: 600
Length 2 [mm]: 450
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SJF60-50

Wiper Blade



MG MARVEL R

OE

8F1998002A
8K1955425
8K1955426
8K1998002A
8R1998002
8U1955425

Fitting Position: Front
Length 1 [mm]: 600
Length 2 [mm]: 500
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SJX33C

Wiper Blade



MG MG ZS Fuoristrada chiuso

OE

Length [mm]: 330

SJX35R

Wiper Blade



MG MG GS
MG MG HS
MG MG ZT- T

OE

28790 BN701
46775472
6426 LV
6426 LW
6426 V3
77 01 047 871

Fitting Position: Rear
Length [mm]: 350

SJX40C

Wiper Blade



MG CYBERSTER
MG METRO
MG MG 4

OE

Length [mm]: 400

Electrics

SJX43C

Wiper Blade



MG MG 350 (AP11)
MG MG GS
MG MG HS
MG MG HS (AS33)

OE

Length [mm]: 430

SJX45C

Wiper Blade



MG MG 5 Station wagon
MG MG 6 2 volumi /Coda spiovente
MG MG 6 Tre volumi
MG MG ZR
MG MG ZS
MG MG ZS Hatchback

OE

Length [mm]: 450

8522205090
GB93673309A
GB93673309S
MGB3967330A
N05367330
N05467330

SJX45S

Wiper Blade



MG MG ZS

OE

Length [mm]: 450
Styling: with spoiler

28890-JR81A
65081600
66348000
8250A186
8250A375
85212-YZZAJ

SJX48C

Wiper Blade



MG MG 3 (_5LFP_)

OE

Length [mm]: 480

SJX48S

Wiper Blade



MG MG 3 (_5LFP_)

OE

Length [mm]: 480
Styling: with spoiler

8522253010
8971374682

SJX50C

Wiper Blade



MG MAESTRO
MG MARVEL R
MG MG TF
MG MG ZS
MG MG ZS Hatchback
MG MGF (RD)

OE

Length [mm]: 500

0443590
28890-1FC1A
28890-1FG0A
3424490
61 61 0 443 590
61 61 3 424 490

Electrics

SJX50S

Wiper Blade



MG MAESTRO
MG MARVEL R
MG MG TF
MG MG ZS
MG MG ZS Hatchback
MG MGF (RD)

OE

0443590
28890-1FC1A
28890-1FG0A
3424490
61 61 0 443 590
61 61 3 424 490

Length [mm]: 500
Styling: with spoiler

SJX53C

Wiper Blade



MG MG X-POWER
MG MG ZT
MG MG ZT- T

OE

Length [mm]: 530

SJX53S

Wiper Blade



MG MG ZT
MG MG ZT- T

OE

64610000
64610400
85212-YZZCL
85212-YZZCT
85222-0K031
85222-33090

Length [mm]: 530
Styling: with spoiler

SJX55C

Wiper Blade



MG MG ZT
MG MG ZT- T

OE

1638200845
25925620
6426V5
95980790
95980791
96380628

Length [mm]: 550

SJX55S

Wiper Blade



MG MG ZT
MG MG ZT- T

OE

0443590
16 113 454 80
3424489
5Z0 955 425 C
5Z0 998 002 C
5Z0 998 002 D

Length [mm]: 550
Styling: with spoiler

SJX58C

Wiper Blade



MG ONE

OE

Length [mm]: 580

Electrics

SJX60C

Wiper Blade



MG CYBERSTER
MG MARVEL R
MG MG 350 (AP11)
MG MG 4
MG MG 5 Station wagon
MG MG 6 2 volumi /Coda spiovente

OE

263709C004
263709C006
263709C008
288907C900
288909C000
288909C004

Length [mm]: 600

SJX60S

Wiper Blade



MG MARVEL R
MG MG 350 (AP11)
MG MG 4
MG MG 5 Station wagon
MG MG 6 2 volumi /Coda spiovente
MG MG 6 Tre volumi

OE

Length [mm]: 600
Styling: with spoiler

VK20Y

Spark plug DENSO



MG MG X-POWER
MG MG ZR
MG MGF (RD)

OE

1822A002
90919-01231
9900079L65
MR984646
NDVK20Y
NDVK20YA

Electrode Gap [mm]: 0,8
Technical Information Number: DENSO

W16EPR-U

Spark plug DENSO



MG MIDGET

OE

0242229531
0242229611.
066018110
09482-00131
09482-00138
09482-00155

Technical Information Number: DENSO

W20EPR-U

Spark plug DENSO



MG MAESTRO
MG METRO
MG MGB Cabriolet
MG MGB GT
MG MONTEGO

OE

025918110
02591811000
030418110
074524210
09482-00118
09482-00160

Technical Information Number: DENSO

W20EX-U

Spark plug DENSO



MG METRO

OE

0222-18-110
09482-00303
100377550
1367526
380280102
490010053

Technical Information Number: DENSO

Engine

15700053

Oil Pump



MG MG 6 Tre volumi
MG MG TF
MG MG ZR
MG MG ZS
MG MG ZS Hatchback
MG MG ZT

OE

LPF000030L

For OE number: LPF000030L

Engine Timing Control

6PK1563

V-Ribbed Belts



MG MG ZS
MG MG ZS Hatchback
MG MG ZT
MG MG ZT- T

OE

11281735190
11281735194
11281738645
11281738983
11287520072
5750GY

Length [mm]: 1563
Number of Ribs: 6

KJT482

Timing Belt Kit



MG MG ZR
MG MG ZS
MG MG ZS Hatchback

OE

14320P5TG00
14325P5TG00
14400P5TG00
14510P5TG00
14520P5TG00
LHP100550

Number of Teeth 1: 78
Number of Teeth 2: 112
Width 1 [mm]: 22
Width 2 [mm]: 28

KJTL03

Timing Belt Kit



MG EXPRESS Furgonato
MG MG TF
MG MG ZR
MG MG ZS
MG MG ZS Hatchback
MG MG ZT

OE

LHN100560L
LHP100900L

Number of Teeth: 145
Width [mm]: 26

KJTL06

Timing Belt Kit



MG MG ZR
MG MG ZS
MG MG ZS Hatchback

OE

14325P5TG00
LHN100760
LHP100550
LHP100550L
LHP100840
LHV100160

Number of Teeth: 112
Number of Teeth: 78
Width [mm]: 24
Width [mm]: 30

Engine Timing Control

KJK412

Timing Chain Kit



MG MG ZS Fuoristrada chiuso

OE

10109226
10177077

Chain Type: Low-noise chain
Chain Type: Simplex
Fitting Position: Lower
Fitting Position: Upper
Number of Chain Links: 170
Number of Chain Links: 66
Number of Parts [parts]: 9
Number of Teeth: 25
Number of Teeth: 50
Supplementary Article/Supplementary Info 2:
With gear
Supplementary Article/Supplementary Info:
Without gaskets/seals

Filter

FA-0135JM

Air Filter



MG MG 3

OE

10377350

Filter Type: Filter Insert
For OE number: 10377350
Height [mm]: 28
Length [mm]: 412
Width [mm]: 238

FA-0136JM

Air Filter



MG MG HS


OE

10296746
10349552
151000190AA

Filter Type: Filter Insert
For OE number: 10349552
Height [mm]: 51
Length [mm]: 262
Width [mm]: 201

FA-0137JM

Air Filter



MG MG GS
MG MG HS

OE

10177398
30059199

Filter Type: Filter Insert
For OE number: 30059199
Height [mm]: 58
Length [mm]: 256
Width [mm]: 191

FA-0138JM

Air Filter



MG MG 3

OE

10144394
30005099

Filter Type: Filter Insert
For OE number: 10144394
Height [mm]: 41
Length [mm]: 374
Supplementary Article/Supplementary Info 2:
With pre-filter
Width [mm]: 181

Filter

FA-0143JM

Air Filter




MG MG ZS Fuoristrada chiuso

OE
10334315

Filter Type: Filter Insert
Height [mm]: 38
Length [mm]: 418
Width [mm]: 236

FA-0144JM

Air Filter



MG MG HS (AS33)

OE
10727242

Filter Type: Filter Insert
Height [mm]: 53
Length [mm]: 266
Width [mm]: 207

FA-0147JM

Air Filter



MG MG ZS Fuoristrada chiuso

OE
10355807

Filter Type: Filter Insert
Height [mm]: 51
Length [mm]: 245
Weight [kg]: 0,248
Width [mm]: 195

FA-447JM

Air Filter



MG MG ZR

OE
PHE 000120
PHE 000121
PHE 10012
PHE000120
PHE10012

Filter Type: Filter Insert
For OE number: PHE 000120
Height [mm]: 57
Length [mm]: 268
Width [mm]: 108

20447

Air Filter



MG MG ZR

OE
PHE 000120
PHE 000121
PHE 10012
PHE000120
PHE10012

Filter Type: Filter Insert
For OE number: PHE 10012
Height [mm]: 57
Length [mm]: 268
Width [mm]: 108

FAA-039JM

Filter, interior air



MG MARVEL R

OE
10452996

Filter Type: Pollen Filter
For OE number: 10452996
Height [mm]: 28
Length [mm]: 291
Width [mm]: 179

Filter

FAA-040JM

Filter, interior air




MG MG 4

OE
11263391

Filter Type: Pollen Filter
For OE number: 11263391
Height [mm]: 30
Length [mm]: 365
Width [mm]: 178

FAA-075JM

Filter, interior air




MG MG ZS Fuoristrada chiuso

OE
10632431

Filter Type: Pollen Filter
For OE number: 10632431
Height [mm]: 37
Length [mm]: 195
Width [mm]: 190

FAA-076JM

Filter, interior air



MG MG 5

OE
10502976
10869011
11238108

Filter Type: Activated Carbon Filter
For OE number: 10502976
Height [mm]: 30
Length [mm]: 213
Width [mm]: 202

FAA-077JM

Filter, interior air




MG MG ZS Fuoristrada chiuso

OE
10365251
10365455
10967775
30143909

Filter Type: Pollen Filter
For OE number: 30143909
Height [mm]: 35
Length [mm]: 194
Width [mm]: 192

FAA-078JM

Filter, interior air




MG MG 3

OE
10193400
10289138
30005704

Filter Type: Pollen Filter
For OE number: 10193400
Height [mm]: 23
Length [mm]: 194
Width [mm]: 190

FAA-087JM

Filter, interior air



MG MG 3 (_5LFP_)
MG MG ZS Fuoristrada chiuso

OE
11442625
11442626

Filter Type: Pollen Filter
Height [mm]: 30
Length [mm]: 207
Width [mm]: 189

Filter

FAA-095JM

Filter, interior air



MG MG 5 Station wagon


OE

10448178
10448180

Filter Type: Pollen Filter
Height [mm]: 30
Length [mm]: 230
Weight [kg]: 0,100
Width [mm]: 202

FAA-099JM

Filter, interior air



MG MG HS

OE

10354972
10869026

Filter Type: Activated Carbon Filter
Height [mm]: 24
Length [mm]: 208
Width [mm]: 198

FAA-103JM

Filter, interior air



MG MG HS

OE

11124596

Filter Type: Pollen Filter
Height [mm]: 25
Length [mm]: 207
Width [mm]: 198

20L05

Air Filter



MG MG ZT
MG MG ZT- T

OE

13 71 2 246 997
13712246997
2246995
2246997
2249680
LR 007478

Filter Type: Filter Insert
For OE number: LR 007478
Height [mm]: 88,1
Length [mm]: 376
Width 1 [mm]: 122
Width [mm]: 145,1

FA-L05SJM

Air Filter



MG MG ZT
MG MG ZT- T

OE

13 71 2 246 997
13712246997
2246995
2246997
2249680
LR 007478

Filter Type: Filter Insert
For OE number: 2246995
Height [mm]: 88,1
Length [mm]: 376
Width 1 [mm]: 122
Width [mm]: 145,1

20L10

Air Filter



MG MG ZR
MG MG ZS
MG MG ZS Hatchback

OE

17200-P9M-E00
17220-P5T-G00
17220P5TG00
C 40749
ESR 4103
GFE 2254

Filter Type: Filter Insert
For OE number: 17220P5TG00
Height [mm]: 58
Length [mm]: 271
Width [mm]: 121

Filter

FC-027JM

Fuel filter



MG MG ZS Fuoristrada chiuso

OE
10137854

Filter Type: In-Line Filter
For OE number: 10137854
Height [mm]: 121
Housing material: Metal
Outer Diameter [mm]: 55
Pipe [mm]: 8

FC-028JM

Fuel filter



MG MG 3

OE
10096408

Filter Type: In-Line Filter
Length [mm]: 156
Material: Paper
Outer Diameter [mm]: 60
Pipe [mm]: 8

30990

Fuel filter



MG MG TF
MG MG ZR
MG MG ZS
MG MG ZS Hatchback
MG MGF (RD)

OE
23300-79045
23300-79046
25121150
25121160
4801358
8-25121-150-0

Filter Type: Screw-on Filter
For OE number: 8251211500
Inner Thread [mm]: IN/OUT: M14 x 1,5
Length [mm]: 106
Outer Diameter [mm]: 60

30L02

Fuel filter



MG MG ZR
MG MG ZS
MG MG ZS Hatchback

OE
058 212 08
1655 556
16901-S37-E30
16901S37E30
16901S6FE01
16901S6FE02

Diameter 1/ Diameter 2 [mm]: IN/OUT: 8
Filter Type: In-Line Filter
For OE number: 16901S37E30
Length [mm]: 167
Outer Diameter [mm]: 90,5

FC-L03JM

Fuel filter



MG MG ZT
MG MG ZT- T

OE
MUN 000010
WJI 100000
WJI 100000L
WJI100000L
WJN 101 762 L

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 70
For OE number: WJI 100000L
Inner Thread [mm]: M16 x 1,5
Length [mm]: 161
Outer Diameter [mm]: 83,3

30L03

Fuel filter



MG MG ZT
MG MG ZT- T

OE
MUN000010
WJI100000L
WJL100000L

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 70
For OE number: MUN000010
Inner Thread [mm]: M16 x 1,5
Length [mm]: 161
Outer Diameter [mm]: 83,3

Filter

FO-003JM

Oil Filter



MG MG GS


OE

00K04892339WE
10604737
12640445
12667194
12670058
12674698

Bypass Valve Opening Pressure [bar]: 1,8
Filter Type: Screw-on Filter
Gasket inner diameter: 63
Gasket outer diameter: 70
Height [mm]: 75
Outer Diameter [mm]: 76
Supplementary Article/Supplementary Info 2:
With one anti-return valve
Thread Size: M22x1.5

10010

Oil Filter



MG MG HS
MG MG ZS Fuoristrada chiuso

OE

00K04884900AB
00K04892339AA
00K04892339AB
00K04892339BE
00K04892339WE
04884900AB

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 64
For OE number: 50055447
Inner Thread [mm]: M22 x 1,5
Length [mm]: 76
Outer Diameter [mm]: 81

FO-279JM

Oil Filter



MG MGR V8

OE

00K05281090AB
0122-0645
0306483
03549957
04152-03002
04152-64010

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 71,4
For OE number: 90915YZZJ4
Inner Thread [mm]: 3/4 x 16
Length [mm]: 87,2
Outer Diameter [mm]: 76,5

10279

Oil Filter



MG MGR V8


OE

00K05281090AB
0122-0645
0306483
03549957
04152-03002
04152-64010

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 71,4
For OE number: 90915YZZJ4
Inner Thread [mm]: 3/4 x 16
Length [mm]: 87,2
Outer Diameter [mm]: 76,5

FO-902JM

Oil Filter



MG MGC GT

OE


00 00 574 002
00 00 930 023
00 00 930 026
00 00 930 028
00 00 950 196
00 01 226 727

Filter Type: Filter Insert
Fitted Diameter [mm]: 43
For OE number: 7961063
Inner Diameter 1 [mm]: 34
Inner Diameter [mm]: 34
Length [mm]: 142
Outer Diameter [mm]: 72

Filter

10902

Oil Filter



MG MGC GT

OE

00 00 574 002
00 00 930 023
00 00 930 026
00 00 930 028
00 00 950 196
00 01 226 727

Filter Type: Filter Insert
Fitted Diameter [mm]: 72
For OE number: VA3124053054
Inner Diameter 1 [mm]: 34
Inner Diameter [mm]: 34
Length [mm]: 142
Outer Diameter [mm]: 72

10985

Oil Filter



MG MGR V8


OE

000 389 7992
0000005889209
0003938626
0004449040
0060507080
0060574554

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 72
For OE number: 210101012005
Inner Thread [mm]: 3/4 - 16 UNF
Length [mm]: 97
Outer Diameter [mm]: 94

1ECO021

Oil Filter



MG MG ZT
MG MG ZT- T

OE

11 42 2 247 018
11422247018
15430RBDE01
15430RBDE02
2247018
GFE391

Filter Type: Filter Insert
Height [mm]: 115
Inner Diameter 1 [mm]: 31
Inner Diameter [mm]: 31
Outer Diameter [mm]: 64
Supplementary Article/Supplementary Info:
with seal

FO-L01JM

Oil Filter



MG MAESTRO
MG MG TF
MG MG ZR
MG MG ZS
MG MG ZS Fuoristrada chiuso
MG MG ZS Hatchback

OE

10073599
5005630
5007 165
5020 120
86 71 000 496
880X6714AA

Bypass Valve Opening Pressure [bar]: 1,0
Filter Type: Screw-on Filter
Fitted Diameter [mm]: 70
For OE number: STC974
Inner Thread [mm]: 13/16 X 16
Length [mm]: 95
Outer Diameter [mm]: 78
Supplementary Article/Supplementary Info 2:
With one anti-return valve

10L01

Oil Filter



MG MAESTRO
MG MG TF
MG MG ZR
MG MG ZS
MG MG ZS Fuoristrada chiuso
MG MG ZS Hatchback

OE

10073599
5005630
5007 165
5020 120
86 71 000 496
880X6714AA

Bypass Valve Opening Pressure [bar]: 1,0
Filter Type: Screw-on Filter
Fitted Diameter [mm]: 70
For OE number: STC974
Inner Thread [mm]: 13/16 X 16
Length [mm]: 95
Outer Diameter [mm]: 78
Supplementary Article/Supplementary Info 2:
With one anti-return valve

Joints

Joints

62462

Joint Kit, drive shaft



MG MG ZR

OE
GCV1088
TFB000090
TFB000090E
TFB000090SLP

External Teeth, wheel side: 26
Fitting Position: Wheel Side
Internal Teeth, wheel side: 22
Length 1 [mm]: 78,8
Number of Teeth, ABS ring: 43
Outer Thread [mm]: 22X1,5
Overall Length [mm]: 133,8
Seal Diameter [mm]: 49
Specification: Groove type: INNER

62465

Joint Kit, drive shaft



MG MG ZR

OE
GCV1146
TFB000140
TFB000140E
TFB000141

External Teeth, wheel side: 26
Fitting Position: Wheel Side
Internal Teeth, wheel side: 32
Length 1 [mm]: 78
Number of Teeth, ABS ring: 43
Outer Thread [mm]: 22X1,5
Overall Length [mm]: 146,5
Seal Diameter [mm]: 49
Specification: Groove type: INNER

62471

Joint Kit, drive shaft



MG MG ZR

OE
GCV1076
TDJ10016
TDJ10016E

External Teeth, wheel side: 26
Fitting Position: Wheel Side
Internal Teeth, wheel side: 32
Length 1 [mm]: 78
Overall Length [mm]: 146
Seal Diameter [mm]: 52
Specification: Groove type: INNER

Mounting

73027

Ball Joint



MG MG ZS Fuoristrada chiuso

OE
10228250
10319413
10727533

Cone Size [mm]: 18
Fitting Position: Front Axle Right
Hole Pitch 1/ Hole Pitch 2: 53
Hole Spacing [mm]: 50,5

73028

Ball Joint



MG MG ZS Fuoristrada chiuso

OE
10228150
10319331
10727509

Cone Size [mm]: 18
Fitting Position: Front Axle Left
Hole Pitch 1/ Hole Pitch 2: 53
Hole Spacing [mm]: 50,5

Mounting

720150L

Track Control Arm



MG MG 5 Station wagon

OE

10580150
11060291
11631921

Cone Size [mm]: 20
Fitting Position: Front Axle Left
Steering Type: Control Arm
Supplementary Article/Supplementary Info 2:
With ball joint
Supplementary Article/Supplementary Info:
with rubberised bearings

720150R

Track Control Arm



MG MG 5 Station wagon

OE

10580160
11060292
11631923

Cone Size [mm]: 20
Fitting Position: Front Axle Right
Steering Type: Control Arm
Supplementary Article/Supplementary Info 2:
With ball joint
Supplementary Article/Supplementary Info:
with rubberised bearings

72485L

Track Control Arm



MG MG ZS Fuoristrada chiuso

OE

10228100
10252196
10727535
10803554
10805152
11048892

Bar/Strut: Push Rod
Cone Size [mm]: 18
Fitting Position: Front Axle Left
Material: Sheet Steel
Paired article numbers: 72-04-485R
Paired article numbers: 72485R
Paired article numbers: BS-485R
Steering Type: Control Arm

72485R

Track Control Arm



MG MG ZS Fuoristrada chiuso

OE

10228200
10319515
10727561
10803555
10805153
11048895

Bar/Strut: Push Rod
Cone Size [mm]: 18
Fitting Position: Front Axle Right
Material: Sheet Steel
Paired article numbers: 72-04-485L
Paired article numbers: 72485L
Paired article numbers: BS-485L
Steering Type: Control Arm

KK-0368JM

Wheel Hub



MG EXPRESS Furgonato
MG MG ZR
MG MG ZS
MG MG ZS Hatchback

OE

GHK1561
GHK1597
RLB000060

For OE number: GHK1561
Inner Diameter 2 [mm]: 30
Inner Diameter [mm]: 30
Number of Teeth, ABS ring: 43
Outer Diameter [mm]: 136
Rim Hole Number: 4
Supplementary Article/Supplementary Info 2:
With ABS sensor ring
Thread Size: M12X1,5

Mounting

KK-0372JM

Wheel Hub



MG MG ZR
MG MG ZS
MG MG ZS Hatchback

OE

GHB373INC01
GHK1560
GHK1560INC01
GHK1596
RLB000050

Flange [mm]: 136
Rim Hole Number: 4

KK-0379JM

Wheel Hub



MG EXPRESS Furgonato
MG MG ZR
MG MG ZS
MG MG ZS Hatchback

OE

GHK1685
RLB000070
ROVKR010

For OE number: GHK1685
Inner Diameter 2 [mm]: 30
Inner Diameter [mm]: 30
Number of Teeth, ABS ring: 43
Outer Diameter [mm]: 135,8
Rim Hole Number: 4
Supplementary Article/Supplementary Info 2:
With ABS sensor ring
Thread Size: M12X1,5

KK-0419JM

Wheel Bearing Kit



MG MG ZS
MG MG ZS Hatchback

OE

GHK1559
RUD100070

Inner Diameter 1 [mm]: 43
Outer Diameter 1 [mm]: 79
Width 1 [mm]: 41

414004

Wheel Bearing Kit



MG MG ZR

OE

44300SE0003
GHK1933
RFM000060

Inner Diameter [mm]: 40
Outer Diameter [mm]: 76
Width [mm]: 41

429094

Wheel Hub



MG MG ZS Fuoristrada chiuso

OE

10509505
1K0501611
1K0501611G
1K0598611
5Q0598611
5QD598611B

Fitting Position: Rear Axle
Inner Diameter 2 [mm]: 30
Inner Diameter [mm]: 30
Number of Teeth, ABS ring: 43
Outer Diameter [mm]: 136,5
Rim Hole Number: 5
Standard: One
Supplementary Article/Supplementary Info 2:
With integrated ABS sensor
Thread Size: M14X1,5

Mounting

429095

Wheel Hub



MG MG ZS Fuoristrada chiuso

OE

10509500
1K0407621D
1K0407621E
1K0498621
2K0498621
57BWKH04

Fitting Position: Front Axle
For OE number: 1K0407621D
Number of Teeth, ABS ring: 43
Number of Teeth: 36
Outer Diameter [mm]: 136,5
Rim Hole Number: 5
Supplementary Article/Supplementary Info 2:
With integrated ABS sensor
Thread Size: M14X1,5

MJ00458

Shock Absorber



MG MGF (RD)

OE

RNB000260

Fitting Position: Front Axle
For OE number: RNB000260
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ00459

Shock Absorber



MG MGF (RD)

OE

RPD000180

Fitting Position: Rear Axle
For OE number: RPD000180
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ01345

Shock Absorber



MG MG ZS Fuoristrada chiuso

OE

10573459

Fitting Position: Front Axle Right
Paired article numbers: MA-01346
Paired article numbers: MJ01346
Paired article numbers: MM-01346
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Bottom Pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MJ01351

Shock Absorber



MG MG HS

OE

10671727

Fitting Position: Left Front
Paired article numbers: MA-01352
Paired article numbers: MJ01352
Paired article numbers: MM-01352
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

Mounting

MJ01352

Shock Absorber

MG MG HS



OE
10671729

Fitting Position: Right Front
Paired article numbers: MA-01351
Paired article numbers: MJ01351
Paired article numbers: MM-01351
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

103011

Tie Rod Axle Joint

MG MG HS



OE
10178374

Fitting Position: Front Axle left and right
Length [mm]: 296
Outer Diameter [mm]: 40
Outer Thread 1 [mm]: M16x1,5

1060001

Rod/Strut, stabiliser

MG MG ZS Fuoristrada chiuso



OE
10227851

Bar/Strut: Pull Rod
Fitting Position: Front Axle
Length [mm]: 300
Material: Metal
Thread Size: M10 x 1.5 RHT

11100002

Tie Rod End

MG MG ZS Fuoristrada chiuso



OE
10353668

Cone Size 1 [mm]: 13
Cone Size 2 [mm]: 16
Fitting Position: Front Axle Left
Inner Thread [mm]: M14x1,5
Length [mm]: 185
Outer Thread [mm]: M10x1,25

11100003

Tie Rod End

MG MG ZS Fuoristrada chiuso



OE
10353669

Cone Size 1 [mm]: 13
Cone Size 2 [mm]: 16
Fitting Position: Front Axle Right
Inner Thread [mm]: M14x1,5
Length [mm]: 185
Outer Thread [mm]: M10x1,25

Mounting

111406L

Tie Rod End

MG MG ZS



OE

53560-SH3-003
53560-SH3-013
53560-SR0-A01
53560-SR3-003
53560-ST7-003
53560S04003

Fitted Diameter [mm]: 13
Fitting Position: Left
Inner Thread [mm]: 14 X 1,5
Outer Thread [mm]: 10 X 1,25
Overall Height [mm]: 67,5
Overall Length [mm]: 199
Thread Length [mm]: 45

111406R

Tie Rod End

MG MG ZS



OE

53540-SH3-003
53540-SH3-013
53540-SR0-A01
53540-SR3-003
53540-ST3-E03
53540-ST7-003

Fitted Diameter [mm]: 13
Fitting Position: Right
Inner Thread [mm]: 14 X 1,5
Outer Thread [mm]: 10 X 1,25
Overall Height [mm]: 67,5
Overall Length [mm]: 200
Thread Length [mm]: 45

111487

Tie Rod End

MG MG ZR



OE

53540-SK3-E01
GSJ 1011
QJB100240
QJB100241

Fitted Diameter [mm]: 13
Fitting Position: Front Axle
Inner Thread [mm]: M14X1,5
Outer Thread [mm]: M 10X1,25
Overall Height [mm]: 69
Overall Length [mm]: 108
Thread Length [mm]: 60

111488L

Track Control Arm

MG MG ZR



OE

51365-SK3-000
51365SK3000
51365SK3010
GSJ 1085
GSJ286
GSJ413

Fitted Diameter [mm]: 15
Fitting Position: Front Axle Left
Inner Diameter [mm]: 10
Outer Thread 1 [mm]: 12 x 1,25
Overall Height [mm]: 81

111488R

Track Control Arm

MG MG ZR



OE

51355-SK3-000
51355SK3000
51355SK3010
GSJ 1086
GSJ287
GSJ414

Fitted Diameter [mm]: 15,2
Fitting Position: Front Axle Right
Inner Diameter [mm]: 10
Outer Thread 1 [mm]: 12 x 1,25
Overall Height [mm]: 81
Overall Length [mm]: 376

ZCJ1039A

Coil Spring

MG MG ZS



OE

GRS464
REB000380
REB000620
REB000621

Fitting Position: Front Axle

Mounting

ZCJ1040A

Coil Spring



MG MG ZT
MG MG ZT- T

OE
REB000890

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCJ2553F

Coil Spring



MG MG TF

OE
REB000670

Fitting Position: Front Axle
Length [mm]: 242
Outer Diameter [mm]: 86
Thickness [mm]: 11,5

ZCJ2935C

Coil Spring



MG MG ZT
MG MG ZT- T

OE
REB000430
REB000650
REB000900

Fitting Position: Front Axle
Length [mm]: 260
Outer Diameter [mm]: 177
Thickness [mm]: 16

ZCJ2937C

Coil Spring



MG MG ZT
MG MG ZT- T

OE
GRS449
GRS450

Fitting Position: Front Axle
Length [mm]: 282
Outer Diameter [mm]: 182
Thickness [mm]: 16

ZCJ3487A

Coil Spring



MG MG ZR

OE
GRS459
REB000400

Fitting Position: Front Axle

ZCJ3796A

Coil Spring



MG MG ZS

OE
REB000630

Fitting Position: Front Axle

Mounting

ZCJ6039F

Coil Spring



MG MG TF

OE

RKB 000520
RKB000520

Fitting Position: Rear Axle
Length [mm]: 228
Outer Diameter [mm]: 94
Thickness [mm]: 13,5

ZCJ6220A

Coil Spring



MG MG ZR

OE

GRS462
RKB000410

Fitting Position: Rear Axle

ZCJ6790X

Coil Spring



MG MG ZT

OE

GRS455
RKB000240
RKB000241
RKB000580SLP
RKB000910SLP

Fitting Position: Rear Axle
Length [mm]: 241
Outer Diameter [mm]: 131
Thickness [mm]: 14,25

ZSJ00213

Gas Spring, boot-/cargo area



MG MG HS

OE

10393725
10393726

Eject Force [N]: 495
Length [mm]: 563,5
Stroke [mm]: 195,5

ZSJ40029

Gas Spring, boot-/cargo area



MG MG 7
MG MG ZS Hatchback

OE

BHE140010
GTS157

Diameter [mm]: 8
Eject Force [N]: 510
Housing Diameter [mm]: 18
Length [mm]: 515
Stroke [mm]: 200

ZSJ40031

Gas Spring, bonnet



MG MG ZT
MG MG ZT- T

OE

BKK500010
BKK50010
GST124

Diameter [mm]: 8
Eject Force [N]: 420
Housing Diameter [mm]: 18
Length [mm]: 338
Stroke [mm]: 129

Mounting

ZSJ40032

Gas Spring, boot-/cargo area



MG MG ZT- T

OE
BHE500050

Diameter [mm]: 8
Eject Force [N]: 560
Housing Diameter [mm]: 18
Length [mm]: 565
Stroke [mm]: 210

ZSJ40033

Gas Spring, boot-/cargo area



MG MG ZT

OE
BMH500010
GST123

Diameter [mm]: 8
Eject Force [N]: 370
Housing Diameter [mm]: 18
Length [mm]: 315
Stroke [mm]: 112

ZSJ40034

Gas Spring, boot-/cargo area



MG MG ZT- T

OE
BHE500070

Diameter [mm]: 8
Eject Force [N]: 180
Housing Diameter [mm]: 18
Length [mm]: 398
Stroke [mm]: 120

ZSJ40043

Gas Spring, boot-/cargo area



MG METRO

OE
ADU6669
AFP1283

Diameter [mm]: 8
Eject Force [N]: 360
Housing Diameter [mm]: 18
Length [mm]: 542
Stroke [mm]: 210